

Working Catalogue



08 Ambrosia



30 Atlas



41 Bohemia



49 Cluster



60 Dipping Light



65 Discocó



70 Djembé



88 Fris



110 Ginger



138 Hazy Day



140 Ihana



146 Jaima



163 Maranga



166 Mercer



169 Milana



177 MVV



178 Neón de Luz



194 Pleat Box



202 Pu-erh



206 Santorini




213 Scotch Club



220 Soho



230 Tam Tam



237 The W



244 Vetra



246 Zenc

Floor



45 Cala



52 Copérnica



106 Funiculí



107 Funiculí Fabric



117 Ginger



106 High Line



148 Jaima



199 Polo



211 Scantling



234 Tam Tam



241 Theia



245 Vetra

Table



43 Bolita



52 Copérnica



55 Dipping Light



86 Fragile



108 Funiculí



109 Funiculí Fabric



116 Ginger



165 Mercer



199 Polo



212 Scantling

Table



240 Theia

Portable



39 Bicoca



47 Chispa



57 Dipping Light



83 FollowMe



116 Ginger



218 Sips

Wall



13 Ambrosia



30 Atlas



32 Aura



59 Dipping Light



69 Discocó



89 Fris



107 Funiculí



108 Funiculí Fabric



119 Ginger



152 Konoha

Wall



158 Ledtube



162 Manhattan



167 Mercer



178 Neón de Luz



181 N°8



187 Plaff-on!



204 Roc



212 Scantling



216 Scotch Club



235 Tam Tam

Ceiling



30 Atlas



68 Discocó



75 Djembé



89 Fris



120 Ginger



164 Maranga



168 Mercer



187 Plaff-on!



199 Polo



217 Scotch Club



225 Soho



228 Sun



36 Babila



46 Cala



80 Elipse



132 Ginger



146 Jaima



154 Lab



182 Palosanto



187 Plaff-on!



204 Roc



206 Santorini



220 Soho



242 TXL





Discover more at marset.com



Ambrosia 120

Code	Finish	CCT
A704-001-15-22K	● Matt Gold	22K
A704-001-15-27K	● Matt Gold	27K
A704-001-15-30K	● Matt Gold	30K
A704-001-16-22K	● Black	22K
A704-001-16-27K	● Black	27K
A704-001-16-30K	● Black	30K

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.


Product type: Pendant / Ceiling
 Light source Ambrosia 22K: LED SMD 24Vdc 19,2W 2200K CRI90 2116lm
 Luminaire Ambrosia 22K: (Power supply not included) 1885lm

Light source Ambrosia 27K: LED SMD 24Vdc 19,2W 2700K CRI90 2028lm
 Luminaire Ambrosia 27K: (Power supply not included) 1891lm

Light source Ambrosia 30K: LED SMD 24Vdc 19,2W 3000K CRI90 2256lm
 Luminaire Ambrosia 30K: (Power supply not included) 1927lm

Weight: Net 2,4 kg – Gross 3 kg
 Package: 29 x 10 x 135 cm - 2 kg – VOL - 0,04 m³
 8 x 8 x 128 cm - 1 kg – VOL - 0,01 m³


Product notes: 24V remote power supply to be ordered separately.
 LED included



Dimmable



Ambrosia 120 + Pole 60



Wire installation: Hardwired / Recessed

Ambrosia 180

Code	Finish	CCT
A704-002-15-22K	● Matt Gold	22K
A704-002-15-27K	● Matt Gold	27K
A704-002-15-30K	● Matt Gold	30K
A704-002-16-22K	● Black	22K
A704-002-16-27K	● Black	27K
A704-002-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.


Product type: Pendant / Ceiling
 Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2823lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2833lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2886lm

Weight: 3,1 kg – Gross 3,6 kg
 Package: 29 x 10 x 135 cm - 2 kg – VOL - 0,04 m³
 8 x 8 x 188 cm - 1,6 kg – VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.
 LED included



(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units.) They can be combined..

Wire installation: Hardwired / Recessed

Ambrosia 210

Code	Finish	CCT
A704-003-15-22K	● Matt Gold	22K
A704-003-15-27K	● Matt Gold	27K
A704-003-15-30K	● Matt Gold	30K
A704-003-16-22K	● Black	22K
A704-003-16-27K	● Black	27K
A704-003-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.


Product type: Pendant / Ceiling
 Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2865lm



Weight: Net 3,1 kg – Gross 3,6 kg
 Package: 29 x 10 x 135 cm - 2 kg – VOL - 0,04 m³
 8 x 8 x 68 cm - 0,6 kg – VOL - 0,004 m³
 8 x 8 x 128 cm - 1 kg – VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.
 LED included



(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed



Ambrosia 315

Code	Finish	CCT
A704-004-15-22K	● Matt Gold	22K
A704-004-15-27K	● Matt Gold	27K
A704-004-15-30K	● Matt Gold	30K
A704-004-16-22K	● Black	22K
A704-004-16-27K	● Black	27K
A704-004-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.


Product type: Pendant / Ceiling
 Light source Ambrosia 22K: LED SMD 24Vdc 43,2W 2200K CRI90 4761lm
 Luminaire Ambrosia 22K: (Power supply not included) 4220lm

Light source Ambrosia 27K: LED SMD 24Vdc 43,2W 2700K CRI90 4563lm
 Luminaire Ambrosia 27K: (Power supply not included) 4235lm

Light source Ambrosia 30K: LED SMD 24Vdc 43,2W 3000K CRI90 5076lm
 Luminaire Ambrosia 30K: (Power supply not included) 4314lm


Weight: Net 5,1 kg – Gross 5,9 kg
 Package: 29 x 10 x 225 cm - 3,5 kg – VOL - 0,065 m³
 8 x 8 x 98 cm - 0,8 kg – VOL - 0,006 m³
 8 x 8 x 188 cm - 1,6 kg – VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.
 LED included



(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed




Pole Ambrosia 40

Code	Finish
A704-005-15	● Matt Gold
A704-005-16	● Black

Materials
 Structure: Metal

Product type: Accessory



Pole Ambrosia 60

Code	Finish
A704-006-15	● Matt Gold
A704-006-16	● Black



Materials
 Structure: Metal

Product type: Accessory



Ambrosia canopy

Code	Finish	Dimming	Class
A666-214-15	● Matt Gold - 20W 24V	Triac	II
A666-214-16	● Black - 20W 24V	Triac	II
A666-222-15	● Matt Gold - 35W 24V	Casambi	I
A666-222-16	● Black - 35W 24V	Casambi	I
A666-216-15	● Matt Gold - 50W 24V	Triac	II
A666-216-16	● Black - 50W 24V	Triac	II
A666-223-15	● Matt Gold - 60W 24V	Casambi	I
A666-223-16	● Black - 60W 24V	Casambi	I
A666-217-15	● Matt Gold - 35W 24V	DALI	I
A666-217-16	● Black - 35W 24V	DALI	I
A666-218-15	● Matt Gold - 60W 24V	DALI	I
A666-218-16	● Black - 60W 24V	DALI	I



Product type: Ceiling
 Luminaire: 220 - 240 VAC
 Weight: Weight 0,7 kg – Gross 1 kg
 Package: 34 x 21 x 7 cm - 1 kg - VOL - 0,01 m³

Materials
 Structure: Metal

Dimmable

Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.



Ambrosia recessed power supply

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II

Dimmable



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Product type: Power supply
 Luminaire: 220 - 240 VAC





Ambrosia A 60 left

Code	Finish	CCT
A704-015-15-22K	● Matt Gold	22K
A704-015-15-27K	● Matt Gold	27K
A704-015-15-30K	● Matt Gold	30K
A704-015-16-22K	● Black	22K
A704-015-16-27K	● Black	27K
A704-015-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 9,6W 2200K CRI90 1058lm
 Luminaire Ambrosia 22K: (Power supply not included) 1003lm

Light source Ambrosia 27K: LED SMD 24Vdc 9,6W 2700K CRI90 1014lm
 Luminaire Ambrosia 27K: (Power supply not included) 1007lm

Light source Ambrosia 30K: LED SMD 24Vdc 9,6W 3000K CRI90 1028lm
 Luminaire Ambrosia 30K: (Power supply not included) 1025lm


Product notes: 24V remote power supply to be ordered separately.

Weight: Net 0,59 kg – Gross 1,3 kg

Package: 6,8 x 8 x 8 cm - 0,6 kg – Vol - 0,004 m³

14,5 x 13,5 x 61 cm - 0,7 kg – Vol - 0,01 m³

LED included



Wire installation: Hardwired / Recessed



Ambrosia A 60 right

Code	Finish	CCT
A704-016-15-22K	● Matt Gold	22K
A704-016-15-27K	● Matt Gold	27K
A704-016-15-30K	● Matt Gold	30K
A704-016-16-22K	● Black	22K
A704-016-16-27K	● Black	27K
A704-016-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 9,6W 2200K CRI90 1058lm
 Luminaire Ambrosia 22K: (Power supply not included) 1003lm

Light source Ambrosia 27K: LED SMD 24Vdc 9,6W 2700K CRI90 1014lm
 Luminaire Ambrosia 27K: (Power supply not included) 1007lm

Light source Ambrosia 30K: LED SMD 24Vdc 9,6W 3000K CRI90 1028lm
 Luminaire Ambrosia 30K: (Power supply not included) 1025lm


Product notes: 24V remote power supply to be ordered separately.

Weight: Net 0,59 kg – Gross 1,3 kg

Package: 6,8 x 8 x 8 cm - 0,6 kg – Vol - 0,004 m³

14,5 x 13,5 x 61 cm - 0,7 kg – Vol - 0,01 m³

LED included



Wire installation: Hardwired / Recessed



Ambrosia A 90 left

Code	Finish	CCT
A704-017-15-22K	● Matt Gold	22K
A704-017-15-27K	● Matt Gold	27K
A704-017-15-30K	● Matt Gold	30K
A704-017-16-22K	● Black	22K
A704-017-16-27K	● Black	27K
A704-017-16-30K	● Black	30K

Materials
Structure: Aluminium
Diffuser: Methacrylate
Canopy: Aluminium / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Wall
Light source Ambrosia 22K: LED SMD 24Vdc 14,4W 2200K CRI90 1587lm
Luminaire Ambrosia 22K: (Power supply not included) 1491lm

Light source Ambrosia 27K: LED SMD 24Vdc 14,4W 2700K CRI90 1521lm
Luminaire Ambrosia 27K: (Power supply not included) 1497lm

Light source Ambrosia 30K: LED SMD 24Vdc 14,4W 3000K CRI90 1692lm
Luminaire Ambrosia 30K: (Power supply not included) 1525lm


Product notes: 24V remote power supply to be ordered separately.

Weight: Net 0,68 kg – Gross 1,5 kg


Package: 9,8 x 8 x 8 cm - 0,8 kg – Vol - 0,006 m³

14,5 x 13,5 x 61 cm - 0,7 kg – Vol - 0,01 m³

LED included



Wire installation: Hardwired / Recessed



Ambrosia A 90 right

Code	Finish	CCT
A704-018-15-22K	● Matt Gold	22K
A704-018-15-27K	● Matt Gold	27K
A704-018-15-30K	● Matt Gold	30K
A704-018-16-22K	● Black	22K
A704-018-16-27K	● Black	27K
A704-018-16-30K	● Black	30K

Materials
Structure: Aluminium
Diffuser: Methacrylate
Canopy: Aluminium / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Wall
Light source Ambrosia 22K: LED SMD 24Vdc 14,4W 2200K CRI90 1587lm
Luminaire Ambrosia 22K: (Power supply not included) 1491lm

Light source Ambrosia 27K: LED SMD 24Vdc 14,4W 2700K CRI90 1521lm
Luminaire Ambrosia 27K: (Power supply not included) 1497lm

Light source Ambrosia 30K: LED SMD 24Vdc 14,4W 3000K CRI90 1692lm
Luminaire Ambrosia 30K: (Power supply not included) 1525lm


Product notes: 24V remote power supply to be ordered separately.

Weight: Net 0,68 kg – Gross 1,5 kg

Package: 9,8 x 8 x 8 cm - 0,8 kg – Vol - 0,006 m³

14,5 x 13,5 x 61 cm - 0,7 kg – Vol - 0,01 m³

LED included



Wire installation: Hardwired / Recessed



Ambrosia A 210

Code	Finish	CCT
A704-021-15-22K	● Matt Gold	22K
A704-021-15-27K	● Matt Gold	27K
A704-021-15-30K	● Matt Gold	30K
A704-021-16-22K	● Black	22K
A704-021-16-27K	● Black	27K
A704-021-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall

Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Product notes: 24V remote power supply to be ordered separately.


Weight: Net 1,42 kg – Gross 3,6 kg

Package: 68 x 8 x 8 cm - 0,6 kg – Vol - 0,004 m³

128 x 8 x 8 cm - 1 kg – Vol - 0,008 m³

16,5 x 13,5 x 152 cm - 2 kg – Vol - 0,033 m³

LED included



Wire installation: Hardwired / Recessed



Disk accessory

Code	Finish
A704-022-15	● Matt Gold
A704-022-16	● Black

Materials
 Structure: Metal

Product type: Accessory

Accessory used to hide the driver behind the canopy.
 Two units are required for Ambrosia A 210, one for each canopy.



Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II

Product type: Power supply



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Ambrosia A 60 left AC NEW


Code	Finish	CCT	Dimming
A704-030-15-22K	● Matt Gold	22K	Triac
A704-030-15-27K	● Matt Gold	27K	Triac
A704-030-15-30K	● Matt Gold	30K	Triac
A704-030-16-22K	● Black	22K	Triac
A704-030-16-27K	● Black	27K	Triac
A704-030-16-30K	● Black	30K	Triac
A704-031-15-22K	● Matt Gold	22K	DALI
A704-031-15-27K	● Matt Gold	27K	DALI
A704-031-15-30K	● Matt Gold	30K	DALI
A704-031-16-22K	● Black	22K	DALI
A704-031-16-27K	● Black	27K	DALI
A704-031-16-30K	● Black	30K	DALI

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Wall
 Light source Ambrosia 22K: LED SMD 500mA 8,6W 2200K CRI90 1184lm
 Luminaire Ambrosia 22K: 220 - 240 VAC TRIAC 10,7W 112lm / DALI 11,1W
 Light source Ambrosia 27K: LED SMD 500mA 8,6W 2700K CRI90 1190lm
 Luminaire Ambrosia 27K: 220 - 240 VAC TRIAC 10,7W 117lm / DALI 11,1W
 Light source Ambrosia 30K: LED SMD 500mA 8,6W 2700K CRI90 1210lm
 Luminaire Ambrosia 30K: 220 - 240 VAC TRIAC 10,7W 1089lm / DALI 11,1W

Weight: Net 0,6 kg – Gross 1,2 kg
 Package: 13 x 15,5 x 69 cm - 1,2 kg – Vol - 0,01 m³
 LED included. Power supply included.



Wire installation: Hardwired



Ambrosia A 60 right AC NEW


Code	Finish	CCT	Dimming
A704-032-15-22K	● Matt Gold	22K	Triac
A704-032-15-27K	● Matt Gold	27K	Triac
A704-032-15-30K	● Matt Gold	30K	Triac
A704-032-16-22K	● Black	22K	Triac
A704-032-16-27K	● Black	27K	Triac
A704-032-16-30K	● Black	30K	Triac
A704-033-15-22K	● Matt Gold	22K	DALI
A704-033-15-27K	● Matt Gold	27K	DALI
A704-033-15-30K	● Matt Gold	30K	DALI
A704-033-16-22K	● Black	22K	DALI
A704-033-16-27K	● Black	27K	DALI
A704-033-16-30K	● Black	30K	DALI

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Wall
 Light source Ambrosia 22K: LED SMD 500mA 8,6W 2200K CRI90 1184lm
 Luminaire Ambrosia 22K: 220 - 240 VAC TRIAC 10,7W 112lm / DALI 11,1W
 Light source Ambrosia 27K: LED SMD 500mA 8,6W 2700K CRI90 1190lm
 Luminaire Ambrosia 27K: 220 - 240 VAC TRIAC 10,7W 117lm / DALI 11,1W
 Light source Ambrosia 30K: LED SMD 500mA 8,6W 2700K CRI90 1210lm
 Luminaire Ambrosia 30K: 220 - 240 VAC TRIAC 10,7W 1089lm / DALI 11,1W

Weight: Net 0,6 kg – Gross 1,2 kg
 Package: 13 x 15,5 x 69 cm - 1,2 kg – Vol - 0,01 m³
 LED included. Power supply included.



Wire installation: Hardwired



Ambrosia A 90 left AC NEW

Code	Finish	CCT	Dimming
A704-034-15-22K	● Matt Gold	22K	Triac
A704-034-15-27K	● Matt Gold	27K	Triac
A704-034-15-30K	● Matt Gold	30K	Triac
A704-034-16-22K	● Black	22K	Triac
A704-034-16-27K	● Black	27K	Triac
A704-034-16-30K	● Black	30K	Triac
A704-035-15-22K	● Matt Gold	22K	DALI
A704-035-15-27K	● Matt Gold	27K	DALI
A704-035-15-30K	● Matt Gold	30K	DALI
A704-035-16-22K	● Black	22K	DALI
A704-035-16-27K	● Black	27K	DALI
A704-035-16-30K	● Black	30K	DALI


Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Wall

Light source Ambrosia 22K: LED SMD 500mA 12,9W 2200K CRI90 1776lm
 Luminaire Ambrosia 22K: 220 - 240 VAC TRIAC 15,4W 1668lm / DALI 15,5W
 Light source Ambrosia 27K: LED SMD 500mA 12,9W 2700K CRI90 17985lm
 Luminaire Ambrosia 27K: 220 - 240 VAC TRIAC 15,4W 1756lm / DALI 15,5W
 Light source Ambrosia 30K: LED SMD 500mA 12,9W 2700K CRI90 1815lm
 Luminaire Ambrosia 30K: 220 - 240 VAC TRIAC 15,4W 1634lm / DALI 15,5W

Weight: Net 0,75 kg – Gross 1,5 kg
 Package: 13 x 15,5 x 99 cm - 1,5 kg – Vol - 0,02 m³
 LED included. Power supply included.



Wire installation: Hardwired

Ambrosia A 90 right AC NEW

Code	Finish	CCT	Dimming
A704-036-15-22K	● Matt Gold	22K	Triac
A704-036-15-27K	● Matt Gold	27K	Triac
A704-036-15-30K	● Matt Gold	30K	Triac
A704-036-16-22K	● Black	22K	Triac
A704-036-16-27K	● Black	27K	Triac
A704-036-16-30K	● Black	30K	Triac
A704-037-15-22K	● Matt Gold	22K	DALI
A704-037-15-27K	● Matt Gold	27K	DALI
A704-037-15-30K	● Matt Gold	30K	DALI
A704-037-16-22K	● Black	22K	DALI
A704-037-16-27K	● Black	27K	DALI
A704-037-16-30K	● Black	30K	DALI


Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI


Product type: Wall

Light source Ambrosia 22K: LED SMD 500mA 12,9W 2200K CRI90 1776lm
 Luminaire Ambrosia 22K: 220 - 240 VAC TRIAC 15,4W 1668lm / DALI 15,5W
 Light source Ambrosia 27K: LED SMD 500mA 12,9W 2700K CRI90 17985lm
 Luminaire Ambrosia 27K: 220 - 240 VAC TRIAC 15,4W 1756lm / DALI 15,5W
 Light source Ambrosia 30K: LED SMD 500mA 12,9W 2700K CRI90 1815lm
 Luminaire Ambrosia 30K: 220 - 240 VAC TRIAC 15,4W 1634lm / DALI 15,5W

Weight: Net 0,75 kg – Gross 1,5 kg
 Package: 13 x 15,5 x 99 cm - 1,5 kg – Vol - 0,02 m³
 LED included. Power supply included.



Wire installation: Hardwired





Ambrosia V 130 Plug-in NEW

Code	Finish	CCT
A704-147-15-22K	● Matt Gold	22K
A704-147-15-27K	● Matt Gold	27K
A704-147-15-30K	● Matt Gold	30K
A704-147-16-22K	● Black	22K
A704-147-16-27K	● Black	27K
A704-147-16-30K	● Black	30K

Materials: Aluminium
Structure: Aluminium
Diffuser: Methacrylate

Dimmable: Yes
Integrated dimmer: Yes
Dimmer type: Progressive from 0 to 100

Product type: Pendant

Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: 100 - 240 VAC 33,8W 3009lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3267lm
Luminaire Ambrosia 27K: 100 - 240 VAC 33,8W 3021lm


Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3324lm
Luminaire Ambrosia 30K: 100 - 240 VAC 33,8W 3078lm

Weight: Net 1,4 kg – Gross 2,1 kg

Package: 13 x 13 x 136 cm - 2,1 kg – VOL - 0,02 m³

LED included

Dimmable



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



Ambrosia V 130 NEW

Code	Finish	CCT
A704-146-15-22K	● Matt Gold	22K
A704-146-15-27K	● Matt Gold	27K
A704-146-15-30K	● Matt Gold	30K
A704-146-16-22K	● Black	22K
A704-146-16-27K	● Black	27K
A704-146-16-30K	● Black	30K

Materials: Aluminium
Structure: Aluminium
Diffuser: Methacrylate


Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Pendant
Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: (Power supply not included) 3009lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3267lm
Luminaire Ambrosia 27K: (Power supply not included) 3021lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3324lm
Luminaire Ambrosia 30K: (Power supply not included) 3078lm

Product notes: 24V remote power supply to be ordered separately.
Weight: Net 1,2 kg – Gross 1,9 kg
Package: 13 x 13 x 136 cm - 1,9 kg – VOL - 0,02 m³
LED included



Wire installation: Hardwired
Cable length: 2 m
Color cord: Black

Ambrosia V 175 Plug-in NEW

Code	Finish	CCT
A704-145-15-22K	● Matt Gold	22K
A704-145-15-27K	● Matt Gold	27K
A704-145-15-30K	● Matt Gold	30K
A704-145-16-22K	● Black	22K
A704-145-16-27K	● Black	27K
A704-145-16-30K	● Black	30K

Materials: Aluminium
Structure: Aluminium
Diffuser: Methacrylate

Dimmable: Yes
Integrated dimmer: Yes
Dimmer type: Progressive from 0 to 100


Product type: Pendant

Light source Ambrosia 22K: LED SMD 24Vdc 43,2W 2200K CRI90 4761lm
Luminaire Ambrosia 22K: 100 - 240 50,5W VAC 4476lm

Light source Ambrosia 27K: LED SMD 24Vdc 43,2W 2700K CRI90 4788lm
Luminaire Ambrosia 27K: 100 - 240 50,5W VAC 4491lm

Light source Ambrosia 30K: LED SMD 24Vdc 43,2W 3000K CRI90 5016lm
Luminaire Ambrosia 30K: 100 - 240 50,5W VAC 4575lm

Weight: Net 1,6 kg – Gross 2,7 kg
Package: 13 x 13 x 184 cm - 2,7 kg – VOL - 0,03 m³
LED included



Dimmable



CE

ERC

Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



Ambrosia V 175 NEW

Code	Finish	CCT
A704-144-15-22K	● Matt Gold	22K
A704-144-15-27K	● Matt Gold	27K
A704-144-15-30K	● Matt Gold	30K
A704-144-16-22K	● Black	22K
A704-144-16-27K	● Black	27K
A704-144-16-30K	● Black	30K

Materials
Structure: Aluminium
Diffuser: Methacrylate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Pendant


Light source Ambrosia 22K: LED SMD 24Vdc 43,2W 2200K CRI90 4761lm
Luminaire Ambrosia 22K: (Power supply not included) 4476lm

Light source Ambrosia 27K: LED SMD 24Vdc 43,2W 2700K CRI90 4788lm
Luminaire Ambrosia 27K: (Power supply not included) 4491lm

Light source Ambrosia 30K: LED SMD 24Vdc 43,2W 3000K CRI90 5016lm
Luminaire Ambrosia 30K: (Power supply not included) 4575lm

Weight: Net 1,4 kg – Gross 2,5 kg
Package: 13 x 13 x 184 cm - 2,5 kg – VOL - 0,03 m³

Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable



CE

ERAC

UK
CA

Wire installation: Hardwired
Cable length: 2 m
Color cord: Black



Canopy Ambrosia V 50W

Code	Finish	Dimming	Class
A666-239-15	● Matt Gold	Triac	I
A666-240-15	● Matt Gold	DALI	I
A666-241-15	● Matt Gold	Casambi	I
A666-239-16	● Black	Triac	I
A666-240-16	● Black	DALI	I
A666-241-16	● Black	Casambi	I


Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 50W (max.)
220 - 240 VAC DALI / Casambi 60W (max.)

Weight: Net 1,2 kg – Gross 1,6 kg
Package: 42 x 42 x 8 cm -1,6 kg – VOL - 0,01 m³

Wire installation: Hardwired
Canopy color: Black - Entry points: 1

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI
Casambi



Dimmable

ERC

CE


UK
CA

Disk Accessory - Steel cable

Code	Finish
A718-034-39	● Black

Materials
Structure: Metal


Product type: Accessory
Product notes: Accessory used to hide the driver behind the canopy.



Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II

Product type: Power supply



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.



Cluster Ambrosia V 100W

Code	Finish	Dimming	Class
A666-234-39	● Black	Triac	II

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 100W (max.)

Weight: Net 3,2 kg – Gross 3,8 kg
Package: 42 x 42 x 8 cm - 3,8 kg – VOL - 0,01 m³
Product notes: Canopy for 24V luminaires.


Wire installation: Hardwired
Canopy color: Black - Entry points: 3

Dimmable

ERC

CE

UK
CA



Cluster Ambrosia V 200W

Code	Finish	Dimming	Class
A666-237-39	● Black	Triac	II
A666-235-39	● Black	DALI (max. 150W)	I
A666-236-39	● Black	Casambi (max. 150W)	I

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 200W (max.)
220 - 240 VAC DALI / Casambi 150W (max.)

Weight: Net 3,4 kg – Gross 4 kg
Package: 42 x 42 x 8 cm - 4 kg – VOL - 0,01 m³
Product notes: Canopy for 24V luminaires.


Wire installation: Hardwired
Canopy color: Black - Entry points: 5

Dimmable

ERC

CE

UK
CA




Hook Accessory

Code	Finish
A693-007	● Black

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0,01 kg – Gross 0,01 kg
Package: 2 x 2 x 5 cm - 0,01 kg – VOL - 0,002 m³

Product notes: Accessory to guide the cable.





Ambrosia V 235 Plug-in NEW

Code	Finish	CCT
A704-141-15-22K	● Matt Gold	22K
A704-141-15-27K	● Matt Gold	27K
A704-141-15-30K	● Matt Gold	30K
A704-141-16-22K	● Black	22K
A704-141-16-27K	● Black	27K
A704-141-16-30K	● Black	30K

Materials
Structure: Aluminium
Diffuser: Methacrylate

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: Progressive from 0 to 100

Product type: Pendant

Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: 100 - 240 VAC 33,8W 2802lm


Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3267lm
Luminaire Ambrosia 27K: 100 - 240 VAC 33,8W 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3324lm
Luminaire Ambrosia 30K: 100 - 240 VAC 33,8W 2865lm

Weight: Net 1,6 kg – Gross 4,2 kg

Package: 15,4 x 15,4 x 256 cm – 4,2 kg – VOL - 0,06 m³

LED included



Dimmable



CE

ERAC

Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



Code	Finish	CCT
A704-140-15-22K	● Matt Gold	22K
A704-140-15-27K	● Matt Gold	27K
A704-140-15-30K	● Matt Gold	30K
A704-140-16-22K	● Black	22K
A704-140-16-27K	● Black	27K
A704-140-16-30K	● Black	30K

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Pendant
 Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3267lm
 Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3324lm
 Luminaire Ambrosia 30K: (Power supply not included) 2865lm


Weight: Net 1,4 kg – Gross 4 kg
 Package: 15,4 x 15,4 x 256 cm - 4 kg – VOL - 0,06 m³
 Product notes: 24V remote power supply to be ordered separately.
 LED included




Wire installation: Hardwired
 Cable length: 2 m
 Color cord: Black

Canopy Ambrosia

Code	Finish	Dimming	Class
A666-222-15	● Matt Gold - 35W 24V	Casambi	I
A666-222-16	● Black - 35W 24V	Casambi	I



A666-216-15	● Matt Gold - 50W 24V	Triac	II
A666-216-16	● Black - 50W 24V	Triac	II
A666-217-15	● Matt Gold - 35W 24V	DALI	I
A666-217-16	● Black - 35W 24V	DALI	I



Product type: Ceiling
 Luminaire: 220 - 240 VAC
 Weight: Weight 0,7 kg – Gross 1 kg
 Package: 34 x 21 x 7 cm - 1 kg - VOL - 0,01 m³

Materials
 Structure: Metal

Dimmable

Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.





Disk Accessory

Code	Finish
A718-039-39	● Black

Materials
 Structure: Metal

Product type: Accessory
 Product notes: Accessory used to hide the driver behind the canopy.



Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II

Dimmable



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Product type: Power supply

This power supplies are not compatible with Fris Pro.

Accessory Extensor V255

Code	Finish
A704-150-09	● Inox

Materials
 Structure: Stainless steel

Product type: Accessory
 Weight: Net 0,09 kg – Gross 0,4 kg
 Package: 8 x 8 x 37,8 cm - 0,4 kg – VOL - 0,002 m³
 Product notes: Accessory to lengthen the Ambrosia V 235.
 Total increase of 20 cm.






Atlas

Code A34-001 Finish ○ Translucent *

Materials
Shade: Polycarbonate
Canopy: White polyamide
Structure: Stainless steel

Product type: Wall / Ceiling
Light source: E27 LED PAR30 10W 40° 3000K
Weight: Net 0,3 kg – Gross 0,55 kg
Package: 18 x 21 x 24 cm - 0,55 kg – VOL - 0,008 m³
Product notes: Atlas has been designed to specifically accommodate the PAR30 bulb (BOM-270) so that the bulb does not protrude from the diffuser.



CE

ERC

CS

0,6m




Wire installation: Hardwired
Canopy color: White
Color cord: Transparent

Atlas Susp.

Code A34-012 Finish
○ Translucent *

Materials
Shade: Polycarbonate
Canopy: White polyamide

Product type: Pendant
Light source: E27 LED PAR30 10W 40° 3000K
Weight: Net 0,25 kg – Gross 0,67 kg
Package: 18 x 21 x 24 cm - 0,67 kg – VOL - 0,008 m³
Product notes: Atlas has been designed to specifically accommodate the PAR30 bulb (BOM-270) so that the bulb does not protrude from the diffuser.



CE

ERC

UK
CA

∅0,6m



Cable length: 3 m
Wire installation: Hardwired
Color cord: Transparent
Canopy color: White


Base Atlas 2

Code A34-026 Finish
○ White *

Materials
Structure: White Polyamide

Product type: Accessory
Weight: Net 0,45 kg – Gross 0,66 kg
Package: 50 x 17 x 7 cm - 0,66 kg – VOL - 0,006 m³


Canopy color: White



CE

ERC

UK
CA






Aura On/Off

- | | |
|-----------------|----------------------|
| Code | Finish |
| A676-030-50-27K | ○ Translucent |
| A676-030-51-27K | ● Opal |
| A676-030-53-27K | ● Transparent smoked |
| A676-030-55-27K | ● Copper |
| A676-030-56-27K | ● Violet * |

Materials Dimmable: No
 Shade: Blown glass
 Structure: Polycarbonate
 Dissipater: Aluminium

Product type: Wall
 Light source: LED SMD 230 VAC 10W 2700K CRI90 1150lm
 Luminaire: 230 VAC 10W 489lm

Weight: Net 0,52 kg – Gross 1 kg
 Package: 26 x 26 x 20 cm - 1 kg – VOL - 0,013 m³
 Product notes: Structure in black, except for the opal version, with structure in white.
 LED included



Wire installation: Hardwired

Aura Plus On/Off


Code	Finish
A676-031-50-27K	○ Translucent
A676-031-51-27K	● Opal
A676-031-53-27K	● Transparent smoked
A676-031-55-27K	● Copper

Materials
 Shade: Blown glass
 Structure: Polycarbonate
 Dissipater: Aluminium

Dimmable: No

Product type: Wall / Ceiling
 Light source: LED SMD 230 VAC 10W 2700K CRI90 1150lm
 Luminaire: 230 VAC 10W 524lm

Weight: Net 0,89 kg – Gross 1,4 kg
 Package: 33 x 22 x 21 cm - 1,4 kg – VOL - 0,015 m³
 Product notes: Structure in black, except for the opal version, with structure in white.
 LED included



Wire installation: Hardwired




Aura W/Canopy NEW

Code	Finish
A676-032-50-27K	○ Translucent
A676-032-51-27K	● Opal
A676-032-53-27K	● Transparent smoked
A676-032-55-27K	● Copper
A676-032-56-27K	● Violet *

Materials
 Shade: Blown glass
 Structure: Polycarbonate
 Dissipater: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9W 389lm
 Product notes: Structure in black, except for the opal version, with structure in white.
 LED included



Wire installation: Hardwired




Aura Plus W/Canopy NEW

Code Finish
A676-033-50-27K ○ Translucent
A676-033-51-27K ● Opal
A676-033-53-27K ● Transparent smoked
A676-033-55-27K ● Copper

Materials Dimmable: Yes
Shade: Blown glass Integrated dimmer: No
Structure: Polycarbonate Dimming protocols: Phase cut (Triac)
Dissipater: Aluminium

Product type: Wall / Ceiling
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 220 - 240 VAC TRIAC 9W 416lm

Product notes: Structure in black, except for the opal version, with structure in white.
LED included



Wire installation: Hardwired




Aura 24V NEW

Code Finish
A676-034-50-27K ○ Translucent
A676-034-51-27K ● Opal
A676-034-53-27K ● Transparent smoked
A676-034-55-27K ● Copper
A676-034-56-27K ● Violet *

Materials Dimmable: Yes
Shade: Blown glass Integrated dimmer: No
Structure: Polycarbonate Dimming protocols: It depends on the
Dissipater: Aluminium purchased power supply.

Product type: Wall
Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm
Luminaire: (Power supply not included) 442lm

Weight: Net 0,52 kg – Gross 1 kg
Package: 26 x 26 x 20 cm - 1 kg – VOL - 0,013 m³
Product notes: Structure in black, except for the opal version, with structure in white.
LED included



Wire installation: Hardwired




Aura Plus 24V NEW

Code	Finish
A676-035-50-27K	○ Translucent
A676-035-51-27K	● Opal
A676-035-53-27K	● Transparent smoked
A676-035-55-27K	● Copper

Materials	Dimmable: Yes
Shade: Blown glass	Integrated dimmer: No
Structure: Polycarbonate	Dimming protocols: It depends on the purchased power supply.
Dissipater: Aluminium	

Product type: Wall / Ceiling
 Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm
 Luminaire: (Power supply not included) 473lm

Weight: Net 0,89 kg – Gross 1,4 kg
 Package: 33 x 22 x 21 cm - 1,4 kg – VOL - 0,015 m³
 Product notes: Structure in black, except for the opal version, with structure in white.
 LED included



Dimmable



CE

ERC

UK
CA


Wire installation: Hardwired

Disk Accessory

Code	Finish
A676-036-39	● Black
A676-036-35	○ White

Materials
 Structure: Metal

Product type: Accessory
 Product notes: Accessory used to hide the driver behind the canopy.




Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II

Dimmable

CE



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Product type: Power supply


Spare parts

Code	Product	Finish	Spare part
A676-105	Aura	Translucent	Glass
A676-104	Aura	Opal	Glass
A676-102	Aura	Transparent smoked	Glass
A676-103	Aura	Copper	Glass
A676-107	Aura	Violet *	Glass
A676-111	Aura Plus	Translucent	Glass
A676-110	Aura Plus	Opal	Glass
A676-108	Aura Plus	Transparent smoked	Glass
A676-109	Aura Plus	Copper	Glass

Babila, Marco Zanuso Jr.

Babila demonstrates that, when it comes to a design, the material can be as important as the shape. This outdoor wall sconce is of polished stainless steel, a circular object that produces a panoramic effect, reflecting its surroundings. It is not

designed to be an architectural element, but rather a simple and beautiful design that draws attention, whether on or off, as it allows us to catch a glimpse of the daily life occurring around it.



Babila 18


Code
A706-001
A706-003-35
A706-003-47

Finish
● Polished stainless steel
● White (RAL 9010)
● Brown (RAL 8019)

Materials
Diffuser: Polished stainless steel
AISI 316 or lacquered aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
Luminaire: 230 VAC TRIAC 8,47W 89lm
Weight: Net 0,8 kg – Gross 1,2 kg
Package: 29 x 30,5 x 12,5 cm - 1,2 kg – VOL - 0,01 m³
LED included



Dimmable




CE

IP65

ERL

UK
CA

Wire installation: Hardwired



Babila 28

Code

A706-002
A706-004-35
A706-004-47

Finish

● Polished stainless steel
● White (RAL 9010)
● Brown (RAL 8019)

Materials

Diffuser: Polished stainless steel
AISI 316 or lacquered aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling


Light source: LED COB 230 VAC 8W 2700K CRI90 571lm

Luminaire: 230 VAC TRIAC 8,47W 185lm

Weight: Net 1,4 kg – Gross 2,1 kg

Package: 39 x 40 x 12,5 cm - 2,1 kg – VOL - 0,02 m³

LED included



Dimmable




CE

IP65

ERC

UK
CA



Wire installation: Hardwired





The Bicoca is born with the optimism of brightening life and accompanying the good times, wherever you go. This colorful, lightweight portable lamp projects an intimate light that adds warmth to all your personal spaces.

Made of polycarbonate, Bicoca begins with an overlay of basic geometric figures, with a tiltable shade to direct the light. Three separate accessories increase the applicability and versatility of the lamp.



Discover more at marset.com


DESIGN PLUS
powered by: light+building

Bicoca

Code	Finish
A680-055	● Off-white (RAL 9001)
A680-056	● Anthracite (RAL 7026)
A680-057	● Red wine (RAL 3005)
A680-058	● Yellow (RAL 1032)
A680-059	● Light blue (PANTONE 7542C)
A680-060	● Pale pink (PANTONE 5015C)

Materials	Dimmable: Yes
Shade: Color polycarbonate	Integrated dimmer: Yes
Body: Color polycarbonate	Dimmer Type: 3 positions dimmer
Diffuser: Opal polycarbonate	

Product type: Table / Portable
 Light source: LED SMD 1A 3,5W 2700K CRI90 398lm
 Luminaire: in 5 Vdc 1,5A 241lm
 Weight: Net 0,46 kg – Gross 1,2 kg
 Package: Ø16 x 30 cm – 1,2 kg Vol – 0,006 m³ (1U)
 51 x 30 x 34 cm – 6,8 kg Vol – 0,05 m³ (6U)
 Product notes: Multiple order of 6 units
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer



CE

ERC

UK CA

Switch location: Body
 Charging time 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power





Magnet accessory

Code A680-008 Finish ● Inox

Materials
Structure: Neodymium magnet

Product type: Accessory
Weight: Net 0,01 kg – Gross 0,02 kg
Package: 12 x 17,5 x 1 cm - 0,02 kg – VOL - 0,001 m³




Disk accessory + magnet

Code A691-097 Finish ● Black

Materials
Structure: Metal counterweight

Product type: Accessory
Weight: Net 0,5 kg – Gross 0,6 kg
Package: 16 x 14 x 9 cm - 0,6 kg – VOL - 0,002 m³




Armrest accessory + magnet

Code A680-007 Finish ● Grey

Materials
Structure: Fabric with metal counterweight

Product type: Accessory
Weight: Net 0,93 kg – Gross 1kg
Package: 16 x 9 x 15 cm - 1 kg – VOL - 0,002 m³



Spare parts

Code	Product
R680-014	Bicoca
R968-001-EU	Bicoca
R968-002-USA	Bicoca
R968-003-AU	Bicoca
R968-004-UK	Bicoca
R961-057	Bicoca

Spare part
Battery
Black power adapter
Black power adapter
Black power adapter
Black power adapter
Usb type C cable black

At first glance, the Bohemia appears to be made of blown glass. In fact, however, the lamp's large size ruled out that material. Instead, the designer settled on polycarbonate to create an exciting, organic, translucent profile that integrates two

volumes into a single shape. The design allows for a large shade in different colors that does not interfere with the white interior.



Discover more at marset.com




Bohemia 84

Code	Finish	Dimming	Class
A698-001	● Green	Triac	II
A698-002	● Violet *	Triac	II
A698-003	● Amber	Triac	II
A698-004	● Green	DALI	I
A698-005	● Violet *	DALI	I
A698-006	● Amber	DALI	I

Materials
 Shade: Rotomoulded polycarbonate
 Diffuser: Opal methacrylate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI
 Casambi

Product type: Pendant
 Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
 Luminaire: 180 - 295 VAC TRIAC 26W 1619lm
 220 - 240 VAC DALI 26,37W 1619lm
 Weight: Net 12,7 kg – Gross 20 kg
 Package: 93 x 93 x 53 cm – 20 kg Vol – 0,5 m³
 LED included



Dimmable



Cable length: 2,5 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black




Product notes: Casambi available upon request.

Bohemia 84 E27

Code	Finish
A698-007	● Green
A698-008	● Violet *
A698-009	● Amber

Materials
Shade: Rotomoulded polycarbonate

Product type: Pendant
Light source: E27 LED GLOBE (Ø120) 11W 2800K 1055lm
Weight: Net 12,7 kg – Gross 20 kg
Package: 93 x 93 x 53 cm – 20 kg Vol – 0,5 m³



Cable length: 2,5 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black



Bolita, kaschkasch

The Bolita lamp beckons you to touch it to adjust it. Its structure is as simple as it is magical: a rounded surface that houses an LED located on a central axis, and an overlapping glass sphere that when moved, creates an eclipse effect.

Moving the Bolita dims or boosts the light, an interplay that captivates with its beautiful visual effect.




Discover more at marset.com

Bolita

Code Finish
A695-001 ● White (RAL 9011)
A695-002 ● Umbra grey (RAL 7022) *

Materials Dimmable: No
Base: Steel
Diffuser: Opal blown glass

Product type: Table
Light source: LED SMD 24Vdc 6,5W 2700K CRI90 579lm
Luminaire: 100 - 240 VAC 7,2W 157lm
Weight: Net 0,39 kg – Gross 1,22 kg
Package: 22 x 19 x 13 cm – 1,22 kg Vol – 0,005 m³ (1u)
 39 x 17 x 45 cm – 5,4 kg Vol – 0,03 m³ (4u)
Product note: Multiple order of 4 units
LED included



Cable length: 1,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: Base



Spare parts

Code
R695-001

Product
Bolita

Finish
-

Spare part
Glass



Cala, Joan Gaspar

The beauty exuded by the Cala stems from its simple, synthetic and essential form: a shade that embraces the light without containing it, letting it escape to yield very warm lighting.

Its structure has always been made of wood, it's also available in a black lacquered metal. An iconic Marset design defined by that most valuable pairing: form and function.




Cala P165

Code A645-009 Finish ● Oak - Pearl White

Materials
Shade: White polyester PET, textilene
Diffuser: Methacrylate
Structure: Varnished oak

Product type: Floor
Light source: 3x E27 LED Standard 8W
Weight: Net 5,02 kg – Gross 10,3 kg
Package: 69 x 69 x 37 cm - 5,3 kg – VOL - 0,18 m³
50 x 13 x 155 cm - 5 kg – VOL - 0,02 m³



CE

ERC



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line




Cala Metal P145

Code A645-056-39 Finish ● Black

Materials
Shade: White polyester PET, Textilene
Structure: Iron

Product type: Floor
Light source: E27 LED Globe (ø95) 12W
Weight: Net 5,8 kg – Gross 9,3 kg
Package: 60 x 60 x 30 cm - 4,1 kg – VOL - 0,108 m³
50 x 13 x 132 cm - 5,2 kg – VOL - 0,09 m³



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line




Cala 140 IP65

Code A645-003 Finish ● Iroko - Brown

Materials
Shade: Polyethylene, Textilene
Structure: Iroko wood

Product type: Floor
Light source: 2x E27 LED Standard 8W
Weight: Net 10,6 kg – Gross 10,3 kg
Package: 56 x 56 x 29 cm - 5,2 kg – VOL - 0,091 m³
47 x 12 x 126 cm - 6 kg – VOL - 0,071 m³



Cable length: 2,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: Built in the shade



Its design evokes a garage lamp, but a high quality one, lighter and eminently useful, with three setting for illumination. It is sophisticated and conveys a warm light, decidedly designed to serve as an accompaniment. Its structure is protected by a

grate that revolves the light source, a touch rendering it truly original. It also comes with an accessory that allows one to hang it.



Discover more at marset.com

Chispa


Code	Finish
A703-001	● Black (RAL 9004)
A703-002	● Blue (RAL DESIGN 230 20 20)
A703-003	● Green (RAL 6009)
A703-004	● Orange (RAL 2010)

Materials
 Base: Polycarbonate
 Diffuser: Opal polyethylene
 Accessory: Black cord, metal piece

Dimmable: Yes
 Integrated dimmer: Yes
 Dimmer type: 3 positions dimmer

Product type: Table / Portable
 Light source: LED SMD 0,7A 2,7W 2700K CRI90 216lm
 Luminaire: in 5 Vdc 1,5A 110lm
 Weight: Net 0,5 kg – Gross 0,8 kg
 Package: 14 x 14 x 28 cm – 0,8 kg Vol – 0,005 m³ (1u)
 30 x 30 x 24 cm – 3,2 kg Vol – 0,02 m³ (4u)

Product notes: Multiple order of 4 units
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer

CE

ERC



IP44

Switch location: Body
 Charging time 10 h

Battery life time:
 7 hours in peak power
 14 hours in half power
 28 hours in a quarter power



Spare parts

Code	Product
R703-001	Chispa
R968-001-EU	Chispa
R968-002-USA	Chispa
R968-003-AU	Chispa
R968-004-UK	Chispa
R961-057	Chispa

Spare part
Battery
Black power adapter
Black power adapter
Black power adapter
Black power adapter
Usb type C cable black



Cluster, Accessory

The cluster gives you absolute freedom to design the light you desire. With it, you can illuminate large spaces and create different compositions. Take into account the total power in watts, the power of the driver, and the wire entry points of the canopy. The total wattage of the selected lamps cannot exceed the max wattage of

the canopy's driver. Therefore, you must choose your canopy/driver by the power required. Finally, the number of lamps installed in a single canopy cannot exceed the number of wire entry points of that canopy.



Customize your space with our Dipping Light cluster configurator at configurator.marset.com/dipping-light

Circular Canopy 20W

Code	Finish	Dimming	Class
A693-008	● Black	Triac	II
A693-009	● Black	DALI (max. 16W)	II
A693-022	● Black	Casambi (max. 16W)	II


Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 20W (max.)
220 - 240 VAC DALI/Casambi 16W (max.)

Weight: Net 0,78 kg – Gross 1 kg
Package: 23 x 21 x 9 cm - 1 kg – VOL - 0,004 m³
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 3

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI
Casambi



Circular Canopy 50W

Code	Finish	Dimming	Class
A693-010	● Black	Triac	II
A693-011	● Black	DALI (max. 35W)	II
A693-023	● Black	Casambi (max. 35W)	II


Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 50W (max.)
220 - 240 VAC DALI/Casambi 35W (max.)

Weight: Net 1,15 kg – Gross 1,4 kg
Package: 23 x 21 x 9 cm - 1,4 kg – VOL - 0,004 m³
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 5

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI
Casambi



Rectangular Canopy 50W


Code	Finish	Dimming	Class
A693-001	● Black	Triac	II
A693-002	● Black	DALI	II
A693-024	● Black	Casambi	II

Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI
Casambi

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 50W (max.)
220 - 240 VAC DALI/Casambi 60W (max.)

Weight: Net 2,11 kg – Gross 2,5 kg
Package: 41,5 x 21 x 7 cm - 2,5 kg – VOL - 0,006 m³
Product notes: Canopy for 24V luminaires.



Wire installation: Hardwired
Canopy color: Black - Entry points: 9

Circular Canopy 50W


Code	Finish	Dimming	Class
A693-003	● Black	Triac	II
A693-004	● Black	DALI	II
A693-025	● Black	Casambi	II

Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI
Casambi

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 50W (max.)
220 - 240 VAC DALI/Casambi 60W (max.)

Weight: Net 1,15 kg – Gross 1,36 kg
Package: 41 x 40 x 8 cm - 1,36 kg – VOL - 0,01 m³
Product notes: Canopy for 24V luminaires.



Wire installation: Hardwired
Canopy color: Black - Entry points: 9

Circular Canopy 100W


Code	Finish	Dimming	Class
A693-005	● Black	Triac	II
A693-006	● Black	DALI	II
A693-026	● Black	Casambi	II

Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI
Casambi

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 100W (max.)
220 - 240 VAC DALI/Casambi 100W (max.)

Weight: Net 3,33 kg – Gross 3,8 kg
Package: 42 x 42 x 8 cm - 3,8 kg – VOL - 0,013 m³
Product notes: Canopy for 24V luminaires.




Wire installation: Hardwired
Canopy color: Black - Entry points: 19

Hook Accessory

Code	Finish
A693-007	● Black

Materials
Structure: Painted iron


Product type: Accessory
Weight: Net 0,01 kg – Gross 0,01 kg
Package: 2 x 2 x 5 cm - 0,01 kg – VOL - 0,002 m³





This collection consists of a table and floor lamp, as well as a separate torchier-style floor lamp, all of which use mixed materials of different densities, such as aluminum and steel, to create a unique counterweight system.

This structure affords great precision when moving the lamp, reaching different heights and distances to adjust the position and direction of the light beam.



Discover more at marset.com




Copérnica M

- | | |
|----------|-------------------------------|
| Code | Finish |
| A686-004 | ● Graphite-Golden-Black |
| A686-005 | ● Graphite-Satin Nickel-Black |
| A686-006 | ● BlackGraphite-Red-Black |

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: Yes
Base: Steel	Dimming protocols: 3 positions dimmer
Counterweight: Steel	
Diffuser: Aluminium	

Product type: Table
 Light source: LED SMD 24Vdc 4,7W 2700K CRI90 491lm
 Luminaire: 85 - 264 VAC 5,94W 416lm
 Weight: Net 3,5 kg – Gross 6,1 kg
 Package: 114 x 24 x 17 cm – 3,1 kg Vol – 0,046 m³
 36 x 36 x 3 cm – 3 kg Vol – 0,004 m³
 LED included



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: Tilttable diffuser




Copérnica P

Code	Finish
A686-010	● Graphite-Golden-Black
A686-011	● Graphite-Satin Nickel-Black
A686-012	● BlackGraphite-Red-Black

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: Yes
Base: Steel	Dimming protocols: 3 positions dimmer
Counterweight: Steel	
Diffuser: Aluminium	

Product type: Floor
Light source: LED SMD 24Vdc 4,7W 2700K CRI90 491lm
Luminaire: 85 - 264 VAC 5,94W 416lm
Weight: Net 4,8 kg – Gross 6,8 kg
Package: 165 x 24 x 17 cm – 4,1 kg Vol – 0,067 m³
36 x 36 x 3 cm – 2,7 kg Vol – 0,004 m³
LED included



Dimmer

CE

ERC



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: Tilttable diffuser






Dipping Light, Jordi Canudas

Beyond its function as a lamp, the Dipping Light seeks to excite. When it's turned on, its different shades of paint sift the light, creating a magical ambient effect. When it's off, its colored glass sphere is an object charged with beauty, and eye-

catching design piece for a shelf, bedside, or table. The various layers of paint draw concentric circles and capture the light, moderating its intensity. The paint becomes the shade, colouring and texturizing the light.



Discover more at marset.com




Dipping Light

Code	Finish
A691-001	White - Brushed Brass
A691-060	White - Graphite
A691-002	Blue - Brushed Brass
A691-061	Blue - Graphite
A691-003	Green - Brushed Brass
A691-062	Green - Graphite
A691-004	Amber - Brushed Brass
A691-063	Amber - Graphite
A691-005	Pink - Brushed Brass
A691-064	Pink - Graphite

Materials Dimmable: No
Body: Metal
Diffuser: Brilliant white blown glass globe with layered paint

Product type: Table
Light source: LED SMD 700mA 2,2W 2700K CRI90 216lm
Luminaire: 90 - 264 VAC 3,72W 123lm
Weight: Net 1,2 kg – Gross 1,8 kg
Package: 35 x 35 x 18 cm – 1,8 kg Vol – 0,011 m³



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line


Dipping Light S

Code	Finish
A691-066	White - Brushed Brass
A691-067	White - Graphite
A691-068	Blue - Brushed Brass
A691-069	Blue - Graphite
A691-070	Green - Brushed Brass
A691-071	Green - Graphite
A691-072	Amber - Brushed Brass
A691-073	Amber - Graphite
A691-074	Pink - Brushed Brass
A691-075	Pink - Graphite

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table
 Light source: LED SMD 700mA 8,6W 2700K CRI90 765lm
 Luminaire: 85 - 264 VAC 11,56W
 Weight: Net 1,4 kg – Gross 2,5 kg
 Package: 17 x 35 x 17 cm – 1,4 kg Vol – 0,009 m³
 25 x 25 x 31 cm – 1,1 kg Vol – 0,02 m³
 LED included



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line




Dipping Light M

Code	Finish
A691-007	White - Brushed Brass
A691-078	White - Graphite
A691-008	Blue - Brushed Brass
A691-079	Blue - Graphite
A691-009	Green - Brushed Brass
A691-080	Green - Graphite
A691-010	Amber - Brushed Brass
A691-081	Amber - Graphite
A691-011	Pink - Brushed Brass
A691-082	Pink - Graphite

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table
 Light source: LED SMD 700mA 8,6W 2700K CRI90 765lm
 Luminaire: 85 - 264 VAC 11,56W 312lm
 Weight: Net 3,3 kg – Gross 5,3 kg
 Package: 34 x 26 x 26 cm – 2,9 kg Vol – 0,022 m³
 41 x 41 x 41 cm – 2,4 kg Vol – 0,068 m³
 LED included



Cable length: 1,75 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line




Dipping Light Portable

Code	Finish
A691-530	● White - Brushed Brass
A691-532	● Blue - Brushed Brass
A691-534	● Green - Brushed Brass
A691-536	● Amber - Brushed Brass
A691-538	● Pink - Brushed Brass

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimmer type: 3 positions dimmer

Product type: Table
 Light source: LED SMD 1A 3,5W 2700K CRI90 216lm
 Luminaire: in 5 Vdc 1,5A 123lm
 Weight: Net 1,2 kg – Gross 1,5 kg
 Package: 18 x 18 x 35 cm – 1,5 kg Vol – 0,011 m³
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer



CE

ERC

UK
CA



Switch location: Body
 Charging time: 10 h


Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power

Disk accessory + magnet

Code	Finish
A691-097	● Black

Materials
 Structure: Metal counterweight

Product type: Accessory
 Weight: Net 0,5 kg – Gross 0,6 kg
 Package: 16 x 14 x 9 cm - 0,6 kg – VOL - 0,002 m³





Magnet accessory

Code	Finish
A680-008	● Inox

Materials
 Structure: Neodymium magnet

Product type: Accessory
 Weight: Net 0,01 kg – Gross 0,02 kg
 Package: 12 x 17,5 x 1 cm - 0,02 kg – VOL - 0,001 m³






Dipping Light A1-13

Code	Finish
A691-200	White - Brushed Brass
A691-202	Blue - Brushed Brass
A691-204	Green - Brushed Brass
A691-206	Amber - Brushed Brass
A691-208	Pink - Brushed Brass

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED COB 500mA 5,68W 2700K CRI90 645lm
 Luminaire: 220 - 240 VAC TRIAC 9,3W
 Weight: Net 0,9 kg – Gross 1,5 kg
 Package: 18 x 18 x 28 cm – 1,5 kg Vol – 0,001 m³
 LED included



Dimmable



CE

ERC

UK
CA

Wire installation: Hardwired




Dipping Light A2-13

Code	Finish
A691-220	White - Brushed Brass
A691-221	White - Graphite
A691-222	Blue - Brushed Brass
A691-223	Blue - Graphite
A691-224	Green - Brushed Brass
A691-225	Green - Graphite
A691-226	Amber - Brushed Brass
A691-227	Amber - Graphite
A691-228	Pink - Brushed Brass
A691-229	Pink - Graphite

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall, Ceiling
 Light source: LED SMD 500mA 8,6W 2700K CRI90 765lm
 Luminaire: 220 - 240 VAC TRIAC 7,96W
 Weight: Net 0,7 kg – Gross 1,4 kg
 Package: 18 x 18 x 35 cm – 1,4 kg Vol – 0,001 m³
 LED included



Dimmable




CE

ERC

UK
CA

Wire installation: Hardwired




Dipping Light 13

Code	Finish
A691-240	White
A691-241	Blue
A691-242	Green
A691-243	Amber
A691-244	Pink

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Casambi
 DALI

Product type: Pendant
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 220 - 240 VAC TRIAC 5,72W 203lm
 Weight: Net 0,8 kg – Gross 1,3 kg
 Package: 21 x 22 x 23 cm – 1,3 kg Vol – 0,01 m³
 LED included



Dimmable



CE

EAC

UK
CA

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black - Entry points: 1

Product notes: Casambi available upon request.
 DALI available upon request.




Dipping Light 13 - 24V

Code	Finish
A691-250	White
A691-251	Blue
A691-252	Green
A691-253	Amber
A691-254	Pink

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.
 Phase cut (Triac), DALI, Casambi

Product type: Pendant
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 203lm
 Weight: Net 0,6 kg – Gross 1 kg
 Package: 21 x 22 x 23 cm – 1 kg Vol – 0,01 m³
Product notes: Use with Cluster page 49. 1 pc. hook accessory included
 LED included



Dimmable




CE

EAC

UK
CA

Cable length: 4 m
 Wire installation: Hardwired
 Color cord: Black




Dipping Light 20

Code	Finish
A691-260	White
A691-261	Blue
A691-262	Green
A691-263	Amber
A691-264	Pink

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Casambi
 DALI

Product type: Pendant
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 220 - 240 VAC TRIAC 5,72W 231lm
 Weight: Net 1,3 kg – Gross 1,9 kg
 Package: 33 x 26 x 26 cm – 1,9 kg Vol – 0,02 m³
 LED included



Dimmable



CE

ERC

UK
CA



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black - Entry points: 1

Product notes: Casambi available upon request.
 DALI available upon request.


Dipping Light 20 - 24V

Code	Finish
A691-270	White
A691-271	Blue
A691-272	Green
A691-273	Amber
A691-274	Pink

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.
 Phase cut (Triac), DALI, Casambi

Product type: Pendant
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 231lm
 Weight: Net 1,06 kg – Gross 1,7 kg
 Package: 36 x 26 x 26 cm – 1,7 kg Vol – 0,02 m³
 Product notes: Use with Cluster page 49.
 1 pc. hook accessory included
 LED included




Dimmable



CE

ERC

UK
CA



Cable length: 4 m
 Wire installation: Hardwired
 Color cord: Black


Dipping Light 30

Code	Finish
A691-280	White
A691-281	Blue
A691-282	Green
A691-283	Amber
A691-284	Pink

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Casambi
 DALI

Product type: Pendant
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 10,87W 379lm
 Weight: Net 2,4 kg – Gross 3,6 kg
 Package: 41 x 40 x 41 cm – 3,6 kg Vol – 0,07 m³
 LED included



Dimmable



CE

ERC

UK
CA



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black - Entry points: 1

Product notes: Casambi available upon request.
 DALI available upon request.


Dipping Light 30 - 24V

Code	Finish
A691-290	White
A691-291	Blue
A691-292	Green
A691-293	Amber
A691-294	Pink

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.
 Phase cut (Triac), DALI, Casambi

Product type: Pendant
 Light source: LED SMD 24Vdc 11,5W 2700K CRI90 1024lm
 Luminaire: (Power supply not included) 379lm
 Weight: Net 2 kg – Gross 3,3 kg
 Package: 41 x 40 x 41 cm – 3,3 kg Vol – 0,07 m³
 Product notes: Use with Cluster page 49.
 1 pc. hook accessory included
 LED included



Dimmable



CE

ERC

UK
CA



Cable length: 4 m
 Wire installation: Hardwired
 Color cord: Black

Dipping Light 40

Code	Finish
A691-437-35-27K	White
A691-437-48-27K	Blue
A691-437-45-27K	Green
A691-437-30-27K	Amber
A691-437-44-27K	Pink

Materials

Diffuser: Brilliant white blown glass globe with layered paint

Cover: Polycarbonate

Canopy: Metal

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Product type: Pendant


Light source: LED COB 700mA 23,7W 2700K CRI90 3280lm

Luminaire: 220 - 240 VAC TRIAC 28,4W

Weight: Net 4,2 kg – Gross 6,5 kg

Package: 55 x 55 x 57 cm – 6,5 kg Vol – 0,17 m³

LED included



Dimmable



CE

ERC

UK




Cable length: 3 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black - Entry points: 1



Spare parts

Code	Product	Finish	Spare part
A691-402	Dipping light	White	Glass
A691-401	Dipping light	Blue	Glass
A691-405	Dipping light	Green	Glass
R691-005	Dipping light	Amber	Glass
A691-404	Dipping light	Pink	Glass
A691-509	Dipping light S	White	Glass
A691-510	Dipping light S	Blue	Glass
A691-511	Dipping light S	Green	Glass
A691-512	Dipping light S	Amber	Glass
A691-514	Dipping light S	Pink	Glass
A691-101	Dipping light M	White	Glass
A691-102	Dipping light M	Blue	Glass
A691-103	Dipping light M	Green	Glass
A691-104	Dipping light M	Amber	Glass
A691-105	Dipping light M	Pink	Glass
R691-012	Dipping light A	White	Glass
R691-013	Dipping light A	Blue	Glass
R691-014	Dipping light A	Green	Glass
R691-015	Dipping light A	Amber	Glass
R691-016	Dipping light A	Pink	Glass
R691-018	Dipping Light 13	White	Glass
R691-019	Dipping Light 13	Blue	Glass
R691-020	Dipping Light 13	Green	Glass
R691-021	Dipping Light 13	Amber	Glass
R691-022	Dipping Light 13	Pink	Glass
R691-024	Dipping Light 20	White	Glass
R691-025	Dipping Light 20	Blue	Glass
R691-026	Dipping Light 20	Green	Glass
R691-027	Dipping Light 20	Amber	Glass
R691-028	Dipping Light 20	Pink	Glass
R691-030	Dipping Light 30	White	Glass
R691-031	Dipping Light 30	Blue	Glass
R691-032	Dipping Light 30	Green	Glass
R691-033	Dipping Light 30	Amber	Glass
R691-034	Dipping Light 30	Pink	Glass
R691-064	Dipping Light 40	White	Glass
R691-065	Dipping Light 40	Blue	Glass
R691-066	Dipping Light 40	Green	Glass
R691-067	Dipping Light 40	Amber	Glass
R691-068	Dipping Light 40	Pink	Glass
R680-014	Dipping Light portable		Battery
R968-001-EU	Dipping Light portable		Black power adapter
R968-002-USA	Dipping Light portable		Black power adapter
R968-003-AU	Dipping Light portable		Black power adapter
R968-004-UK	Dipping Light portable		Black power adapter
R961-057	Dipping Light portable		Usb type C cable black




Discocó 35

Code	Finish
A620-036	● White (RAL 9003)
A620-098	● Matte Grey (RAL 7037)
A620-111	● Matte Beige (RAL 1001)
A620-045	● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: E14 LED 5W
Weight: Net 1,5 kg – Gross 2,6 kg
Package: 86 x 18 x 19 cm - 2,6 kg – VOL - 0,03 m³





Cable length: 2 m
Wire installation: Hardwired
Color cord: White
Canopy color: White

Discocó 53

Code	Finish
A620-001	● White (RAL 9003)
A620-099	● Matte Grey (RAL 7037)
A620-114	● Matte Beige (RAL 1001)
A620-044	● Black - Gold (RAL 9004 - Gold)
A620-003	● White (Susp. Wire 5m)

Materials
 Discs: ABS
 Sphere: Chromed metal
 Canopy: Metal

Product type: Pendant
 Light source: E27 LED Globe (ø120) 14W
 Weight: Net 2,8 kg – Gross 4,7 kg
 Package: 108 x 26 x 27 cm - 4,7 kg – VOL - 0,08 m³





Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White
 Canopy color: White

Discocó 68

Code	Finish
A620-110	● White (RAL 9003)
A620-120	● Matte Grey (RAL 7037)
A620-119	● Matte Beige (RAL 1001)
A620-121	● Black - Gold (RAL 9004 - Gold)
A620-148	● White (Susp. Wire 5m)
A620-161	● American oak-Black chrome

Materials
 Discs: ABS
 Sphere: Chromed metal
 Canopy: Metal

Product type: Pendant
 Light source: 3x E27 LED Globe (ø120) 14W
 Weight: Net 4,6 kg – Gross 7,5 kg
 Package: 125 x 33 x 28 cm - 7,5 kg – VOL - 0,115 m³
 Product notes: For the wood version, the discs are made of pressed American oak of 4 mm. Black chrome sphere.




Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black (American oak version), White (all the rest)
 Canopy color: Black (American oak version), White (all the rest)

Discocó 88

Code	Finish
A620-002	● White (RAL 9003)
A620-107	● Matte Grey (RAL 7037)
A620-106	● Matte Beige (RAL 1001)
A620-048	● Black - Gold (RAL 9004 - Gold)
A620-004	● White (Susp. Wire 5m)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 3x E27 LED Globe (ø120) 14W
Weight: Net 6,7 kg – Gross 10,6 kg
Package: 134 x 31 x 42 cm - 10,6 kg – VOL - 0,17 m³



CE

ERC

UK

UK

Cable length: 3 m
Wire installation: Hardwired
Color cord: White
Canopy color: White




Discocó 132

Code	Finish
A620-012	● White (RAL 9003)
A620-118	● Matte Grey (RAL 7037)
A620-117	● Matte Beige (RAL 1001)
A620-049	● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 6x E27 LED Globe (ø120) 14W
Weight: Net 18,5 kg – Gross 24 kg
Package: 121 x 41 x 41 cm - 14 kg – VOL - 0,2 m³
45 x 42 x 42 cm - 10 kg – VOL - 0,08 m³



CE

ERC

UK

UK

Cable length: 3,5 m
Wire installation: Hardwired
Color cord: White
Canopy color: White




Discocó C53

Code
A620-010
A620-081


Finish
● White (RAL 9003)
● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Ceiling
Light source: E27 LED Globe (ø120) 14W
Weight: Net 2,2 kg – Gross 3,7 kg
Package: 86 x 27 x 22 cm - 3,7 kg – VOL - 0,05 m³



Wire installation: Hardwired




Discocó C68

Code
A620-123
A620-126

Finish
● White (RAL 9003)
● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Ceiling
Light source: 3x E27 LED Globe (ø120) 14W
Weight: Net 4,2 kg – Gross 7 kg
Package: 109 x 33 x 27 cm - 7 kg – VOL - 0,097 m³



Wire installation: Hardwired




Discocó A

Code
A620-100
A620-104

Finish
● White (RAL 9003)
● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Wall
Light source: 2x E14 LED 5W
Weight: Net 1,2 kg – Gross 1,5 kg
Package: 59 x 19 x 15 cm - 1,5 kg – VOL - 0,02 m³



Wire installation: Hardwired



Djembé, Joan Gaspar

Using a rotomolding technique allowed the designer, Joan Gaspar, to design a fixture with vastly different interiors and exteriors: its outside recalls the texture of a stone, giving off a perception of great weight, emphasized by its volume. In the

spacious interior you'll find a smooth, white space perfect for the reflection of light. Djembé is a lamp designed for use in public spaces that seeks to bring beauty and an unbeatable quality of light.



Discover more at marset.com


Djembé 42.21

Code	Finish	Dimming	Class
A681-244	White (RAL 1013)	Triac	II
A681-245	Grey (RAL 7022)	Triac	II
A681-246	Red (RAL 3011)	Triac	II
A681-247	Sky Blue (PANTONE 7542C)	Triac	II
A681-248	White (RAL 1013)	DALI	I
A681-249	Grey (RAL 7022)	DALI	I
A681-250	Red (RAL 3011)	DALI	I
A681-251	Sky Blue (PANTONE 7542C)	DALI	I

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI
 Casambi

Product type: Pendant
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 180 - 295 VAC TRIAC 19,71W 955lm
 220 - 240 VAC DALI 20,32W 955lm
 Weight: Net 3 kg – Gross 4,4 kg
 Package: 44 x 44 x 32 cm – 4,4 kg Vol – 0,06 m³
 LED included



Dimmable

CE

ERC
UK
CA

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black



Product notes: 3000K available upon request
 Casambi available upon request.
 Tunable White DALI available upon request.
 Tunable White Casambi available upon request.

Djembé 42.28

Code	Finish	Dimming	Class
A681-252	White (RAL 1013)	Triac	II
A681-253	Grey (RAL 7022)	Triac	II
A681-254	Red (RAL 3011)	Triac	II
A681-255	Sky Blue (PANTONE 7542C)	Triac	II
A681-256	White (RAL 1013)	DALI	I
A681-257	Grey (RAL 7022)	DALI	I
A681-258	Red (RAL 3011)	DALI	I
A681-259	Sky Blue (PANTONE 7542C)	DALI	I

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI
Casambi

Product type: Pendant

Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm


Luminaire: 180 - 295 VAC TRIAC 19,71W 925lm

220 - 240 VAC DALI 20,32W 925lm

Weight: Net 3 kg – Gross 4,4 kg

Package: 44 x 44 x 32 cm – 4,4 kg Vol – 0,06 m³

LED included



Dimmable

CE

ERC

UK
CA

Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black

Product notes: 3000K available upon request

Casambi available upon request.

Tunable White DALI available upon request.

Tunable White Casambi available upon request.



Djembé 65.23

Code	Finish	Dimming	Class
A681-260	White (RAL 1013)	Triac	II
A681-261	Grey (RAL 7022)	Triac	II
A681-262	Red (RAL 3011)	Triac	II
A681-263	Sky Blue (PANTONE 7542C)	Triac	II
A681-264	White (RAL 1013)	DALI	I
A681-265	Grey (RAL 7022)	DALI	I
A681-266	Red (RAL 3011)	DALI	I
A681-267	Sky Blue (PANTONE 7542C)	DALI	I

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI
Casambi

Product type: Pendant

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm


Luminaire: 180 - 295 VAC TRIAC 26,09W 1843lm

220 - 240 VAC DALI 26,37W 1843lm

Weight: Net 5,3 kg – Gross 7,4 kg

Package: 65 x 65 x 28 cm – 7,4 kg Vol – 0,12 m³

LED included



Dimmable

CE

ERC

UK
CA

Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black

Product notes: 3000K available upon request

Casambi available upon request.

Tunable White DALI available upon request.

Tunable White Casambi available upon request.



Djembé 65.35

Code	Finish	Dimming	Class
A681-268	White (RAL 1013)	Triac	II
A681-269	Grey (RAL 7022)	Triac	II
A681-270	Red (RAL 3011)	Triac	II
A681-271	Sky Blue (PANTONE 7542C)	Triac	II
A681-272	White (RAL 1013)	DALI	I
A681-273	Grey (RAL 7022)	DALI	I
A681-274	Red (RAL 3011)	DALI	I
A681-275	Sky Blue (PANTONE 7542C)	DALI	I

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI
Casambi

Product type: Pendant


Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm

Luminaire: 180 - 295 VAC TRIAC 26,09W 1845lm
220 - 240 VAC DALI 26,37W 1845lm

Weight: Net 6,1 kg – Gross 8,5 kg

Package: 65 x 65 x 42 cm – 8,5 kg Vol – 0,18 m³

LED included



Dimmable



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black



Product notes: 3000K available upon request

Casambi available upon request.

Tunable White DALI available upon request.

Tunable White Casambi available upon request.

Djembé 65.45

Code	Finish	Dimming	Class
A681-276	White (RAL 1013)	Triac	II
A681-277	Grey (RAL 7022)	Triac	II
A681-278	Red (RAL 3011)	Triac	II
A681-279	Sky Blue (PANTONE 7542C)	Triac	II
A681-280	White (RAL 1013)	DALI	I
A681-281	Grey (RAL 7022)	DALI	I
A681-282	Red (RAL 3011)	DALI	I
A681-283	Sky Blue (PANTONE 7542C)	DALI	I

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI
Casambi

Product type: Pendant


Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm

Luminaire: 180 - 295 VAC TRIAC 26,09W 1770lm
220 - 240 VAC DALI 26,37W 1770lm

Weight: Net 6,9 kg – Gross 9,3 kg

Package: 65 x 65 x 49 cm – 9,3 kg Vol – 0,2 m³

LED included



Dimmable



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black



Product notes: 3000K available upon request

Casambi available upon request.

Tunable White DALI available upon request.

Tunable White Casambi available upon request.

Djembé 100.38

Code	Finish	Dimming	Class
A681-473	White (RAL 1013)	Triac	II
A681-474	Grey (RAL 7022)	Triac	II
A681-475	Red (RAL 3011)	Triac	II
A681-476	Sky Blue (PANTONE 7542C)	Triac	II
A681-477	White (RAL 1013)	DALI	I
A681-478	Grey (RAL 7022)	DALI	I
A681-479	Red (RAL 3011)	DALI	I
A681-480	Sky Blue (PANTONE 7542C)	DALI	I

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI
Casambi

Product type: Pendant

Light source: LED SMD 1050mA 33,8W 2700K CRI90 4037lm


Luminaire: 220 - 240 VAC TRIAC 38,36W 2519lm
220 - 240 VAC DALI 38,6W 2519lm

Weight: Net 10 kg – Gross 19 kg

Package: 115 x 115 x 51 cm – 19 kg Vol – 0,7 m³

Product notes: 3000K available upon request

LED included



Dimmable



ERC



Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



Product notes: 3000K available upon request

Casambi available upon request.

Tunable White DALI available upon request.

Tunable White Casambi available upon request.

Accessory Djembé Sound

Code	Finish
A681-553	White

Materials

Structure: PET accessory for the sound damping of a space.


Product type: Accessory

Weight: Net 2,1 kg – Gross 2,5 kg


Package: 10 x 85 x 85 cm - 2,5 kg – VOL - 0,07 m³

Product notes: Only available for Djembé 100.38 and Djembe C100.38.

1 2,5cm



Ø80cm






Djembé C42.13

Code	Finish	Dimming	Class
A681-100	White (RAL 1013)	Triac	II
A681-101	Grey (RAL 7022)	Triac	II
A681-102	Red (RAL 3011)	Triac	II
A681-103	Sky Blue (PANTONE 7542C)	Triac	II
A681-200	White (RAL 1013)	DALI	I
A681-201	Grey (RAL 7022)	DALI	I
A681-202	Red (RAL 3011)	DALI	I
A681-203	Sky Blue (PANTONE 7542C)	DALI	I

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI
 Casambi

Product type: Ceiling
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 180 - 295 VAC TRIAC 19,71W 846lm
 220 - 240 VAC DALI 20,32W 846lm
 Weight: Net 2,4 kg – Gross 3,5 kg
 Package: 44 x 44 x 19 cm – 3,5 kg Vol – 0,04 m³
 LED included



Product notes: 3000K available upon request
 Casambi available upon request.
 Tunable White DALI available upon request.
 Tunable White Casambi available upon request.



Djembé C42.21

Code	Finish	Dimming	Class
A681-104	White (RAL 1013)	Triac	II
A681-105	Grey (RAL 7022)	Triac	II
A681-106	Red (RAL 3011)	Triac	II
A681-107	Sky Blue (PANTONE 7542C)	Triac	II
A681-204	White (RAL 1013)	DALI	I
A681-205	Grey (RAL 7022)	DALI	I
A681-206	Red (RAL 3011)	DALI	I
A681-207	Sky Blue (PANTONE 7542C)	DALI	I

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI
 Casambi

Product type: Ceiling
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 180 - 295 VAC TRIAC 19,71W 955lm
 220 - 240 VAC DALI 20,32W 955lm
 Weight: Net 3 kg – Gross 4,3 kg
 Package: 44 x 44 x 25 cm – 4,3 kg Vol – 0,05 m³
 LED included



Product notes: 3000K available upon request
 Casambi available upon request.
 Tunable White DALI available upon request
 Tunable White Casambi available upon request.





Djembé C 42.28

Code	Finish	Dimming	Class
A681-108	White (RAL 1013)	Triac	II
A681-109	Grey (RAL 7022)	Triac	II
A681-110	Red (RAL 3011)	Triac	II
A681-111	Sky Blue (PANTONE 7542C)	Triac	II
A681-208	White (RAL 1013)	DALI	I
A681-209	Grey (RAL 7022)	DALI	I
A681-210	Red (RAL 3011)	DALI	I
A681-211	Sky Blue (PANTONE 7542C)	DALI	I

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI
 Casambi

Product type: Ceiling
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 180 - 295 VAC TRIAC 19,71W 925lm
 220 - 240 VAC DALI 20,32W 925lm
 Weight: Net 3 kg – Gross 4,3 kg
 Package: 44 x 44 x 32 cm – 4,3 kg Vol – 0,06 m³
 LED included



Dimmable



ERC



Wire installation: Hardwired



Product notes: 3000K available upon request
 Casambi available upon request.
 Tunable White DALI available upon request.
 Tunable White Casambi available upon request.


Djembé C 65.23

Code	Finish	Dimming	Class
A681-112	White (RAL 1013)	Triac	II
A681-113	Grey (RAL 7022)	Triac	II
A681-114	Red (RAL 3011)	Triac	II
A681-115	Sky Blue (PANTONE 7542C)	Triac	II
A681-212	White (RAL 1013)	DALI	I
A681-213	Grey (RAL 7022)	DALI	I
A681-214	Red (RAL 3011)	DALI	I
A681-215	Sky Blue (PANTONE 7542C)	DALI	I

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI
 Casambi

Product type: Ceiling
 Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
 Luminaire: 180 - 295 VAC TRIAC 26,09W 1843lm
 220 - 240 VAC DALI 26,37W 1843lm
 Weight: Net 4,9 kg – Gross 7 kg
 Package: 65 x 65 x 30 cm – 7 kg Vol – 0,13 m³
 Product notes: 3000K available upon request
 LED included



Dimmable



ERC



Wire installation: Hardwired



Product notes: 3000K available upon request
 Casambi available upon request.
 Tunable White DALI available upon request.
 Tunable White Casambi available upon request.


Djembé C 65.35

Code	Finish	Dimming	Class
A681-116	White (RAL 1013)	Triac	II
A681-117	Grey (RAL 7022)	Triac	II
A681-118	Red (RAL 3011)	Triac	II
A681-119	Sky Blue (PANTONE 7542C)	Triac	II
A681-216	White (RAL 1013)	DALI	I
A681-217	Grey (RAL 7022)	DALI	I
A681-218	Red (RAL 3011)	DALI	I
A681-219	Sky Blue (PANTONE 7542C)	DALI	I

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI
 Casambi

Product type: Ceiling
 Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
 Luminaire: 180 - 295 VAC TRIAC 26,09W 1845lm
 220 - 240 VAC DALI 26,37W 1845lm
 Weight: Net 6,7 kg – Gross 9 kg
 Package: 65 x 65 x 42 cm – 9 kg Vol – 0,18 m³
 LED included



Dimmable



ERC



Wire installation: Hardwired

Product notes: 3000K available upon request
 Casambi available upon request.
 Tunable White DALI available upon request.
 Tunable White Casambi available upon request.




Djembé C 65.45

Code	Finish	Dimming	Class
A681-120	White (RAL 1013)	Triac	II
A681-121	Grey (RAL 7022)	Triac	II
A681-122	Red (RAL 3011)	Triac	II
A681-123	Sky Blue (PANTONE 7542C)	Triac	II
A681-220	White (RAL 1013)	DALI	I
A681-221	Grey (RAL 7022)	DALI	I
A681-222	Red (RAL 3011)	DALI	I
A681-223	Sky Blue (PANTONE 7542C)	DALI	I

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI
 Casambi

Product type: Ceiling
 Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
 Luminaire: 180 - 295 VAC TRIAC 26,09W 1770lm
 220 - 240 VAC DALI 26,37W 1770lm
 Weight: Net 7,5 kg – Gross 10 kg
 Package: 65 x 65 x 49 cm – 10 kg Vol – 0,2 m³
 LED included



Dimmable



ERC



Wire installation: Hardwired

Product notes: 3000K available upon request
 Casambi available upon request.
 Tunable White DALI available upon request.
 Tunable White Casambi available upon request.



Djembé C 100.38

Code	Finish	Dimming	Class
A681-481	● White (RAL 1013)	Triac	II
A681-482	● Grey (RAL 7022)	Triac	II
A681-483	● Red (RAL 3011)	Triac	II
A681-484	● Sky Blue (PANTONE 7542C)	Triac	II
A681-485	● White (RAL 1013)	DALI	I
A681-486	● Grey (RAL 7022)	DALI	I
A681-487	● Red (RAL 3011)	DALI	I
A681-488	● Sky Blue (PANTONE 7542C)	DALI	I

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

DALI

Casambi

Product type: Ceiling

Light source: LED SMD 1050mA 33,8W 2700K CRI90 4037lm


Luminaire: 220 - 240 VAC TRIAC 38,36W 2519lm

220 - 240 VAC DALI 38,6W 2519lm

Weight: Net 10 kg – Gross 19 kg

Package: 115 x 115 x 51 cm – 19 kg Vol – 0,7 m³

LED included



Dimmable

CE

ERIC

UK
CA

Wire installation: Hardwired

Product notes: 3000K available upon request

Casambi available upon request.

Tunable White DALI available upon request.

Tunable White Casambi available upon request.

Accessory Djembé Sound

Code	Finish
A681-553	● White

Materials



Structure: PET accessory for the sound damping of a space.

Product type: Accessory

Weight: Net 2,1 kg – Gross 2,5 kg

Package: 10 x 85 x 85 cm - 2,5 kg – VOL - 0,07 m³

Product notes: Only available for Djembé 100.38 and Djembe C100.38.




Accessory C2 Djembé 42

Code A681-017
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0,91 kg – Gross 1,35 kg
Package: 62 x 20 x 9 cm - 1,35 kg – VOL - 0,01 m³
Product notes: Accessory to combine 2 Djembé 42 models for a single junction box.




Accessory C3 Djembé 42

Code A681-018
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 1,6 kg – Gross 2 kg
Package: 64 x 40 x 9 cm - 2 kg – VOL - 0,02 m³
Product notes: Accessory to combine 3 Djembé 42 models for a single junction box.




Accessory C2 Djembé 65

Code A681-019
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 1,13 kg – Gross 1,55 kg
Package: 85 x 20 x 9 cm - 1,55 kg – VOL - 0,015 m³
Product notes: Accessory to combine 2 Djembé 65 models for a single junction box.




Accessory C3 Djembé 65

Code A681-020
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 1,8 kg – Gross 2,2 kg
Package: 85 x 20 x 9 cm - 2,2 kg – VOL - 0,015 m³
Product notes: Accessory to combine 3 Djembé 65 models for a single junction box.





Elipse P48


Code
A707-001-47
A707-001-38

Finish
● Brown (RAL 8019)
● Graphite Grey (RAL 7024)

Materials
Body: Aluminium
Base: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimmer Casambi IP65 (optional)

Product type: Floor
Light source: LED COB 230VAC 15W 2700K CRI90 1022lm
Luminaire: 230VAC TRIAC 15W 515lm
Weight: Net 3,3 kg – Gross 4,3 kg
Package: 27,5 x 26 x 21 cm – 2,3 kg Vol – 0,015 m³
Ø17,8 x 58 cm – 2 kg Vol – 0,017 m³
LED included



CE

ERL



IP65

Cable length: 2,5 m
Wire installation: Plug-in
Color cord: Black



Elipse P79


Code
A707-002-47
A707-002-38

Finish
● Brown *(RAL 8019)
● Graphite Grey *(RAL 7024)

Materials
Body: Aluminium
Base: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimmer Casambi IP65 (optional)

Product type: Floor
Light source: LED COB 230VAC 15W 2700K CRI90 1022lm
Luminaire: 230 VAC TRIAC 15W 281lm
Weight: Net 4,2 kg – Gross 6,1 kg
Package: 27,5 x 26 x 21 cm – 2,3 kg Vol – 0,015 m³
Ø17,8 x 88 cm – 3,8 kg Vol – 0,03 m³
LED included



CE
EAC
⊕
IP65

Cable length: 2,5 m
Wire installation: Plug-in
Color cord: Black



Elipse A


Code
A707-003-47
A707-003-38

Finish
● Brown (RAL 8019)
● Graphite Grey (RAL 7024)

Materials
Body: Aluminium

Dimmable: Yes
Integrated dimmer: No

Product type: Wall
Light source: LED COB 230VAC 10W(x2) 2700K CRI90 1426lm
Luminaire: 230 VAC TRIAC 20,56W 483lm
Weight: Net 2,4 kg – Gross 2,8 kg
Package: 21,5 x 23 x 52 cm – 2,8 kg Vol – 0,026 m³
LED included



CE
EAC
⊕
IP65


Wire installation: Hardwired
Color cord: Black
Canopy color: Black



Dimmer Casambi IP65


Code A712-001 Finish ● Black

Materials
Case: ABS
Trim: Aluminium



Product type: Accessory
85 - 240 VAC max. 50W
Weight: Net 2 kg – Gross 3 kg
Package: 20 x 12 x 8 cm - 3 kg – VOL - 0,002 m³
Product notes: Bluetooth smart wireless trailing edge dimmer that adjusts light intensity or switches the lamp ON/OFF. Available in Android or iOS with the app Casambi.

CE
EAC
UK
IP65



Few lamps have had as strong an impact as the FollowMe. A pioneer in portable lighting, this bold lantern has become a design icon in just a few short years.

Its simple and lightweight shapes, tiltable lampshade and technological rigor have cemented its position as a practical and beautiful trendsetter.



Discover more at marset.com



reddot award 2016
winner lighting design


FollowMe

Code	Finish
A657-080	● White
A657-082	● Green (RAL 120 40 20)
A657-083	● Pink (RAL 050 80 20)
A657-084	● Terracotta (RAL 040 50 30)
A657-085	● Blue (RAL 190 80 10)

Materials
 Diffuser: Opal Polycarbonate
 Body: Polycarbonate
 Handle: Plywood with natural oak varnish

Integrated dimmer: Yes
 Dimmer type: 3 positions dimmer

Product type: Table / Portable
 Light source: LED SMD 1A 3,5W 2700K CRI90 216lm
 Luminaire: in 5 Vdc 1,5A 135lm
 Weight: Net 0,7 kg – Gross 1,8 kg
 Package: 35 x 24 x 36 cm – 1,8 kg Vol – 0,03 m³ (1u)
 51 x 35 x 36 cm – 8 kg Vol – 0,064 m³ (6u)
 Product notes: Multiple order of 6 units. Power outlet not included.
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer



Switch location: Body
 Charging time 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power




FollowMe Plus

Code A657-081 Finish  White

Materials
 Diffuser: Opal polycarbonate
 Body: Polycarbonate
 Diffuser: Opal polycarbonate
 Handle: Plywood with natural oak veneer

Dimmer
 Integrated dimmer: Yes
 Dimmer type: 3 positions dimmer

Product type: Table / Portable
 Light source: LED SMD 1A 3,5W 2700K CRI90 395lm
 Luminaire: in 5 Vdc 1,5A 290lm
 Weight: Net 1,15 kg – Gross 3,56 kg
 Package: Ø23 x 51 cm – 3,56 kg Vol – 0,02 m³ (1u)
 24 x 53 x 52 cm – 6 kg Vol – 0,07 m³ (2u)
 Product notes: Multiple order of 2 units. Power outlet not included.
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer



Switch location: Body
 Charging time 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power



Spare parts


Code	Product	Spare part
A657-101	FollowMe / FollowMe Plus	Battery
R968-001-EU	FollowMe colors	Black power adapter
R968-002-USA	FollowMe colors	Black power adapter
R968-003-AU	FollowMe colors	Black power adapter
R968-004-UK	FollowMe colors	Black power adapter
R968-005-EU	FollowMe / FollowMe Plus	White power adapter
R968-006-USA	FollowMe / FollowMe Plus	White power adapter
R968-007-AU	FollowMe / FollowMe Plus	White power adapter
R968-008-UK	FollowMe / FollowMe Plus	White power adapter
R961-057	FollowMe colors	Usb type C cable black
R961-062	FollowMe / FollowMe Plus	Usb type C cable white



Fragile, Jaume Ram3rez

Fascinated by timeless design, designer Jaume Ram3rez is interested in the archetypal table lamp in which a lampshade distributes light in all directions. This is the starting point from which he reflects and experiments to propose a new

glass design, with more streamlined shapes. The Fragile lamp is a mix of geometric shapes. A cone and a sphere are arranged to hold a cylinder that emits ambient light from below.



Fragile NEW


Code A724-100-50-22K
A724-100-46-22K

Finish
○ Translucent
● Amber

Materials
Diffuser: Blown glass
Base: Methacrylate

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: Progressive from 0 to 100

Product type: Table
Light source: LED SMD 700mA 2,1W 2200K CRI80 226,5lm
Luminaire: 85 - 264 VAC
Weight: Net 2,1 kg – Gross 4,6 kg
Package: 65 x 39 x 31 cm - 4,6 kg – VOL - 0,08 m³
LED included



Dimmer

CE

EAC



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line

Spare parts

Code	Product	Finish	Spare part
R724-001-46	Fragile	Amber	Glass - Cone
R724-001-50	Fragile	Translucent	Glass - Cone
R724-002-46	Fragile	Amber	Glass - Sphere
R724-002-50	Fragile	Translucent	Glass - Sphere
R724-003	Fragile	-	Glass - Tube



Drawing thin beams of light in a space with each one of them pointing in any direction. This is why we have created Fris, a multi-purpose lighting system, available in a wall/ceiling or pendant version, which allows you to combine several units in different sizes and positions, each one aiming its own beam of light. What makes it

unique is that the glass not only protects the light, but also provides a mechanical function, suspending the whole system and allowing the lamp to rotate and the light to be steered in a certain direction. There is also a more technical Pro version where the light is distributed in cells with independent lenses, achieving a UGR of under 19.



Fris Pro 155 NEW

Code	Finish	Dimming	Class
A718-002-16-30K-W	● Black	DALI	I
A718-002-18-30K-W	● Bronze	DALI	I
A718-003-16-30K-W	● Black	Casambi	I
A718-003-18-30K-W	● Bronze	Casambi	I

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: DALI, Casambi

Product type: Pendant
 Light source: LED SMD 1050mA 38W 3000K CRI90 5495lm
 Luminaire: 220-240 VAC DALI 46W 3991lm
 UGR <19, LED opening degrees: 55°

Product notes: Tunable White (27K - 40K) available upon request.
 4000K available upon request. Upcharge of 30 €.
 LED opening degrees: 30° y 65° available upon request. Upcharge of 30 €.
 Canopy and power supply included.
 Hooks or supports (page 95) to be ordered separately.
 Recessed version on request.
 LED included



Dimmable



Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black



Fris Pro 155 + Hook 47 x2



Fris Pro 155 + Support 16 x2

Fris 80 NEW

Code	Finish	CCT
A718-007-16-27K	● Black	27K
A718-007-18-27K	● Bronze	27K
A718-007-16-30K	● Black	30K
A718-007-18-30K	● Bronze	30K


Materials
Structure: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 13,7W 2700K CRI90 1657lm
Luminaire: (Power supply not included)

Light source: LED SMD 24Vdc 13,7W 3000K CRI90 1612lm
Luminaire: (Power supply not included)

Product notes: 24V remote power supply and hooks (page 95) to be ordered separately.
LED included



Dimmable



CE

ERC

UK
CA



Fris 80 + Support 16 x2

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black

Wire installation: Hardwired / Recessed

Fris 155 NEW

Code	Finish	CCT
A718-006-16-27K	● Black	27K
A718-006-18-27K	● Bronze	27K
A718-006-16-30K	● Black	30K
A718-006-18-30K	● Bronze	30K


Materials
Structure: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Pendant
Light source: LED SMD 24Vdc 29,4W 2700K CRI90 3570lm
Luminaire: (Power supply not included)

Light source: LED SMD 24Vdc 29,4W 3000K CRI90 3472lm
Luminaire: (Power supply not included)

Product notes: 24V remote power supply and hooks (page 95) to be ordered separately.
LED included



Dimmable



Fris 155 + Hook 47 x2

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black

Wire installation: Hardwired / Recessed



Fris 155 + Support 16 x2



Fris 215 NEW

Code	Finish	CCT
A718-009-16-27K	● Black	27K
A718-009-18-27K	● Bronze	27K
A718-009-16-30K	● Black	30K
A718-009-18-30K	● Bronze	30K


Materials
Structure: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Pendant
Light source: LED SMD 24Vdc 42W 2700K CRI90 5100lm
Luminaire: (Power supply not included)

Light source: LED SMD 24Vdc 42W 3000K CRI90 4960lm
Luminaire: (Power supply not included)

Product notes: 24V remote power supply and hooks (page 95) to be ordered separately.
LED included



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black

Wire installation: Hardwired / Recessed




Fris 215 + Hook 47 x2




Fris 215 + Support 16 x2

Canopy Fris


Code	Finish	Dimming	Class
A666-214-16	● Black - 20W 24V	Triac	II
A666-222-16	● Black - 35W 24V	Casambi	I



A666-216-16	● Black - 50W 24V	Triac	II
A666-223-16	● Black - 60W 24V	Casambi	I
A666-217-16	● Black - 35W 24V	DALI	I
A666-218-16	● Black - 60W 24V	DALI	I



A666-244-16	● Black - 100W 24V	Triac	II
A666-246-16	● Black - 100W 24V	Casambi	I
A666-245-16	● Black - 100W 24V	DALI	I



Product type: Ceiling
 Luminaire: 220 - 240 VAC
 Weight: Weight 0,7 kg – Gross 1 kg
 Package: 34 x 21 x 7 cm - 1 kg - VOL - 0,01 m³

Materials
 Structure: Metal

Dimmable

Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.




These canopies are not compatible with Fris Pro.

Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-308	100W-24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II
968-207	100W-24V	DALI	II

Dimmable



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

This power supplies are not compatible with Fris Pro.



Product type: Power supply

Disk Accessory - Steel cable

Code	Finish
A718-034-39	● Black

Materials
 Structure: Metal

Product type: Accessory
 Product notes: Accessory used to hide the driver behind the canopy.





Disk Accessory

Code A718-039-39 Finish ● Black

Materials
Structure: Metal

Product type: Accessory
Product notes: Accessory used to hide the driver behind the canopy.





Support Fris A 16 x2

Code A718-040-39 Finish ● Black

Materials
Structure: Metal

Product type: Accessory
Product notes: Accessory used to hold the luminaire.





Support Fris A 37 x2

Code A718-041-39 Finish ● Black

Materials
Structure: Metal

Product type: Accessory
Product notes: Accessory used to hold the luminaire.





Side cover

Code A718-033-39 Finish ● Black

Materials
Structure: Metal

Product type: Accessory
Product notes: Accessory used to make compositions.






Hooks x2 Fris

Code
Hook 47 x2
A718-025-39

2 units included

Finish


● Black



Double hook 96 x2
A718-026-39

2 units included


● Black



Double hook 71 x2
A718-027-39

2 units included


● Black



Double hook 146 x2
A718-038-39

2 units included

● Black



Materials
Structure: Aluminium

Product notes: Hooks to make compositions.




Individual hook Fris

Code
Hook 47 x1
A718-028-39

1 unit included

Finish


● Black



Double hook 96 x1
A718-029-39

1 unit included


● Black



Double hook 71 x1
A718-030-39

1 unit included


● Black



Double hook 146 x1
A718-035-39

1 unit included

● Black



Materials
Structure: Aluminium

Product notes: Hooks to make compositions.



Unions Fris

Code
Union 30
A718-032-39

1 unit included

Finish
● Black



Code
Union 50
A718-031-39

1 unit included


● Black



Code
Union 100
A718-036-39

1 unit included

● Black



Materials
Structure: Aluminium

Product notes: Unions to make compositions.

Ceiling support x2 Fris

Code
Support 13x2
A718-037-39

2 units included

Finish
● Black







Fris


- Diffuse decorative light.
 - LED 2700K and 3000K CRI90
 - 24V product, can be connected to each other.
 - Max. 5 Fris 80 with a light point
 - Max. 3 Fris 155 with a light point
 - Max. 2 Fris 215 with a light point
 - Power supply not included, order separately.
- Dimmable Triac, Dali or Casambi.




Fris Pro

- Direct light with better performance
- LED 3000K CRI90 (4000K available upon request).
- UGR <19
- Power supply included (constant current).
- They cannot be connected to each other. Dimmable Dali or Casambi.
- LED opening degrees: 55°
(30° and 65° available upon request)
- Tunable White 2700K 4000K version (available upon request).






1 unit Fris 155
1 unit Hook 47 x2
1 unit Canopy




2 units Fris 215
2 units Hook 47 x2
1 unit Canopy
1 unit Side cover


Product notes: Max. 3x Fris 155
Max. 2x Fris 215




2 units Fris 215
2 units Double hook 96
1 unit Canopy




1 unit Fris 155
1 unit Fris 215
1 unit Hook 47 x2
1 unit Hook 47 x1
1 unit Union 30
1 unit Canopy Fris 155
1 unit Canopy Fris 215




1 unit Fris Pro 155
1 unit Hook 47 x2



2 units Fris Pro 155
2 units Hook 47 x2



2 units Fris Pro 155
2 units Hook double 96



2 units. Fris Pro 155
1 unit Hook 47 x2
1 unit Hook 47 x1
1 unit Union 30

Funiculí, Lluís Porqueras

Funiculí is a reedition of a lamp designed in 1979. Lluís Porqueras has always sought an absolute simplicity in his designs, doing away with everything superfluous to leave the essence of the useful, simple object.

Using the same double-clip mechanism of the original, this scaled-down model allows easy height adjustment and 360° shade rotation to fit the needs of any room or user.




Discover more at marset.com

Funiculí

Code	Finish
A641-001	● Moss grey (RAL 7003)
A641-002	● Off-white (RAL 9001)
A641-003	● Black (RAL 9005)
A641-443	● Green (RAL 110 40 30)
A641-444	● Terracotta (RAL 050 40 50)
A641-445	● Mustard (RAL 075 60 70)

Materials
Base: Iron wapped with black rubber
Stem: Iron
Shade: Aluminium

Product type: Floor
Light source: E27 LED Standard 8W
Weight: Net 3,1 kg – Gross 5 kg
Package: 38 x 54 x 12 cm – 4,2 kg Vol – 0,024 m³
5 x 5 x 143 cm – 0,8 kg Vol – 0,004 m³



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



Funiculí Fabric

Code	Finish
A641-401	● Black - White
A641-402	● Black - Sand

Materials


Base: Iron wapped with black rubber
 Stem: Iron
 Shade: White or sand polyester shade, made of a PVC-PET laminated film

Product type: Floor

Light source: E27 LED Standard 8W

Weight: Net 5,2 kg – Gross 7,5 kg

Package: 52 x 42 x 13 cm – 6,3 kg Vol – 0,03 m³
 35 x 35 x 23 cm – 0,6 kg Vol – 0,03 m³
 120 x 4 x 4 cm – 0,6 kg Vol – 0,002 m³



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line



Funiculí A

Code	Finish
A641-025	● Moss grey (RAL 7003)
A641-026	● Off-white (RAL 9001)
A641-027	● Black (RAL 9005)
A641-446	● Green (RAL 110 40 30)
A641-447	● Terracotta (RAL 050 40 50)
A641-448	● Mustard (RAL 075 60 70)

Materials


Stem: Iron
 Shade: Aluminium

Product type: Wall

Light source: E14 LED 5W

Weight: Net 0,8 kg – Gross 1,5 kg

Package: 46 x 34 x 11 cm – 1,5 kg Vol – 0,017 m³



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black
 Canopy color: Same color as chosen shade
 Switch location: In-line




Funiculí A Fabric

Code	Finish
A641-403	● Black - White
A641-404	● Black - Sand

Materials
 Stem: Iron
 Shade: White or sand polyester shade, made of a PVC-PET laminated film

Product type: Wall
Light source: E14 LED 5W
Weight: Net 0,7 kg – Gross 1,7 kg
Package: 67 x 27 x 10 cm – 1,4 kg Vol – 0,02 m³
 26 x 26 x 18 cm – 0,3 kg Vol – 0,012 m³



CE

ERC



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line




Funiculí S

Code	Finish
A641-020	● Moss grey (RAL 7003)
A641-021	● Off-white (RAL 9001)
A641-022	● Black (RAL 9005)
A641-449	● Green (RAL 110 40 30)
A641-450	● Terracotta (RAL 050 40 50)
A641-451	● Mustard (RAL 075 60 70)

Materials
 Base: Iron wapped with black rubber
 Stem: Iron
 Shade: Aluminium

Product type: Table
Light source: E14 LED 5W
Weight: Net 1,8 kg – Gross 3 kg
Package: 47 x 34 x 11 cm – 3 kg Vol – 0,017 m³



CE

ERC



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



Funiculí S Fabric

Code	Finish
A641-405	● Black - White
A641-406	● Black - Sand

Materials

Base: Iron wapped with black rubber

Stem: Iron


Shade: White or sand polyester shade, made of a PVC-PET laminated film

Product type: Table

Light source: E14 LED 5W

Weight: Net 1,7 kg – Gross 2,7 kg

Package: 65 x 31 x 10 cm – 2,4 Vol – 0,02 m³
26 x 26 x 18 cm – 0,3 kg Vol – 0,012 m³



CE

ERC



Cable length: 2 m

Wire installation: Plug-in

Color cord: Black

Switch location: In-line



The Ginger collection is notable for its great simplicity of form, its lightweight appearance and reflected direct light. A design for any type of project.

Available in two very different materials, wood or metal, it provides a warm glow with no glare, illuminating just the areas that need it.



Discover more at marset.com




Ginger 20

Code	Finish
A662-180	● Oak - White
A662-181	● Wenge -White
A662-182	● Oak -Oak
A662-183	● Wenge - Wenge
A662-340	● Brushed brass - Brushed brass
A662-341	● Brushed brass - White
A662-342	● Black - White

Materials: Diffuser: Pressed wood or brushed aluminium; Dissipater: Aluminium
 Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 220 - 240 VAC TRIAC 5,72W 161lm
 Weight: Net 0,6 kg – Gross 0,8 kg
 Package: 23 x 21 x 10 cm – 0,8 kg Vol – 0,01 m³



Dimmable




Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black

Ginger 20 - 24V

Code	Finish
A662-392	● Oak - White
A662-393	● Wenge - White
A662-394	● Oak - Oak
A662-395	● Wenge - Wenge
A662-344	● Brushed brass - Brushed brass
A662-345	● Brushed brass - White
A662-346	● Black - White

Materials	Dimmable: Yes
Diffuser: Pressed wood or brushed aluminium	Integrated dimmer: No
Dissipater: Aluminium	Dimming protocols: It depends on the purchased power supply.
	Phase cut (Triac)
	DALI

Product type: Pendant
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 161lm
 Weight: Net 0,3 kg – Gross 0,5 kg
 Package: 23 x 21 x 10 cm – 0,5 kg Vol – 0,01 m³
 Product notes: Use with Cluster page 49. 1 pc. hook accessory included
 LED included



Dimmable



Cable length: 4 m
 Wire installation: Hardwired
 Color cord: Black




Ginger 20x3

Code	Finish
A662-184	● Oak - White
A662-185	● Wenge - White
A662-186	● Oak - Oak
A662-187	● Wenge - Wenge
A662-348	● Brushed brass - Brushed brass
A662-349	● Brushed brass - White
A662-350	● Black - White

Materials	Dimmable: Yes
Diffuser: Pressed wood or brushed aluminium	Integrated dimmer: No
Dissipater: Aluminium	Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 350mA 4,1W(x3) 2700K CRI90 463lm(x3)
 Luminaire: 220 - 240 VAC TRIAC 15,13W 161lm(x3)
 Weight: Net 1,5 kg – Gross 2 kg
 Package: 42 x 42 x 7 cm – 2 kg Vol – 0,01 m³
 LED included



Dimmable



Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black - Entry point: 3




Ginger accessory 20x3

Code A662-188
 Finish ● Black

Materials
 Disc: Iron

Product type: Accessory
 Weight: Net 0,75 kg – Gross 0,8 kg
 Package: 41 x 41 x 1 cm – 0,8 kg – VOL - 0,001 m³




Ginger 32

Code	Finish	Dimming	Class
A662-019	● Oak - White	Triac	II
A662-020	● Wenge - White	Triac	II
A662-021	● Oak - White	DALI	I
A662-022	● Wenge - White	DALI	I
A662-023	● Oak - White	1-10V	I
A662-024	● Wenge - White	1-10V	I
A662-352	● Brushed brass - Brushed brass	Triac	II
A662-353	● Brushed brass - White	Triac	II
A662-354	● Black - White	Triac	II
A662-356	● Brushed brass - Brushed brass	DALI	I
A662-357	● Brushed brass - White	DALI	I
A662-358	● Black - White	DALI	I

Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI, Casambi
 1-10V

Product type: Pendant
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 10,87W 350lm
 220 - 240 VAC DALI 11,59W 350lm
 220 - 240 VAC 1-10V 10,36W 350lm
 Weight: Net 1,4 kg – Gross 2,5 kg
 Package: 48 x 48 x 17 cm – 2,5 kg Vol – 0,04 m³
 LED included



Dimmable

CE

ERC

UK
CA

* 6,5cm (DALI)

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black

Product notes: Casambi available upon request



Ginger 42

Code	Finish	Dimming	Class
A662-025	● Oak - White	Triac	II
A662-026	● Wenge - White	Triac	II
A662-027	● Oak - White	DALI	I
A662-028	● Wenge - White	DALI	I
A662-029	● Oak - White	1-10V	I
A662-030	● Wenge - White	1-10V	I
A662-360	● Brushed brass - Brushed brass	Triac	II
A662-361	● Brushed brass - White	Triac	II
A662-362	● Black - White	Triac	II
A662-364	● Brushed brass - Brushed brass	DALI	I
A662-365	● Brushed brass - White	DALI	I
A662-366	● Black - White	DALI	I

Materials

Diffuser: Pressed wood or brushed aluminium

Dissipater: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

DALI, Casambi

1-10V

Product type: Pendant

Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm

Luminaire: 180 - 295 VAC TRIAC 19,71W 698lm


220 - 240 VAC DALI 20,32W 698lm

220 - 240 VAC 1-10V 20,85W 698lm

Weight: Net 2 kg – Gross 3,5 kg

Package: 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³

LED included



Dimmable

CE

ERC

UK
CA



* 6.5cm (DALI)

Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black

Product notes: Casambi available upon request


Ginger 60

Code	Finish	Dimming	Class
A662-742-2035-27K	🌰 Oak - White	Triac	II
A662-742-2135-27K	🌰 Wenge - White	Triac	II
A662-747-2035-27K	🌰 Oak - White	DALI	I
A662-747-2135-27K	🌰 Wenge - White	DALI	I
A662-744-2035-27K	🌰 Oak - White	1-10V	I
A662-744-2135-27K	🌰 Wenge - White	1-10V	I
A662-743-1515-27K	🌟 Brushed brass - Brushed brass	Triac	II
A662-743-1535-27K	🌟 Brushed brass - White	Triac	II
A662-743-3935-27K	🌑 Black - White	Triac	II
A662-748-1515-27K	🌟 Brushed brass - Brushed brass	DALI	I
A662-748-1535-27K	🌟 Brushed brass - White	DALI	I
A662-748-3935-27K	🌑 Black - White	DALI	I

Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI, Casambi
 1-10V

Product type: Pendant
 Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
 Luminaire: 180 - 295 VAC TRIAC 26,09W 1165lm
 220 - 240 VAC DALI 26,37W 1165lm
 220 - 240 VAC 1-10V 27,15W 1165lm
 Weight: Net 3,5 kg – Gross 6,2 kg
 Package: 72 x 72 x 28 cm – 6,2 kg Vol – 0,1 m³
 LED included



Dimmable

CE

ERC

UK
CA

* 6,5cm (DALI)

Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black

Product notes: Casambi available upon request





Ginger 20 M

Code	Finish
A662-560	● Oak - White
A662-561	● Wenge - White
A662-562	● Brushed brass - Brushed brass
A662-563	● Brushed brass - White

Materials
 Diffuser and base: Pressed wood or brushed aluminium
 Dissipater: Aluminium
 Stem: Aluminium

Integrated dimmer: Yes
 Dimmer type: 3 positions dimmer

Product type: Table / Portable
 Light source: LED SMD 1A 3,5W 2700K CRI90 395lm
 Luminaire: in 5 Vdc 1,5A 290lm
 Weight: Net 0,8 kg – Gross 1 kg
 Package: 40 x 21 x 17 cm – 1 kg Vol – 0,01 m³ (1u)
 39 x 22 x 41 cm – 2,4 kg Vol – 0,04 m³ (2u)
 Product notes: Multiple order of 2 units
 Charging cable included (USB to USB-C). Power adapter not included.



Switch location: Base
 Charging time 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power




Ginger S

Code	Finish
A662-031	● Oak - White
A662-032	● Wenge - White

Materials
 Diffuser and base: Pressed wood
 Dissipater: Aluminium
 Stem: Aluminium

Integrated dimmer: Yes
 Dimmer type: Progressive from 0 to 100

Product type: Table
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 85 - 264 VAC 10,56W 350lm
 Weight: Net 2,6 kg – Gross 4,5 kg
 Package: 58 x 53 x 17 cm – 4,5 kg Vol – 0,05 m³
 LED included



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line




Ginger M

Code	Finish
A662-068	● Oak - White
A662-069	● Wenge - White

Materials
Diffuser and base: Pressed wood
Dissipater: Aluminium
Stem: Aluminium

Integrated dimmer: Yes
Dimmer type: Progressive from 0 to 100

Product type: Table
Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
Luminaire: 85 - 264 VAC 16,85W 698lm
Weight: Net 3,4 kg – Gross 5,6 kg
Package: 61 x 61 x 22 cm – 5,6 kg Vol – 0,08 m³
LED included



Dimmer

CE

ERC



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line




Ginger P

Code	Finish
A662-033	● Oak - White
A662-034	● Wenge - White

Materials
Diffuser and base: Pressed wood
Dissipater: Aluminium
Stem: Aluminium

Integrated dimmer: Yes
Dimmer type: Foot-operated progressive in-line dimmer

Product type: Floor
Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
Luminaire: 85 - 264 VAC 17W 698lm
Weight: Net 4,9 kg – Gross 8,5 kg
Package: 57 x 53 x 17 cm – 6,5 kg Vol – 0,051 m³
19 x 18 x 133 cm – 2 kg Vol – 0,045 m³
LED included



Dimmer

CE

ERC



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



Ginger XL 42


Code	Finish
A662-070	● Oak - White
A662-071	● Wenge - White

Materials
Diffuser: Pressed wood
Dissipater: Aluminium
Stem: Metal
Arm: Carbon fiber

Integrated dimmer: Yes
Dimmer type: Foot-operated progressive in-line dimmer

Product type: Floor
Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
Luminaire: 85 - 264 VAC 17W 698lm
Weight: Net 23,8 kg – Gross 27,8 kg
Package: 57 x 53 x 17 cm – 2,8 kg Vol – 0,051 m³
191 x 20 x 11 cm – 10 kg Vol – 0,04 m³
63 x 63 x 4 cm – 15 kg Vol – 0,02 m³

LED included



Dimmer



Cable length: 2,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line


Ginger XXL 60

Code	Finish
A662-072	● Oak - White
A662-073	● Wenge - White

Materials
Diffuser: Pressed wood
Dissipater: Aluminium
Stem: Metal
Arm: Carbon fiber

Integrated dimmer: Yes
Dimmer type: Foot-operated progressive in-line dimmer

Product type: Floor
Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
Luminaire: 220 - 240 VAC 25,45W 1165lm
Weight: Net 31,5 kg – Gross 38,5 kg
Package: 72 x 72 x 28 cm – 5,5 kg Vol – 0,1 m³
215 x 22 x 11 cm – 12 kg Vol – 0,05 m³
72 x 72 x 4 cm – 21 kg Vol – 0,02 m³



Dimmer



Cable length: 2,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line

Ginger 20 A

Code Finish Dimmer


Plug-in
 A662-142 ● Oak - White Yes
 A662-143 ● Wenge - White Yes

Hardwired
 A662-144 ● Oak - White -
 A662-145 ● Wenge - White -

Materials Integrated dimmer: Yes (Plug-in version)
 Diffuser: Pressed wood Dimmer type: Progressive in-line dimmer
 Dissipater: Aluminium from 0 to 100.
 Structure: Metal

Product type: Wall
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 85 - 264 VAC 5,7W 161lm
 Weight: Net 0,6 kg – Gross 1,5 kg
 Package: 46 x 28 x 24 cm – 1,5 kg Vol – 0,03 m3
 Product notes: Plug in: Progressive dimmer from 0 to 100.
 Hardwired: Canopy with switch on/off.

LED included



Color cord: Black
 Wire installation: Plug-in / Hardwired



Ginger A


Code Finish Dimmer
 Plug-in
 A662-074 ● Oak - White Progressive
 A662-075 ● Wenge - White Progressive

Hardwired (Canopy)
 A662-081 ● Oak - White Triac / on-off
 A662-082 ● Wenge - White Triac / on-off

RSC (Recessed canopy)
 A662-130 ● Oak - White Triac
 A662-131 ● Wenge - White Triac

Materials Integrated dimmer: Yes (Plug-in version)
 Diffuser: Pressed wood Dimmer type: Progressive dimmer from 0
 Dissipater: Aluminium to 100
 Structure: Metal Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9,89W 350lm
 Weight: Net 1,5 kg – Gross 3 kg
 Package: 57 x 53 x 17 cm – 3 kg Vol – 0,051 m³
 LED included



Color cord: Black
 Wire installation: Plug-in / Hardwired



Ginger A XL 42

Code	Finish	Dimmer
Plug-in		
A662-076	● Oak - White	Progressive
A662-077	● Wenge - White	Progressive

Code	Finish	Dimmer
Hardwired		
A662-079	● Oak - White	Triac
A662-080	● Wenge - White	Triac


Code	Finish	Dimmer
RSC (Recessed canopy)		
A662-132	● Oak - White	Triac
A662-133	● Wenge - White	Triac

Materials
 Diffuser: Pressed wood
 Dissipater: Aluminium
 Structure: Metal
 Arm: Carbon fiber

Integrated dimmer: Yes (Plug-in version)
 Dimmer type: Foot-operated progressive in-line dimmer
 Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 85 - 264 VAC 11W 698lm
 Weight: Net 3,4 kg – Gross 5,7 kg
 Package: 60 x 60 x 22 cm – 5 kg Vol – 0,079 m³
 138 x 5 x 5 cm – 0,7 kg Vol – 0,003 m³

LED included



Dimmer / Dimmable



Color cord: Black
 Wire installation: Plug-in / Hardwired




Ginger 20C

Code	Finish
A662-376	● Oak - White
A662-377	● Wenge - White
A662-378	● Oak - Oak
A662-379	● Wenge - Wenge
A662-380	● Brushed brass - Brushed brass
A662-381	● Black - White
A662-569-36-27K	● Mauve (RAL 010 70 10)
A662-569-37-27K	● Sand (RAL 050 85 10)
A662-569-38-27K	● Stone Grey (RAL 000 65 00)

Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 220 - 240 VAC TRIAC 5,72W 161lm
 Weight: Net 0,4 kg – Gross 0,7 kg
 Package: 24 x 21 x 10 cm – 0,7 kg Vol – 0,01 m³
 LED included



Dimmable



Canopy color: Black
 Wire installation: Hardwired




Ginger 32C

Code	Finish
A662-146	● Oak - White
A662-147	● Wenge - White
A662-148	● Oak - Oak
A662-149	● Wenge - Wenge
A662-382	● Brushed brass - Brushed brass
A662-383	● Black - White
A662-570-36-27K	● Mauve (RAL 010 70 10)
A662-570-37-27K	● Sand (RAL 050 85 10)
A662-570-38-27K	● Stone Grey (RAL 000 65 00)

Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium
 Canopy: Metal


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Casambi

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9W 350lm
 Weight: Net 1 kg – Gross 2 kg
 Package: 43 x 48 x 17 cm – 2 kg Vol – 0,04 m³
 LED included



Canopy color: Black
 Wire installation: Hardwired

Product notes: Casambi available upon request
 DALI available upon request




Ginger 42C

Code	Finish
A662-150	● Oak - White
A662-151	● Wenge - White
A662-152	● Oak - Oak
A662-153	● Wenge - Wenge
A662-384	● Brushed brass - Brushed brass
A662-385	● Black - White
A662-571-36-27K	● Mauve (RAL 010 70 10)
A662-571-37-27K	● Sand (RAL 050 85 10)
A662-571-38-27K	● Stone Grey (RAL 000 65 00)

Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium
 Canopy: Metal


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Casambi

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 180 - 295 VAC TRIAC 19,71W 698lm
 Weight: Net 1,9 kg – Gross 3,5 kg
 Package: 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³
 LED included



Canopy color: Black
 Wire installation: Hardwired

Product notes: Casambi available upon request
 DALI available upon request




Ginger 60C

Code	Finish
A662-154	● Oak - White
A662-155	● Wenge - White
A662-156	● Oak - Oak
A662-157	● Wenge - Wenge
A662-386	● Brushed brass - Brushed brass
A662-387	● Black - White
A662-572-36-27K	● Mauve (RAL 010 70 10)
A662-572-37-27K	● Sand (RAL 050 85 10)
A662-572-38-27K	● Stone Grey (RAL 000 65 00)

Materials: Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Casambi

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
 Luminaire: 180 - 295 VAC TRIAC 26,09W 1165lm
 Weight: Net 3,3 kg – Gross 6,3 kg
 Package: 72 x 72 x 28 cm – 6,3 kg Vol – 0,1 m³
 LED included



Product notes: Casambi available upon request

DALI available upon request



Accessory C2 20/32

Code	Finish
A662-421	● Black

Shades 20	Finish
A662-426	● Oak - White
A662-427	● Wenge - White
A662-428	● Oak - Oak
A662-429	● Wenge - Wenge
A662-430	● Brushed brass - Brushed brass
A662-431	● Black - White
A662-573-36-27K	● Mauve (RAL 010 70 10)
A662-573-37-27K	● Sand (RAL 050 85 10)
A662-573-38-27K	● Stone Grey (RAL 000 65 00)



Shades 32	Finish
A662-432	● Oak - White
A662-433	● Wenge - White
A662-434	● Oak - Oak
A662-435	● Wenge - Wenge
A662-436	● Brushed brass - Brushed brass
A662-437	● Black - White
A662-574-36-27K	● Mauve (RAL 010 70 10)
A662-574-37-27K	● Sand (RAL 050 85 10)
A662-574-38-27K	● Stone Grey (RAL 000 65 00)

Materials: Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 12,25W 2700K CRI90 1376lm
 Luminaire: 180 - 295 VAC TRIAC 15,3W 511lm
 Weight: Net 4,5 kg – Gross 6 kg
 Package: 23 x 21 x 10 cm – 1 kg Vol – 0,01 m³
 57 x 53 x 17 cm – 3 kg Vol – 0,051 m³
 62 x 20 x 9 cm – 2 kg Vol – 0,01 m³



Product notes: Accessory to combine Ginger models 20 C and 32 C for a single junction box.
 LED included



Canopy color: Black
 Wire installation: Hardwired

Accessory C2 32/42

Code	Finish
Structure	
A662-422	● Black
Shades 32	
A662-432	● Oak - White
A662-433	● Wenge - White
A662-434	● Oak - Oak
A662-435	● Wenge - Wenge
A662-436	● Brushed brass - Brushed brass
A662-437	● Black - White
A662-574-36-27K	● Mauve (RAL 010 70 10)
A662-574-37-27K	● Sand (RAL 050 85 10)
A662-574-38-27K	● Stone Grey (RAL 000 65 00)



Code	Finish
Structure	
A662-422	● Black
Shades 42	
A662-438	● Oak - White
A662-439	● Wenge - White
A662-440	● Oak - Oak
A662-441	● Wenge - Wenge
A662-442	● Brushed brass - Brushed brass
A662-443	● Black - White
A662-575-36-27K	● Mauve (RAL 010 70 10)
A662-575-37-27K	● Sand (RAL 050 85 10)
A662-575-38-27K	● Stone Grey (RAL 000 65 00)



Materials: Dimmable: Yes
 Canopy: Metal: Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 24,5W 2700K CRI90 2786lm
 Luminaire: 180 - 295 VAC TRIAC 29W 1048lm
 Weight: Net 7,8 kg – Gross 9 kg
 Package: 57 x 53 x 17 cm – 3 kg Vol – 0,051 m³
 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³
 62 x 20 x 9 cm – 2,5 kg Vol – 0,01 m³
 Product notes: Accessory to combine Ginger models 32 C and 42 C for a single junction box.

Canopy color: Black
 Wire installation: Hardwired

Accessory C2 42/60

Code	Finish
Structure	
A662-423	● Black
Shades 42	
A662-438	● Oak - White
A662-439	● Wenge - White
A662-440	● Oak - Oak
A662-441	● Wenge - Wenge
A662-442	● Brushed brass - Brushed brass
A662-443	● Black - White
A662-575-36-27K	● Mauve (RAL 010 70 10)
A662-575-37-27K	● Sand (RAL 050 85 10)
A662-575-38-27K	● Stone Grey (RAL 000 65 00)



Code	Finish
Structure	
A662-423	● Black
Shades 60	
A662-154	● Oak - White
A662-155	● Wenge - White
A662-156	● Oak - Oak
A662-157	● Wenge - Wenge
A662-386	● Brushed brass - Brushed brass
A662-387	● Black - White
A662-572-36-27K	● Mauve (RAL 010 70 10)
A662-572-37-27K	● Sand (RAL 050 85 10)
A662-572-38-27K	● Stone Grey (RAL 000 65 00)

Materials: Dimmable: Yes
 Canopy: Metal: Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 38,7W 2700K CRI90 4806lm
 Luminaire: 180 - 295 VAC TRIAC 45,5W 1863lm
 Weight: Net 9,1 kg – Gross 10,5 kg
 Package: 72 x 72 x 28 cm – 5 kg Vol – 0,098 m³
 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³
 64 x 14 x 11 cm – 2 kg Vol – 0,051 m³
 Product notes: Accessory to combine Ginger models 42 C and 60 C for a single junction box.

Canopy color: Black
 Wire installation: Hardwired


Accessory C3 20/32/42

Code	Finish
Structure	
A662-424	● Black
Shades 20	
A662-426	○ Oak - White
A662-427	○ Wenge - White
A662-428	○ Oak - Oak
A662-429	○ Wenge - Wenge
A662-430	○ Brushed brass - Brushed brass
A662-431	○ Black - White
A662-573-36-27K	○ Mauve (RAL 010 70 10)
A662-573-37-27K	○ Sand (RAL 050 85 10)
A662-573-38-27K	○ Stone Grey (RAL 000 65 00)


Shades 32	
A662-432	○ Oak - White
A662-433	○ Wenge - White
A662-434	○ Oak - Oak
A662-435	○ Wenge - Wenge
A662-436	○ Brushed brass - Brushed brass
A662-437	○ Black - White
A662-574-36-27K	○ Mauve (RAL 010 70 10)
A662-574-37-27K	○ Sand (RAL 050 85 10)
A662-574-38-27K	○ Stone Grey (RAL 000 65 00)

Shades 42	
A662-438	○ Oak - White
A662-439	○ Wenge - White
A662-440	○ Oak - Oak
A662-441	○ Wenge - Wenge
A662-442	○ Brushed brass - Brushed brass
A662-443	○ Black - White
A662-575-36-27K	○ Mauve (RAL 010 70 10)
A662-575-37-27K	○ Sand (RAL 050 85 10)
A662-575-38-27K	○ Stone Grey (RAL 000 65 00)

Materials: Canopy: Metal
 Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)



Product type: Wall / Ceiling
 Light source: LED SMD 700mA 28,5W 2700K CRI90 3243lm
 Luminaire: 180 - 295 VAC TRIAC 33,5W 1209lm
 Weight: Net 7,8 kg – Gross 10 kg
 Package: 23 x 21 x 10 cm – 1 kg Vol – 0,01 m³
 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³
 57 x 53 x 17 cm – 3 kg Vol – 0,051 m³
 53 x 53 x 12 cm – 2,5 kg Vol – 0,03 m³
 Product notes: Accessory to combine Ginger models 20 C, 32 C, and 42 C for a single junction box.



Canopy color: Black
 Wire installation: Hardwired

Accessory C3 32/42/60

Code	Finish
Structure	
A662-425	● Black
Shades 32	
A662-432	● Oak - White
A662-433	● Wenge - White
A662-434	● Oak - Oak
A662-435	● Wenge - Wenge
A662-436	● Brushed brass - Brushed brass
A662-437	● Black - White
A662-574-36-27K	● Mauve (RAL 010 70 10)
A662-574-37-27K	● Sand (RAL 050 85 10)
A662-574-38-27K	● Stone Grey (RAL 000 65 00)


Shades 42	
A662-438	● Oak - White
A662-439	● Wenge - White
A662-440	● Oak - Oak
A662-441	● Wenge - Wenge
A662-442	● Brushed brass - Brushed brass
A662-443	● Black - White
A662-575-36-27K	● Mauve (RAL 010 70 10)
A662-575-37-27K	● Sand (RAL 050 85 10)
A662-575-38-27K	● Stone Grey (RAL 000 65 00)

Shades 60	
A662-154	● Oak - White
A662-155	● Wenge - White
A662-156	● Oak - Oak
A662-157	● Wenge - Wenge
A662-386	● Brushed brass - Brushed brass
A662-387	● Black - White
A662-572-36-27K	● Mauve (RAL 010 70 10)
A662-572-37-27K	● Sand (RAL 050 85 10)
A662-572-38-27K	● Stone Grey (RAL 000 65 00)

Materials	Dimmable: Yes
Canopy: Metal	Integrated dimmer: No
	Dimming protocols: Phase cut (Triac)



Product type: Wall / Ceiling
 Light source: LED SMD 700mA 47W 2700K CRI90 5719lm
 Luminaire: 180 - 295 VAC TRIAC 55,2W 2213lm
 Weight: Net 11,8 kg – Gross 13,5 kg
 Package: 57 x 53 x 17 cm – 3 kg Vol – 0,051 m³
 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³
 72 x 72 x 28 cm – 5 kg Vol – 0,098 m³
 63 x 62 x 7 cm – 3 kg Vol – 0,027 m³
 Product notes: Accessory to combine Ginger models 32 C, 42 C, and 60 C for a single junction box.



Canopy color: Black
 Wire installation: Hardwired

Spare parts


Code	Product	Finish	Spare part
R662-013	Ginger 20	Oak - White	Shade
R662-014	Ginger 20	Wenge - White	Shade
R662-015	Ginger 20	Oak	Shade
R662-016	Ginger 20	Wenge	Shade
R662-017	Ginger 20	Brushed brass	Shade
R662-018	Ginger 20	Brushed brass - White	Shade
R662-019	Ginger 20	Black - White	Shade
R662-211-36	Ginger 20	Mauve	Shade
R662-211-37	Ginger 20	Sand	Shade
R662-211-38	Ginger 20	Stone Grey	Shade
R662-039	Ginger 32	Oak - White	Shade
R662-040	Ginger 32	Wenge - White	Shade
R662-038	Ginger 32	Oak	Shade
R662-041	Ginger 32	Wenge	Shade
R662-042	Ginger 32	Brushed brass	Shade
R662-043	Ginger 32	Brushed brass - White	Shade
R662-044	Ginger 32	Black - White	Shade
R662-212-36	Ginger 32	Mauve	Shade
R662-212-37	Ginger 32	Sand	Shade
R662-212-38	Ginger 32	Stone Grey	Shade
R662-032	Ginger 42	Oak - White	Shade
R662-024	Ginger 42	Wenge - White	Shade
R662-046	Ginger 42	Oak	Shade
R662-047	Ginger 42	Wenge	Shade
R662-048	Ginger 42	Brushed brass	Shade
R662-049	Ginger 42	Brushed brass - White	Shade
R662-050	Ginger 42	Black - White	Shade
R662-213-36	Ginger 42	Mauve	Shade
R662-213-37	Ginger 42	Sand	Shade
R662-213-38	Ginger 42	Stone Grey	Shade
R662-052	Ginger 60	Oak - White	Shade
R662-025	Ginger 60	Wenge - White	Shade
R662-053	Ginger 60	Oak	Shade
R662-054	Ginger 60	Wenge	Shade
R662-055	Ginger 60	Brushed brass	Shade
R662-056	Ginger 60	Brushed brass - White	Shade
R662-037	Ginger 60	Black - White	Shade
R662-214-36	Ginger 60	Mauve	Shade
R662-214-37	Ginger 60	Sand	Shade
R662-214-38	Ginger 60	Stone Grey	Shade
A662-400	Ginger 20M		Battery
R968-001-EU	Ginger 20M		Black power adapter
R968-002-USA	Ginger 20M		Black power adapter
R968-003-AU	Ginger 20M		Black power adapter
R968-004-UK	Ginger 20M		Black power adapter
R961-057	Ginger 20M		Usb type C cable black



Ginger Outdoor, Joan Gaspar

The Ginger collection is moving outdoors, with wall sconces that can be installed individually or in a cluster, a 15 cm sconce – perfect for passageways and small outdoor areas –, a lamppost, small floor lamps and a wall version with an arm.

The Ginger outdoor also features a unique rust finish, with a deep, warm glow, alongside the standard black-white metal finish of the indoor version.



Ginger 15C IP65


Code
A662-549-31
A662-549-39

Finish
● Rust Brown
● Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Dissipater: Aluminium
Structure: Stainless steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)
DALI

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 67lm - Black-White
(Power supply not included) 27lm - Rust brown
Weight: Net 0,4 kg – Gross 0,5 kg
Package: 24 x 21 x 10 cm – 0,5 kg Vol – 0,01 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable


CE

ERC

UK
CA



IP65



Power supplies on page 136


Canopy color: Black
Wire installation: Hardwired

Ginger 20C IP65

Code	Finish
A662-550-31	● Rust Brown
A662-550-39	● Black - White (RAL 9005-9010)

Materials	Dimmable: Yes
Diffuser: Aluminium	Integrated dimmer: No
Dissipater: Aluminium	Dimming protocols: It depends on the purchased power supply.
	Phase cut (Triac)
	DALI

Product type: Wall / Ceiling
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 161lm - Black-White
 (Power supply not included) 291lm - Rust brown
 Weight: Net 0,5 kg – Gross 0,7 kg
 Package: 24 x 21 x 10 cm – 0,7 kg Vol – 0,01 m³
 Product notes: 24V remote power supply to be ordered separately.
 LED included



Dimmable



IP65

CE

ERC

UK
CA

Power supplies on page 136

Canopy color: Black




Ginger 32C IP65

Code	Finish
A662-551-31	● Rust Brown
A662-551-39	● Black - White (RAL 9005-9010)

Materials	Dimmable: Yes
Diffuser: Aluminium	Integrated dimmer: No
Dissipater: Aluminium	Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9W 350lm - Black-White
 220 - 240 VAC TRIAC 9W 811m - Rust Brown
 Weight: Net 0,9 kg – Gross 2 kg
 Package: 43 x 48 x 17 cm – 2 kg Vol – 0,04 m³
 Product notes: DALI and Casambi upon request
 LED included



Dimmable



IP65

CE

ERC

UK
CA

Canopy color: Black



Ginger 42C IP65


Code
A662-552-31
A662-552-39

Finish
● Rust Brown
▲ Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
Luminaire: 180 - 295 VAC TRIAC 19,71W 698lm - Black-White
180 - 295 VAC TRIAC 19,71W 186lm - Rust brown
Weight: Net 1,8 kg – Gross 3,5 kg
Package: 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³
Product notes: DALI and Casambi upon request
LED included



Canopy color: Black



Ginger 60C IP65


Code
A662-553-31
A662-553-39

Finish
● Rust Brown
▲ Black - White (RAL 9005-9010)


Materials
Diffuser: Aluminium
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
Luminaire: 180 - 295 VAC TRIAC 26,09W 1165lm - Black-White
180 - 295 VAC TRIAC 26,09W 245lm - Rust brown
Weight: Net 3,6 kg – Gross 6,3 kg
Package: 67 x 67 x 24 cm – 6,3 kg Vol – 0,1 m³
Product notes: DALI and Casambi upon request
LED included



Canopy color: Black



Ginger B 20/44


Code
A662-554-31
A662-554-39

Finish
● Rust Brown - White
● Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 0,8 kg – Gross 1,3 kg
Package: 25 x 23 x 12 cm – 0,7 kg Vol – 0,007 m³
15 x 13 x 48 cm – 0,6 kg Vol – 0,009 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable

CE

ERC

UK
CA



IP65

Power supplies on page 136

Cable length: 2,6 m



Ginger B 20/63


Code
A662-543-31
A662-543-39

Finish
● Rust Brown - White
● Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 0,9 kg – Gross 1,4 kg
Package: 25 x 23 x 12 cm – 0,7 kg Vol – 0,007 m³
15 x 13 x 66,5 cm – 0,7 kg Vol – 0,01 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable

CE

ERC

UK
CA



IP65

Power supplies on page 136

Cable length: 2,4 m



Ginger B 20/86


Code
A662-544-31
A662-544-39

Finish
● Rust Brown - White
● Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 1 kg – Gross 1,6 kg
Package: 25 x 23 x 12 cm – 0,7 kg Vol – 0,007 m³
15 x 13 x 98,5 cm – 0,9 kg Vol – 0,02 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable

CE

ERC

UK
CA



IP65



Power supplies on page 136


Cable length: 2,1 m

Ginger B 32/65 NEW

Code Finish
A662-593-31-27K ■ Rust Brown - White
A662-593-39-27K ■ Black - White (RAL 9005-9010)

Materials Dimmable: Yes
Diffuser: Aluminium Integrated dimmer: No
Structure: Stainless steel Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)
DALI

Product type: Bollard
Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm
Luminaire: (Power supply not included) 350lm
Weight: Net 1,7 kg – Gross 3,1 kg
Package: 14 x 13 x 65 cm - 1,16 kg – VOL - 0,01 m³
43 x 48 x 16 cm - 1,9 kg – VOL - 0,03 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable



CE

IP65

ERC

UK
CA



Power supplies on page 136


Cable length: 2,6 m

Ginger B 32/88 NEW

Code Finish
A662-594-31-27K ■ Rust Brown - White
A662-594-39-27K ■ Black - White (RAL 9005-9010)

Materials Dimmable: Yes
Diffuser: Aluminium Integrated dimmer: No
Structure: Stainless steel Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)
DALI

Product type: Bollard
Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm
Luminaire: (Power supply not included) 350lm
Weight: Net 1,9 kg – Gross 3,3 kg
Package: 14 x 13 x 88 cm - 1,4 kg – VOL - 0,02 m³
43 x 48 x 16 cm - 1,9 kg – VOL - 0,03 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable



CE

IP65

ERC

UK
CA



Power supplies on page 136



Cable length: 2,3 m

Ground fixation plate

Code A662-556
 Finish ● Stainless steel

Materials
 Structure: Stainless steel 316 L

Product type: Accessory
 Weight: Net 0,3 kg – Gross 0,4 kg
 Package: 15 x 15 x 13 cm - 0,4 kg – VOL - 0,003 m³



Ginger: Power Supply - Non Dimmable IP


Code	Description	Dimming	Class
968-249	Power supply 20W - 24V - IP68	-	II
968-250	Power supply 70W - 24V - IP67	-	II

Ginger: Power Supply - Dimmable

Code	Description	Dimming	Class
968-223-23	Power supply 20W - 24V	Triac	II
968-205	Power supply 50W - 24V	Triac	II
968-227	Power supply 35W - 24V	DALI	II
968-206	Power supply 60W - 24V	DALI	II

Ginger: Connection Box

Code	Description	Dimming	Class
A666-210	Connection box 50W - 24V - IP67 (230 x 126 x 56mm)	Triac	II
A666-211	Connection box 35W - 24V - IP67 (230 x 126 x 56mm)	DALI	II
A666-212	Connection box 120W - 24V - IP67 (280 x 165 x 82mm)	DALI	II
A666-611	Connection box 35W - 24V - IP67 (230 x 126 x 56mm)	Casambi	II
A666-612	Connection box 120W - 24V - IP67 (280 x 165 x 82mm)	Casambi	II



Ginger: Connector Accessory

Code A963-001
 Description 2 way terminal block 4 poles IP68 H2O Stop.
 (ø5,5÷12mm cable).

Code A963-002
 Description 3/4 way terminal block 4 poles IP68 H2O Stop.
 (ø5,5÷12mm cable).



Ginger 60/298

Code A662-735
Finish **Black-White** (RAL 9005-9010)

Materials: Diffuser: Aluminium
Structure: Stainless Steel
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming: Depending on the connection
ON / OFF
1-10V

Product type: Lamppost

Light source: LED SMD 1050mA 33,8W 2700K CRI90 4037lm

Luminaire: 90 - 305 VAC 1-10V 35,8W 1463lm


Weight: Net 13,25 kg – Gross 20,05 kg

Package: 68 x 69 x 24 cm – 5,7 kg Vol – 0,11 m³

61 x 16 x 255 cm – 11,1 kg Vol – 0,25 m³

25 x 25 x 44 cm – 3,25 kg Vol – 0,03 m³

LED included



Dimmable



CE

IP65

ERC

UK
CA



Wire installation: Hardwired

Ground fixation plate



Code A662-733
Finish **Stainless steel**

Materials: Structure: Stainless steel 316 L

Product type: Accessory

Weight: Net 1,6 kg – Gross 2,4 kg

Package: 35 x 24 x 24 cm - 2,4 kg – VOL - 0,02 m³






Hazy Day 44

Code A663-002 Finish ● White *

Materials
Shade: Glass globe

Product type: Pendant
Light source: E27 LED Globe (ø120) 14W
Weight: Net 7,1 kg – Gross 7,4 kg
Package: 62 x 62 x 45 cm – 7,4 kg Vol – 0,17 m³



Cable length: 2 m
Wire installation: Hardwired
Color cord: Transparent
Canopy color: White



High Line, Josep Lluís Xuclà

Visually, the High Line is a light sculpture, a svelte line that gives off light without revealing its source. This floor lamp by Josep Lluís Xuclà generates light indirectly by reflection, and uniquely, the light does not bounce off the ceiling, but off the wall.

Its designer is interested in having the wall return the emitted light. A wall is this lamp's greatest ally, and they want to remain close. Formally, it's a composition in volumes and colors.




High Line

Code	Finish
A690-001	● Oak-White (RAL 9002) *
A690-003	● Wenge-Blue (RAL 5024) *
A690-004	● Wenge-Green (RAL 6003) *

Materials	Integrated dimmer: Yes
Base: Iron	Dimmer type: Progressive dimmer from 0 to 100
Structure: Wooden profiles	

Product type: Floor
 Light source: LED SMD 700mA 30W 2700K CRI90 3895lm
 Luminaire: 220 - 240 VAC 34,3W 2076lm
 Weight: Net 9,3 kg – Gross 13,3 kg
 Package: 205 x 23 x 17 cm – 9,5 kg Vol – 0,076 m³
 34 x 36 x 3 cm – 3,8 kg Vol – 0,003 m³
 LED included



Dimmer

CE

ERC



Cable length: 2,2 m
 Color cord: Black
 Switch location: In-line

In search of the beauty of light, she created a sculptural lamp defined by its pure, almost graphic forms, and by the balance between rigidity and fragility.

In an effort to offer ambient light for any classic or contemporary interior design project, this collection can be used to create light compositions.




Ihana x2 80

Code	Finish	Dimming	CCT
A709-057-39-27K	● Opal	Triac	27K
A709-058-39-18/30K	● Opal	Triac	DTW 18K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (Triac)
	Dim to warm from 1800K to 3000K. (Triac)
	DALI, Casambi

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16,4W 2700K CRI90 1826lm
 Luminaire: 220 - 240 VAC TRIAC 19,78W 994lm
 Light source DTW: LED COB 350mA 12W 1800-3000K CRI90 1272lm
 Luminaire DTW: 220 - 240 VAC TRIAC 15,2W
 Weight: Net 4,5 kg – Gross 6,7 kg
 Package: 21 x 42 x 42 cm – 3 kg Vol – 0,04 m³
 24 x 14 x 114 cm – 3,7 kg Vol – 0,04 m³
 LED included



Wire installation: Hardwired
 Canopy color: Black




Product notes: Casambi available upon request.
 DALI upon request

Ihana x2 100

Code	Finish	Dimming	CCT
A709-011-39-27K	● Opal	Triac	27K
A709-012-39-18/30K	● Opal	Triac	DTW 18K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (Triac)
	Dim to warm from 1800K to 3000K. (Triac)
	DALI, Casambi

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16,4W 2700K CRI90 1826lm
 Luminaire: 220 - 240 VAC TRIAC 19,78W 994lm
 Light source DTW: LED COB 350mA 12W 1800-3000K CRI90 1272lm
 Luminaire DTW: 220 - 240 VAC TRIAC 15,2W
 Weight: Net 4,5 kg – Gross 6,7 kg
 Package: (2x) 21 x 42 x 42 cm – 3 kg Vol – 0,04 m³
 24 x 14 x 114 cm – 3,7 kg Vol – 0,04 m³
 LED included



Dimmable



UK
CA

ERC

Wire installation: Hardwired
 Canopy color: Black

Product notes: Casambi available upon request.
 DALI upon request




Ihana x2 150

Code	Finish	Dimming	CCT
A709-009-39-27K	● Opal	Triac	27K
A709-010-39-18/30K	● Opal	Triac	DTW 18K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (Triac)
	Dim to warm from 1800K to 3000K. (Triac)
	DALI, Casambi

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16,4W 2700K CRI90 1826lm
 Luminaire: 220 - 240 VAC TRIAC 19,78W 994lm
 Light source DTW: LED COB 350mA 12W 1800-3000K CRI90 1272lm
 Luminaire DTW: 220 - 240 VAC TRIAC 15,2W
 Weight: Net 5,1 kg – Gross 8,2 kg
 Package: (2x) 21 x 42 x 42 cm – 3 kg Vol – 0,04 m³
 18 x 18 x 167 cm – 5,2 kg Vol – 0,05 m³
 LED included



Dimmable



UK
CA

ERC

Wire installation: Hardwired
 Canopy color: Black

Product notes: Casambi available upon request.
 DALI upon request




Ihana x2 200

Code	Finish	Dimming	CCT
A709-007-39-27K	● Opal	Triac	27K
A709-008-39-18/30K	● Opal	Triac	DTW 18K-30K


Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (Triac)
	Dim to warm from 1800K to 3000K. (Triac)
	DALI, Casambi

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16,4W 2700K CRI90 1826lm
 Luminaire: 220 - 240 VAC TRIAC 19,78W 994lm
 Light source DTW: LED COB 350mA 12W 1800-3000K CRI90 1272lm
 Luminaire DTW: 220 - 240 VAC TRIAC 15,2W
 Weight: Net 6,7 kg – Gross 9,7 kg
 Package: (2x) 21 x 42 x 42 cm – 3 kg Vol – 0,04 m³
 18 x 18 x 225 cm – 6,7 kg Vol – 0,07 m³

LED included



Wire installation: Hardwired
 Canopy color: Black



Product notes: Casambi available upon request.
 DALI upon request


Ihana x3 80

Code	Finish	Dimming	CCT
A709-056-39-27K	● Opal	Triac	27K
A709-013-39-18/30K	● Opal	Triac	DTW 18K-30K


Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (Triac)
	Dim to warm from 1800K to 3000K. (Triac)
	DALI, Casambi

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 24,6W 2700K CRI90 2739lm
 Luminaire: 220 - 240 VAC TRIAC 29,67W 1491lm
 Light source DTW: LED COB 350mA 18W 1800-3000K CRI90 1908lm
 Luminaire DTW: 220 - 240 VAC TRIAC 22,8W
 Weight: Net 6,8 kg – Gross 9,5 kg
 Package: (3x) 21 x 42 x 42 cm – 3 kg Vol – 0,04 m³
 24 x 14 x 114 cm – 3,7 kg Vol – 0,04 m³
 24 x 14 x 114 cm – 2,8 kg Vol – 0,04 m³

LED included



Wire installation: Hardwired
 Canopy color: Black



Product notes: Casambi available upon request.
 DALI upon request


Ihana x3 100

Code	Finish	Dimming	CCT
A709-005-39-27K	● Opal	Triac	27K
A709-006-39-18/30K	● Opal	Triac	DTW 18K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (Triac)
	Dim to warm from 1800K to 3000K. (Triac)
	DALI, Casambi

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 24,6W 2700K CRI90 2739lm
 Luminaire: 220 - 240 VAC TRIAC 29,67W 1491lm
 Light source DTW: LED COB 350mA 18W 1800-3000K CRI90 1908lm
 Luminaire DTW: 220 - 240 VAC TRIAC 22,8W
 Weight: Net 6,8 kg – Gross 9,5 kg
 Package: (3x) 21 x 42 x 42 cm – 3 kg Vol – 0,04 m³
 24 x 14 x 114 cm – 3,7 kg Vol – 0,04 m³
 24 x 14 x 114 cm – 2,8 kg Vol – 0,04 m³

LED included



Product notes: Casambi available upon request.
 DALI upon request




Ihana x3 150

Code	Finish	Dimming	CCT
A709-003-39-27K	● Opal	Triac	27K
A709-004-39-18/30K	● Opal	Triac	DTW 18K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (Triac)
	Dim to warm from 1800K to 3000K. (Triac)
	DALI, Casambi

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 24,6W 2700K CRI90 2739lm
 Luminaire: 220 - 240 VAC TRIAC 29,67W 1491lm
 Light source DTW: LED COB 350mA 18W 1800-3000K CRI90 1908lm
 Luminaire DTW: 220 - 240 VAC TRIAC 22,8W
 Weight: Net 7,8 kg – Gross 12,7 kg
 Package: (3x) 21 x 42 x 42 cm – 3 kg Vol – 0,04 m³
 18 x 18 x 167 cm – 5,2 kg Vol – 0,05 m³
 18 x 18 x 167 cm – 4,5 kg Vol – 0,05 m³

LED included



Product notes: Casambi available upon request.
 DALI upon request



Ihana x3 200


Code	Finish	Dimming	CCT
A709-001-39-27K	● Opal	Triac	27K
A709-002-39-18/30K	● Opal	Triac	DTW 18K-30K

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
Dim to warm from 1800K to 3000K. (Triac)
DALI, Casambi

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 24,6W 2700K CRI90 2739lm
Luminaire: 220 - 240 VAC TRIAC 29,67W 1491lm
Light source DTW: LED COB 350mA 18W 1800-3000K CRI90 1908lm
Luminaire DTW: 220 - 240 VAC TRIAC 22,8W
Weight: Net 8,2 kg – Gross 15,1 kg
Package: (3x) 21 x 42 x 42 cm – 3 kg Vol – 0,04 m³
18 x 18 x 225 cm – 6,7 kg Vol – 0,07 m³
18 x 18 x 225 cm – 5,4 kg Vol – 0,07 m³

LED included



Dimmable




CE

UK
CA

EAC

Wire installation: Hardwired
Canopy color: Black





Product notes: Casambi available upon request.
DALI upon request



Ihana Customized configuration

Code	Description	Dimming	CCT
Glass (A)			
A709-020-51-27K	● Opal	Triac	27K
A709-021-51-18/30K	● Opal	Triac	DTW 18K-30K




Product notes: Maximum 14 units.

Code	Description	Dimming
Start + End set (B)		
A709-054-39	● Start+End 80cm	Triac
A709-022-39	● Start+End 100cm	Triac
A709-024-39	● Start+End 150cm	Triac
A709-026-39	● Start+End 200cm	Triac
A709-052-39	● Start+End 80cm	Triac - DTW
A709-028-39	● Start+End 100cm	Triac - DTW
A709-030-39	● Start+End 150cm	Triac - DTW
A709-032-39	● Start+End 200cm	Triac - DTW




Product notes: Take into account the overall height of the setup. 1 horizontal tube included. Maximum 1 unit.

Code	Description	Dimming
Central tube (C)		
A709-055-39	● Central 80cm	Triac
A709-023-39	● Central 100cm	Triac
A709-025-39	● Central 150cm	Triac
A709-027-39	● Central 200cm	Triac
A709-053-39	● Central 80cm	Triac - DTW
A709-029-39	● Central 100cm	Triac - DTW
A709-031-39	● Central 150cm	Triac - DTW
A709-033-39	● Central 200cm	Triac - DTW



Product notes: Take into account the overall height of the setup. 1 horizontal tube included. Maximum 12 unit.



- Configuration x4: 4A + 1B + 2C
- Configuration x5: 5A + 1B + 3C
- Configuration x6: 6A + 1B + 4C
- Configuration x7: 7A + 1B + 5C
- Configuration x8: 8A + 1B + 6C
- Configuration x9: 9A + 1B + 7C
- Configuration x10: 10A + 1B + 8C
- Configuration x11: 11A + 1B + 9C
- Configuration x12: 12A + 1B + 10C
- Configuration x13: 13A + 1B + 11C
- Configuration x14: 14A + 1B + 12C

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Dim to warm from 1800K to 3000K. (Triac)



Product type: Pendant / Ceiling
 Light source: ?x LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: ?x 220 - 240 VAC TRIAC 9,8W 497lm
 Light source DTW: ?x LED COB 350mA 6W 1800-3000K CRI90 636lm
 Luminaire DTW: ?x 220 - 240 VAC TRIAC 7,6W

Package:
 Glass
 21 x 42 x 42 cm - 3 kg Vol - 0,04 m³
 Start+End 100cm
 24 x 14 x 114 cm - 3,7 kg Vol - 0,04 m³
 Start+End 150cm
 18 x 18 x 167 cm - 5,2 kg Vol - 0,05 m³
 Start+End 200cm
 18 x 18 x 225 cm - 6,7 kg Vol - 0,07 m³
 Central 100cm
 24 x 14 x 114 cm - 2,8 kg Vol - 0,04 m³
 Central 150cm
 18 x 18 x 167 cm - 4,5 kg Vol - 0,05 m³
 Central 200cm
 18 x 18 x 225 cm - 5,4 kg Vol - 0,07 m³

Product notes: 3000K available upon under request



Discover more at marset.com



DESIGN PLUS

powered by: **light+building**


Jaima 43 IP65

Code	Finish
A683-013	● Blue *
A683-014	● Beige
A683-015	● Grey

Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED COB 230 VAC 15W 2700K CRI90 1022lm
Luminaire: 230 VAC TRIAC 15W 528lm
Weight: Net 1,8 kg – Gross 3,7 kg
Package: 44 x 45 x 39 cm – 3,7 kg Vol – 0,08 m³
LED included




Dimmable

CE
UK
CA
EAC



IP65



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black


Jaima 54 IP65

Code	Finish
A683-017	● Blue *
A683-018	● Beige
A683-019	● Grey

Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED COB 230VAC 15W 2700K CRI90 1022lm
Luminaire: 230VAC TRIAC 15W 513lm
Weight: Net 2,2 kg – Gross 5 kg
Package: 55 x 55 x 46 cm – 5 kg Vol – 0,14 m³
LED included



Dimmable



CE

IP65

UK

ERC

Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black




Jaima 71 IP65

Code	Finish
A683-021	● Blue *
A683-022	● Beige
A683-023	● Grey
A683-024	● Green *

Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED COB 230VAC 15W 2700K CRI90 1022lm
Luminaire: 230VAC TRIAC 15W 530lm
Weight: Net 2,8 kg – Gross 7,5 kg
Package: 71 x 71 x 63 cm – 7,5 kg Vol – 0,3 m³
LED included



Dimmable



CE

IP65

UK

ERC

Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black





Hook accessory

Code A683-025 Finish ● Inox *

Materials
Structure: Inox

Product type: Accessory
Weight: Net 0,02 kg – Gross 0,02 kg
Package: 24 x 16 x 1 cm - 0,02 kg – VOL - 0,0001 m³




Jaima P207 + Shade 43

Code A683-027 Finish ● Black (RAL 9005)
Structure

Shade 43
A683-028 ● Blue *
A683-029 ● Beige
A683-030 ● Grey

Materials
Shade: Textilene, inner part in white
Structure: Stainless steel
Extensible stem: Carbon fiber
Dimmable: Yes
Integrated dimmer: No
Dimmer Casambi IP65 (optional)

Product type: Floor
Light source: LED COB 230 VAC 15W 2700K CRI90 1022lm
Luminaire: 230VAC TRIAC 15W 528lm
Weight: Net 4,1 kg – Gross 10,3 kg
Package: 216 x 48 x 23 cm – 7,8 kg Vol – 0,24 m³
45 x 45 x 39 cm – 2,5 kg Vol – 0,08 m³
LED included



CE
EAC
IP65
⊕



Cable length: 3,4 m
Wire installation: Plug-in
Color cord: Black


Jaima P307 + Shade 54

Code Finish
Structure
A683-035 ● Black (RAL 9005)

Shade 54
A683-036 ● Blue *
A683-037 ● Beige
A683-038 ● Grey

Materials
Shade: Textilene, inner part in white
Structure: Stainless steel
Extensible stem: Carbon fiber
Dimmable: Yes
Integrated dimmer: No
Dimmer Casambi IP65 (optional)

Product type: Floor
Light source: LED COB 230VAC 15W 2700K CRI90 1022lm
Luminaire: 230VAC TRIAC 15W 513lm
Weight: Net 4,7 kg – Gross 12,5 kg
Package: 277 x 48 x 23 cm – 9 kg Vol – 0,3 m³
55 x 55 x 45 cm – 3,5 kg Vol – 0,136 m³
LED included



Cable length: min 2 m - max 2,8 m
Wire installation: Plug-in
Color cord: Black



Jaima P307 + Shade 71

Code
Structure
A683-035


Finish
● Black (RAL 9005)

Shade 71
A683-040 ● Blue *
A683-041 ● Beige
A683-042 ● Grey
A683-043 ● Green *

Materials
Shade: Textilene, inner part in white
Structure: Stainless steel
Extensible stem: Carbon fiber

Dimmable: Yes
Integrated dimmer: No
Dimmer Casambi IP65 (optional)

Product type: Floor
Light source: LED COB 230VAC 15W 2700K CRI90 1022lm
Luminaire: 230VAC TRIAC 15W 530lm
Weight: Net 4,8 kg – Gross 15 kg
Package: 277 x 48 x 23 cm – 9 kg Vol – 0,3 m³
71 x 71 x 63 cm – 6 kg Vol – 0,3 m³
LED included



Cable length: min 2 m - max 2,8 m
Wire installation: Plug-in
Color cord: Black


49 base + stem

Code
A683-033

Finish
● Concrete and black (RAL 9005)

Materials
Base: Concrete
Stem: Stainless steel

Product type: Accessory
Weight: Net 14,3 kg – Gross 17,2 kg
Package: 63 x 62 x 7 cm - 15 kg – VOL -0,027 m³
31 x 18 x 17 cm - 2,2 kg – VOL -0,009 m³
Product notes: Base only compatible with Jaima P207




70 base + stem

Code A683-044 Finish
● Concrete and black (RAL 9005)

Materials
Base: Concrete
Stem: Stainless steel

Product type: Accessory
Weight: Net 36,8 kg – Gross 51,7 kg
Package: 75 x 75 x 19 cm - 49,5 kg – VOL -0,106 m³
31 x 18 x 17 cm - 2,2 kg – VOL -0,009 m³
Product notes: Base only compatible with Jaima P307




Fix stem

Code A683-032 Finish
● Black (RAL 9005)

Materials
Stem: Stainless steel

Product type: Accessory
Weight: Net 1,9 kg – Gross 2,3 kg
Package: 31 x 18 x 17 cm - 2,3 kg – VOL -0,009 m³
Product notes: Compatible with Jaima P207 and P307.




Wall bracket

Code A683-045 Finish
● Black (RAL 9005) *

Materials
Stem: Stainless steel

Product type: Accessory
Weight: Net 1,8 kg – Gross 2 kg
Package: 31 x 18 x 17 cm - 2 kg – VOL -0,009 m³
Product notes: Compatible with Jaima P207 and P307.




Dimmer Casambi IP65


Code A712-001 Finish
● Black

Materials
Case: ABS
Trim: Aluminium

Product type: Accessory
85 - 240 VAC max. 50W
Weight: Net 2 kg – Gross 3 kg
Package: 20 x 12 x 8 cm - 3 kg – VOL - 0,002 m³
Product notes: Bluetooth smart wireless trailing edge dimmer that adjusts light intensity or switches the lamp ON/OFF. Available in Android or iOS with the app Casambi.



CE
EAC
UK
IP65





Konoha, Yabu Pushelberg

Konoha is a simple, discreet wall lamp with a shade over a directed spotlight that turns through 360°. The shade, like a hat, covers the spotlight, allowing the light to be directed upwards, bounce off the inside and project a beam of soft light, creating

warm ambient lighting. If instead the spotlight is focused downwards, it projects a beam of direct light, turning the fixture into a reading lamp.




Konoha NEW

Code	Finish
A716-001-39-27K	● Matt black (RAL 9005)
A716-001-35-27K	● White chalk (RAL 085 80 10)
A716-001-41-27K	● Terracotta (RAL 050 50 40)
A716-001-45-27K	● Moss grey (RAL 7003)

Materials: Steel
Tube: Aluminium
Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2,1W 2700K CRI90 199,4lm
Luminaire: 100 - 240 VAC 3,2W 137lm
Weight: Net 1,14 kg – Gross 1,9 kg
Package: 35 x 33,4 x 22,8 cm – 1,9 kg Vol – 0,03 m³
Product notes: The ON/OFF switch is located at the base of the structure
LED included



Wire installation: Hardwired




Lab 1 2020

Code A646-090 Finish ● Graphite grey (RAL 7024) *

Materials Dimmable: No
Structure: Injected aluminium
Lids: Metal, wood, stone-like

Product type: Wall
Light source: LED SMD 24Vdc 3,7W 2700K CRI90 189lm
Luminaire: 100 - 240 VAC 4,3W 304lm
Weight: Net 0,87 kg – Gross 1 kg
Package: 16 x 15 x 14 cm – 1 kg Vol – 0,003 m³
Product notes: Lid to be ordered separately.



IP65




Wire installation: Hardwired

Lab 2 2020

Code A646-091 Finish ● Graphite grey (RAL 7024)

Materials Dimmable: No
Structure: Injected aluminium
Lids: Metal, wood, stone-like

Product type: Wall
Light source: LED SMD 24Vdc 7,4W 2700K CRI90 378lm
Luminaire: 100 - 240 VAC 8,47W 322lm
Weight: Net 0,87 kg – Gross 1 kg
Package: 16 x 15 x 14 cm – 1 kg Vol – 0,003 m³
Product notes: Lid to be ordered separately.



CE

UK
CA

ERC



IP65





Wire installation: Hardwired

Lid

Code Finish
A646-005 ● White (RAL 9003)
A646-022 ● Brown (RAL 8019)
A646-023 ● Rust brown
A646-007 ● Dark iroko
A646-009 ● Stone-like*

Materials
Structure: Injected aluminium
Lids: Metal, wood, stone-like


Product type: Accessory



Signage Lid

Code Finish
- 1 - 3 units
- 4 - 10 units
- 11 - 25 units
- 26 or more units

Product type: Accessory
Available upon request, Lab 2 only.




Lab A 35

Code	Finish
A646-060	White (RAL 7024-9003)
A646-061	Brown (RAL 7024-8019)
A646-062	Rust brown
A646-063	Dark iroko

Materials: Aluminium
Structure: Aluminium
Lids: Metal, wood

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall
Light source: LED SMD 700mA 6,3W 2700K CRI80 590lm
Luminaire: 220 - 240 VAC TRIAC 8,41W 293lm
Weight: Net 1,4 kg – Gross 2,3 kg
Package: 17,5 x 13 x 46 cm – 2,3 kg Vol – 0,01 m³
Product notes: CRI90 available upon request



CE

UK
CA

EAC



IP65



Wire installation: Hardwired


Lab B 35

Code	Finish
A646-070	White (RAL 7024-9003)
A646-071	Brown (RAL 7024-8019)
A646-072	Rust brown
A646-073	Dark iroko

Materials: Aluminium
Structure: Aluminium
Lids: Metal, wood

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Bollard
Light source: LED SMD 700mA 6,3W 2700K CRI80 590lm
Luminaire: 220 - 240 VAC TRIAC 8,41W 293lm
Weight: Net 1,4 kg – Gross 2,3 kg
Package: 17,5 x 13 x 46 cm – 2,3 kg Vol – 0,01 m³
Product notes: CRI90 available upon request



CE

UK
CA

EAC



IP65



Wire installation: Hardwired


Lab B 60

Code	Finish
A646-080	● White (RAL 7024-9003)
A646-081	● Brown (RAL 7024-8019)
A646-082	● Rust brown
A646-083	● Dark iroko

Materials
Structure: Aluminium
Lids: Metal, wood

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Bollard
Light source: LED SMD 700mA 6,3W 2700K CRI80 590lm
Luminaire: 220 - 240 VAC TRIAC 8,41W 319lm
Weight: Net 2,5 kg – Gross 3,5 kg
Package: 18 x 13 x 70 cm – 3,5 kg Vol – 0,02 m³
Product notes: CRI90 available upon request



IP65





Wire installation: Hardwired

Ground fixation plate

Code	Finish
A646-067	● Stainless steel

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0,26 kg – Gross 0,32 kg
Package: 9 x 10 x 21 cm - 0,32 kg – VOL - 0,002 m³



Ledtube, Daniel López

Its ergonomic design beckons you to move it in any direction, up to 360°, and its use is very intuitive. When opened, it turns on automatically; when closed, it turns off and hides away in the wall, like camouflage. It's so versatile it can be installed

vertically or horizontally, adapting to the needs of your space. Also Ledtube features a honeycomb grill that traps peripheral light in all directions, avoiding glare.




Ledtube RSC

Code	Finish
A622-216-17-27K	● Aluminium
A622-216-18-27K	● Bronze
A622-216-35-27K	● Matt white (RAL 9010)
A622-216-39-27K	● Matt black (RAL 9005)

Materials: Dimmable: No
Structure: Injected aluminium
Frontal: Transparent polycarbonate

Product type: Wall
Light source: LED SMD 700mA 2,1W 2700K CRI90 226,5lm
Luminaire: 100 - 240 VAC 4,25W 131lm
Weight: Net 0,65 kg – Gross 0,8 kg
Package: 20 x 12 x 8 cm – 0,8 kg Vol – 0,002 m³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to avoid glare.
CRI90 available upon request.
LED included



Wire installation: Hardwired


Ledtube RSC USB

Code	Finish
A622-217-17-27K	● Aluminium
A622-217-18-27K	● Bronze
A622-217-35-27K	● Matt white (RAL 9010)
A622-217-39-27K	● Matt black (RAL 9005)

Materials
Structure: Injected aluminium
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2,1W 2700K CRI90 226,5lm
Luminaire: 90 - 264 VAC 5,2W 131lm
Weight: Net 0,87 kg – Gross 1 kg
Package: 11 x 21 x 9 cm – 1 kg Vol – 0,02 m³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to avoid glare. Incorporated USB on fixture face. CRI90 available upon request.
LED included



Wire installation: Hardwired


Ledtube R right

Code	Finish
A622-218-17-27K	● Aluminium
A622-218-18-27K	● Bronze
A622-218-35-27K	● Matt white (RAL 9010)
A622-218-39-27K	● Matt black (RAL 9005)

Materials
Structure: Injected aluminium
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2,1W 2700K CRI90 226,5lm
Luminaire: 100 - 240 VAC 4,25W 131lm
Weight: Net 0,8 kg – Gross 0,9 kg
Package: 16 x 15 x 9 cm – 0,9 kg Vol – 0,002 m³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to avoid glare. CRI90 available upon request.
LED included



Wire installation: Hardwired


Ledtube R left

Code	Finish
A622-219-17-27K	● Aluminium
A622-219-18-27K	● Bronze
A622-219-35-27K	● Matt white (RAL 9010)
A622-219-39-27K	● Matt black (RAL 9005)

Materials
Structure: Injected aluminium
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2,1W 2700K CRI90 226,5lm
Luminaire: 100 - 240 VAC 4,25W 131lm
Weight: Net 0,8 kg – Gross 0,9 kg
Package: 16 x 15 x 9 cm – 0,9 kg Vol – 0,002 m³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to avoid glare. CRI90 available upon request.
LED included



Wire installation: Hardwired


Ledtube A

Code	Finish
A622-220-17-27K	● Aluminium
A622-220-18-27K	● Bronze
A622-220-35-27K	● Matt white (RAL 9010)
A622-220-39-27K	● Matt black (RAL 9005)

Materials
Structure: Injected aluminium

Dimmable: No

Product type: Wall / Ceiling
Light source: LED SMD 700mA 2,1W 2700K CRI90 226,5lm
Luminaire: 100 - 240 VAC 4,25W 131lm
Weight: Net 0,46 kg – Gross 0,56 kg
Package: 21 x 12 x 9 cm – 0,3 kg Vol – 0,002 m³
Product notes: Lens at 25° with a honeycomb grill to avoid glare.
Integrated switch. CRI90 available upon request.
LED included



Wire installation: Hardwired
Switch location: Structure


Ledtube mini

Code	Finish
A622-213-17-27K	● Aluminium
A622-213-18-27K	● Bronze
A622-213-35-27K	● Matt white (RAL 9010)
A622-213-39-27K	● Matt black (RAL 9005)

Materials
Structure: Injected aluminium
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2,1W 2700K CRI90 199,4lm
Luminaire: 220 - 240 VAC 4,33W 45lm
Weight: Net 0,37 kg – Gross 0,52 kg
Package: 21 x 12 x 9 cm – 0,52 kg Vol – 0,002 m³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Lens at 25° with a honeycomb grill to avoid glare.
CRI90 available upon request.
LED included



Wire installation: Hardwired




Ledtube mini spot

Code	Finish
A622-214-17-27K	● Aluminium
A622-214-18-27K	● Bronze
A622-214-35-27K	● Matt white (RAL 9010)
A622-214-39-27K	● Matt black (RAL 9005)

Materials
Structure: Injected aluminium

Dimmable: No

Product type: Wall / Ceiling
Light source: LED SMD 700mA 2,1W 2700K CRI90 199,4lm
Luminaire: 220 - 240 VAC 4,33W 45lm
Weight: Net 0,15 kg – Gross 0,3 kg
Package: 21 x 12 x 9 cm – 0,3 kg Vol – 0,002 m³
Product notes: Lens at 25° with a honeycomb grill to avoid glare.
CRI90 available upon request.
LED included



Wire installation: Hardwired



Manhattan, Joan Gaspar

Rational and minimalist, this wall lamp is the result of a technical, functional and ornament-free design. Inside, a polycarbonate film surrounds the light source to provide high-quality diffusion.

Designed to illuminate kitchens and bathrooms, it has an IP44 rating. Its shape allows it to be installed both vertically and horizontally.




Manhattan LED 63.5

Code A2005-030
Finish Chrome

Materials Dimmable: No
Structure: Aluminium
Diffuser: silk-screened polycarbonate

Product type: Wall
Light source: LED SMD 350mA 15,6W 2700K CRI80 2608lm
Luminaire: 220 - 240 VAC 19,15W
Weight: Net 1,2 kg – Gross 1,4 kg
Package: 67 x 11 x 9 cm – 1,4 kg Vol – 0,01 m³
Product notes: 3000K available upon request
LED included



CE

IP44


ERC

UK

CR



Wire installation: Hardwired



Maranga is the name of an imaginary fruit: exquisite, tempting, succulent. It reinterprets Scandinavian style in the essentiality of its shape and its rational use of lighting to generate a warm, comfortable atmosphere.

This interplay of light and dark generates an effect which is rich in shades of light and prevents glare, while an opening at the bottom fitted with a diffuser gives out direct light downwards.




Maranga 50

Code A644-001 Finish ● White (RAL 9003) *

Materials
Shade: Polycarbonate, chromed metal cover
Diffuser: Transparent polycarbonate

Product type: Pendant
Light source: 3x E27 LED Standard 8W
Weight: Net 2,6 kg – Gross 4,3 kg
Package: 60 x 60 x 23 cm – 4,3 kg Vol – 0,08 m³



Cable length: 2 m
Wire installation: Hardwired
Color cord: Transparent
Canopy color: White




Maranga C

Code A644-012 Finish ● White (RAL 9003) *

Materials
Shade: Polycarbonate, chromed
metal cover
Diffuser: Transparent polycarbonate

Product type: Ceiling
Light source: 3x E27 LED Standard 8W
Weight: Net 2,2 kg – Gross 3,8 kg
Package: 60 x 60 x 24 cm – 3,8 kg Vol – 0,09 m³



CE

ERC

UK
PA



Wire installation: Hardwired



The beauty of the Mercer stems not only from its essential shape, but also from how its materials blend together. The transparent blown glass structure surrounds the

textile shade, which seems to float, conveying a sense of airiness and sophistication.



Mercer M


Code
A89-010
A89-071

Finish
● Natural cotton ribbon
● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Diffuser: Opal disc

Integrated dimmer: Yes
Dimmer type: Progressive in-line dimmer

Product type: Table
Light source: E27 LED 9,5W DIM
Weight: Net 5 kg – Gross 6,28 kg
Package: 57 x 39 x 41 cm – 6,28 kg Vol – 0,09 m³



Dimmer

CE

ERC



Cable length: 1,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



Mercer


Code
A89-001
A89-070

Finish
● Natural cotton ribbon
● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Diffuser: Opal disc

Integrated dimmer: Yes
Dimmer type: Progressive in-line dimmer

Product type: Table
Light source: E27 LED 9,5W DIM
Weight: Net 5 kg – Gross 7 kg
Package: 65 x 49 x 49 cm – 7 kg Vol – 0,16 m³



Cable length: 1,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line




Mercer 30

Code
A89-029
A89-074

Finish
● Natural cotton ribbon
● Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: E27 LED Standard 8W
Weight: Net 2,8 kg – Gross 3,7 kg
Package: 39 x 34 x 40 cm – 3,7 kg Vol – 0,06 m³



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White




Mercer 44

Code Finish
A89-012 ● Natural cotton ribbon
A89-075 ● Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: 2x E27 LED Standard 8W
Weight: Net 7,8 kg – Gross 10 kg
Package: 56 x 56 x 48 cm – 10 kg Vol – 0,15 m³



CE

ERC

UK
CB



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White




Mercer A

Code Finish
A89-050 ● Natural cotton ribbon
A89-076 ● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Wall bracket: Chromed iron

Product type: Wall
Light source: E14 LED 5W
Weight: Net 1,35 kg – Gross 2 kg
Package: 33 x 33 x 28 cm – 2 kg Vol – 0,03 m³



CE

ERC

UK
CB



Wire installation: Hardwired




Mercer C

Code	Finish
A89-060	● Natural cotton ribbon
A89-077	● Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Ceiling
Light source: 2x E27 LED Standard 8W
Weight: Net 4,5 kg – Gross 6 kg
Package: 58 x 58 x 36 cm – 6 kg Vol – 0,1 m³



CE

ERC

UK
CA



Wire installation: Hardwired



Spare parts

Code	Product	Finish	Spare part
A89-501	Mercer M	-	Glass
A89-500	Mercer 53	-	Glass
A89-505	Mercer Susp 30	-	Glass
A89-503	Mercer Susp 44	-	Glass
A89-504	Mercer A	-	Glass
A89-506	Mercer C	-	Glass

Milana, Jaume Ramírez

An almost imperceptible lens covers the LED and distributes the light. If only the cylindrical lamp is used, the downward-directed light is impeccable, and when a

shade is added, the light escapes, illuminating the lamp itself. Now also available with a pressed glass accessory, in a smoked finish. A feature that adds volume and nuance to your lighting.




Milana

Code Finish
A699-001-35-27K ● Off-white (RAL 1013)
A699-001-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
Shade: Aluminium Integrated dimmer: No
Diffuser: Polycarbonate Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
Weight: Net 0,5 kg – Gross 0,86 kg
Package: 24 x 24 x 7 cm – 0,86 kg Vol – 0,004 m³
Product notes: DALI upon request
LED included



Dimmable



CE

ERC

UK
CA




Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Milana 32

Code Finish
A699-003-35-27K ● Off-white (RAL 1013)
A699-003-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
Shade: Aluminium Integrated dimmer: No
Diffuser: Polycarbonate Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
Weight: Net 0,87 kg – Gross 1,68 kg
Package: 24 x 24 x 7 cm – 0,86 kg Vol – 0,004 m³
36,5 x 36,5 x 7,5 cm – 0,82 kg Vol – 0,009 m³
Product notes: DALI upon request
LED included



Dimmable



CE

ERC

UK
CA




Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Milana 47

Code Finish
A699-005-35-27K ● Off-white (RAL 1013)
A699-005-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
Shade: Aluminium Integrated dimmer: No
Diffuser: Polycarbonate Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
Weight: Net 1,3 kg – Gross 2,6 kg
Package: 24 x 24 x 7 cm – 0,86 kg Vol – 0,004 m³
52,5 x 52,5 x 10 cm – 1,56 kg Vol – 0,028 m³
Product notes: DALI upon request
LED included



Dimmable



CE

ERC

UK
CA




Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Milana Counterweight


Code Finish
 A699-007-35-27K ● Off-white (RAL 1013)
 A699-007-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
 Shade: Aluminium Integrated dimmer: No
 Diffuser: Polycarbonate Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
 Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
 Weight: Net 1 kg – Gross 1,46 kg
 Package: 24 x 24 x 7 cm – 0,86 kg Vol – 0,004 m³
 12 x 12 x 7 cm – 0,6 kg Vol – 0,001 m³
 Product notes: DALI upon request
 LED included



Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black




Milana 32 Counterweight

Code Finish
 A699-009-35-27K ● Off-white (RAL 1013)
 A699-009-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
 Shade: Aluminium Integrated dimmer: No
 Diffuser: Polycarbonate Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
 Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
 Weight: Net 1,6 kg – Gross 2,28 kg
 Package: 24 x 24 x 7 cm – 0,86 kg Vol – 0,004 m³
 12 x 12 x 7 cm – 0,6 kg Vol – 0,001 m³
 36,5 x 36,5 x 7,5 cm – 0,82 kg Vol – 0,009 m³
 Product notes: DALI upon request
 LED included



Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black




Milana 47 Counterweight

Code Finish
A699-011-35-27K ● Off-white (RAL 1013)
A699-011-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
Shade: Aluminium Integrated dimmer: No
Diffuser: Polycarbonate Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
Weight: Net 2,3 kg – Gross 3,04 kg
Package: 24 x 24 x 7 cm – 0,86 kg Vol – 0,004 m³
 12 x 12 x 7 cm – 0,6 kg Vol – 0,001 m³
 52,5 x 52,5 x 10 cm – 1,6 kg Vol – 0,028 m³
Product notes: DALI upon request
LED included



Dimmable

CE

EAC

UK
CA




Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Milana - 24V NEW

Code Finish
A699-200-35-27K ● Off-white (RAL 1013)
A699-200-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
Shade: Aluminium Integrated dimmer: No
Diffuser: Glass Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)
DALI, Casambi

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 0,25 kg – Gross 0,61 kg
Package: 24 x 24 x 7 cm – 0,61 kg Vol – 0,004 m³
Product notes: Use with Cluster page 49. 1 pc. hook accessory included
LED included



Dimmable



CE

ERC

UK
CA

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black




Milana 32 - 24V NEW

Code Finish
A699-201-35-27K ● Off-white (RAL 1013)
A699-201-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
Shade: Aluminium Integrated dimmer: No
Diffuser: Glass Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)
DALI, Casambi

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 0,77 kg – Gross 1,43 kg
Package: 24 x 24 x 7 cm – 0,61 kg Vol – 0,004 m³
36,5 x 36,5 x 7,5 cm – 0,82 kg Vol – 0,009 m³
Product notes: Use with Cluster page 49. 1 pc. hook accessory included
LED included



Dimmable



CE

ERC

UK
CA

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black






Milana 8 NEW

Code Finish
A699-135-35-27K ● Off-white (RAL 1013)
A699-135-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
Shade: Aluminium Integrated dimmer: No
Diffuser: Glass Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
Weight: Net 0,6 kg – Gross 0,96 kg
Package: 24 x 24 x 7 cm – 0,96 kg Vol – 0,004 m³
Product notes: DALI available upon request
LED included



Dimmable



CE

ERC

UK
CA




Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Milana 8 - 24V NEW

Code Finish
A699-136-35-27K ● Off-white (RAL 1013)
A699-136-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
Shade: Aluminium Integrated dimmer: No
Diffuser: Glass Dimming protocols: It depends on the
purchased power supply.
Phase cut (Triac)
DALI, Casambi

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 0,35 kg – Gross 0,71 kg
Package: 24 x 24 x 7 cm – 0,71 kg Vol – 0,004 m³
Product notes: Use with Cluster page 49. 1 pc. hook accessory included
LED included



Dimmable



CE

ERC

UK
CA



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black


Milana 47 - 24V NEW

Code
A699-202-35-27K ● Off-white (RAL 1013)
A699-202-39-27K ● Black (RAL 9005)

Materials
Shade: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)
DALI, Casambi

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 1,2 kg – Gross 2,5 kg
Package: 24 x 24 x 7 cm – 0,76 kg Vol – 0,004 m³
52,5 x 52,5 x 10 cm – 1,56 kg Vol – 0,028 m³
Product notes: Use with Cluster page 49. 1 pc. hook accessory included
LED included



Dimmable



CE

ERC

UK
CA

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black




Spare parts

Code	Product	Finish	Spare part
A699-025	Milana 32	White	Shade
A699-024	Milana 32	Black	Shade
A699-029	Milana 47	White	Shade
A699-028	Milana 47	Black	Shade

MVV, Manuel Valls

The MVV story begins in the 1970s. This new suspension lamp is a first, and was designed by Manuel Valls Vergés, one of Spain's most notable architects at the time and partner of Jose Antonio Coderch for 15 years, alongside whom he undertook

such prominent projects as the Ugalde house, near Barcelona. The MVV name reflects Vergés' initials, as a way of displaying his authorship of this unique lamp.



MVV 45


Code A688-001 Finish ● Cherry wood *

Materials


Structure: Steel, Polycarbonate
Shade: PET with cherry wood on the outside and a white interior
Diffuser: Transparent methacrylate

Product type: Pendant

Light source: E27 LED STANDARD 8W 2700K
Weight: Net 1,9 kg – Gross 2,3 kg
Package: 45 x 48 x 9 cm – 2,3 kg Vol – 0,02 m³



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black






Neón de Luz NL - A 125

Code	Finish	Dimming	Class
A70-501	● Aluminium LED *	-	II
A70-512	● Aluminium LED *	DALI	II

Materials
 Structure: Polycarbonate with reflectors
 Brackets: Chromed zamac
 Reactance box: Polycarbonate

Dimmable: Depends on the model
 Integrated dimmer: No
 Dimming protocols: DALI

Product type: Wall
 Light source: LED SMD 450mA 38,9W 3000K CRI80 5190lm
 Luminaire: 220 - 240 VAC 40,35W 3020lm
 220 - 240 VAC DALI 40,29W 3020lm
 Weight: Net 2,1 kg – Gross 3 kg
 Package: 127 x 8 x 8 cm – 1,8 kg Vol – 0,008 m³
 58 x 22 x 5 cm – 1,2 kg Vol – 0,006 m³



Dimmable

CE

ERC

UK
CA

Wire installation: Hardwired
 Color cord: Transparent
 Canopy color: White




Neón de Luz NL - A 155

Code	Finish	Dimming	Class
A70-502	● Aluminium LED *	-	II
A70-513	● Aluminium LED *	DALI	II

Materials
 Structure: Polycarbonate with reflectors
 Brackets: Chromed zamac
 Reactance box: Polycarbonate

Dimmable: Depends on the model
 Integrated dimmer: No
 Dimming protocols: DALI

Product type: Wall
 Light source: LED SMD 450mA 51,25W 3000K CRI80 8715lm
 Luminaire: 220 - 240 VAC 55,98W 4274lm
 220 - 240 VAC DALI 55,8W 4274lm
 Weight: Net 2,2 kg – Gross 3,5 kg
 Package: 158 x 8 x 8 cm – 2,3 kg Vol – 0,010 m³
 58 x 22 x 5 cm – 1,2 kg Vol – 0,006 m³
 LED included



Wire installation: Hardwired
 Color cord: Transparent
 Canopy color: White




Neón de Luz NL - S 125

Code	Finish	Dimming	Class
A70-504	● Aluminium LED *	-	II
A70-516	● Aluminium LED *	DALI	II

Materials
 Structure: Polycarbonate with reflectors
 Brackets: Chromed zamac
 Reactance box: Polycarbonate

Dimmable: Depends on the model
 Integrated dimmer: No
 Dimming protocols: DALI

Product type: Pendant
 Light source: LED SMD 450mA 38,9W 3000K CRI80 5190lm
 Luminaire: 220 - 240 VAC 40,35W 3020lm
 220 - 240 VAC 40,29W 3020lm
 Weight: Net 2,1 kg – Gross 2,74 kg
 Package: 127 x 8 x 8 cm – 1,54 kg Vol – 0,008 m³
 51 x 17 x 8 cm – 1,2 kg Vol – 0,006 m³
 LED included



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Transparent
 Canopy color: White




Neón de Luz NL - S 155

Code	Finish	Dimming	Class
A70-505	● Aluminium LED *	-	II
A70-517	● Aluminium LED *	DALI	II

Materials
Structure: Polycarbonate with reflectors
Brackets: Chromed zamac
Reactance box: Polycarbonate

Dimmable: Depends on the model
Integrated dimmer: No
Dimming protocols: DALI

Product type: Pendant
Light source: LED SMD 450mA 51,25W 3000K CRI80 8715lm
Luminaire: 220 - 240 VAC 55,98W 4274lm
220 - 240 VAC DALI 55,82W 4274lm
Weight: Net 2,3 kg – Gross 3,2 kg
Package: 158 x 8 x 8 cm – 2 kg Vol – 0,010 m³
58 x 22 x 5 cm – 1,2 kg Vol – 0,006 m³
LED included



Dimmable



CE

ERC

UK
CA


Cable length: 2 m
Wire installation: Hardwired
Color cord: Transparent
Canopy color: White



N°8, Christophe Mathieu

The wooden sphere of the N°8's lampshade is handcrafted to make each lamp unique. Its smooth texture has the quality and feel of a billiard ball, while its flexible arm, covered in braided fabric, is a mainstay that improves its look without sacrificing

its efficacy. The N°8 was designed to be placed at the head of a bed and add comfort to the bedroom, a place dedicated to restfulness, where a good book is always healthier than a sleeping pill.




N°8

Code	Finish
A670-001	● Oak
A670-002	● Wenge

Materials
Plate: Metal
Arm: Metal covered in braided fabric
Diffuser: Wood

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2,1W 2700K CRI80 226,5lm
Luminaire: 100 - 240 VAC 4,25W
Weight: Net 0,62 kg – Gross 1,15 kg
Package: 69 x 17 x 12 cm – 1,15 kg Vol – 0,01 m³
LED included



Wire installation: Hardwired
Canopy color: Black
Switch location: Plate



For Christophe Mathieu, the design process consists first and foremost of observing and creating an object with wide-ranging possibilities that will be timeless in its use. That was his thinking behind this new bollard lamp and wall fixture, which can use its

light to accentuate the outdoors, reveal architectural details, light a path or spotlight a tree. In every version of the bollards, the spotlight can be placed at the chosen height along the stem to adapt to the growth of surrounding vegetation.



Palosanto B 5/30 NEW


Code	Finish	Output
A722-010-39-27K	● Black (RAL 9005)	2,8W
A722-015-39-27K	● Black (RAL 9005)	6,3W
A722-010-31-27K	● Rust Brown	2,8W
A722-015-31-27K	● Rust Brown	6,3W

Materials: Aluminium
 Diffuser: Aluminium
 Structure: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Bollard
 Light source: LED SMD 24Vdc 2,8W 2700K CRI90
 LED SMD 24Vdc 6,3W 2700K CRI90
 Luminaire: (Power supply not included) 200lm / 426lm
 Lens with 27° aperture. Glare cell included in the packaging

Product notes: 24V remote power supply to be ordered separately.
 Lenses with 14° and 37° aperture available upon request. Upcharge of 30€.
 3000K available upon request. Upcharge of 15€.
 The light focus moves 14 cm along the stem.
 LED included



Dimmable

CE
 ENEC
 UK
 CB



IP65



Palosanto B 5/60 NEW


Code	Finish	Output
A722-011-39-27K	● Black (RAL 9005)	2,8W
A722-016-39-27K	● Black (RAL 9005)	6,3W
A722-011-31-27K	● Rust Brown	2,8W
A722-016-31-27K	● Rust Brown	6,3W

Materials
Diffuser: Aluminium
Structure: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Bollard
Light source: LED SMD 24Vdc 2,8W 2700K CRI90
LED SMD 24Vdc 6,3W 2700K CRI90
Luminaire: (Power supply not included) 200lm / 426lm
Lens with 27° aperture. Glare cell included in the packaging

Product notes: 24V remote power supply to be ordered separately.
Lenses with 14° and 37° aperture available upon request. Upcharge of 30€.
3000K available upon request. Upcharge of 15€.
The light focus moves 20 cm along the stem.
LED included



Dimmable



CE

IP65

ERC

UK
CA



Palosanto B 5/83 NEW


Code	Finish	Output
A722-012-39-27K	● Black (RAL 9005)	2,8W
A722-017-39-27K	● Black (RAL 9005)	6,3W
A722-012-31-27K	● Rust Brown	2,8W
A722-017-31-27K	● Rust Brown	6,3W

Materials
Diffuser: Aluminium
Structure: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Bollard
Light source: LED SMD 24Vdc 2,8W 2700K CRI90
LED SMD 24Vdc 6,3W 2700K CRI90
Luminaire: (Power supply not included) 200lm / 426lm
Lens with 27° aperture. Glare cell included in the packaging

Product notes: 24V remote power supply to be ordered separately.
Lenses with 14° and 37° aperture available upon request. Upcharge of 30€.
3000K available upon request. Upcharge of 15€.
The light focus moves 21,5 cm along the stem.
LED included



Dimmable



CE

IP65

ERC

UK
CA





Palosanto B 5x2/83 NEW


Code	Finish	Output
A722-013-39-27K	● Black (RAL 9005)	2,8W
A722-018-39-27K	● Black (RAL 9005)	6,3W
A722-013-31-27K	● Rust Brown	2,8W
A722-018-31-27K	● Rust Brown	6,3W

Materials
 Diffuser: Aluminium
 Structure: Stainless steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Bollard
 Light source: LED SMD 24Vdc 2,8W 2700K CRI90
 LED SMD 24Vdc 6,3W 2700K CRI90
 Luminaire: (Power supply not included) 200lm / 426lm
 Lens with 27° aperture. Glare cell included in the packaging

Product notes: 24V remote power supply to be ordered separately.
 Lenses with 14° and 37° aperture available upon request. Upcharge of 30€.
 3000K available upon request. Upcharge of 15€.
 The light focus moves 21,5 cm along the stem.
 LED included



Dimmable



CE

IP65

ERC

UK

CA



Palosanto A 5 NEW


Code	Finish	Output
A722-014-39-27K	● Black (RAL 9005)	2,8W
A722-019-39-27K	● Black (RAL 9005)	6,3W
A722-014-31-27K	● Rust Brown	2,8W
A722-019-31-27K	● Rust Brown	6,3W

Materials
 Diffuser: Aluminium
 Structure: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source: LED SMD 24Vdc 2,8W 2700K CRI90
 LED SMD 24Vdc 6,3W 2700K CRI90
 Luminaire: (Power supply not included) 200lm / 426lm
 Lens with 27° aperture. Glare cell included in the packaging

Product notes: 24V remote power supply to be ordered separately.
 Lenses with 14° and 37° aperture available upon request. Upcharge of 30€.
 3000K available upon request. Upcharge of 15€.
 LED included



Dimmable



CE

IP65

ERC

UK

CA





Post accessory

Code Finish
 A662-555 ● Stainless steel

Materials
 Structure: Stainless steel 316 L

Product type: Accessory
 Weight: Net 0,3 kg – Gross 0,4 kg
 Package: 14 x 14 x 28 cm - 0,4 kg – VOL - 0,006 m³





Ground fixation plate

Code Finish
 A662-556 ● Stainless steel

Materials
 Structure: Stainless steel 316 L

Product type: Accessory
 Weight: Net 0,3 kg – Gross 0,4 kg
 Package: 15 x 15 x 13 cm - 0,4 kg – VOL - 0,003 m³



Palosanto: Power Supply - Non Dimmable IP


Code	Description	Dimming	Class
968-249	Power supply 20W - 24V - IP68	-	II
968-250	Power supply 70W - 24V - IP67	-	II

Palosanto: Power Supply - Dimmable

Code	Description	Dimming	Class
968-223-23	Power supply 20W - 24V	Triac	II
968-205	Power supply 50W - 24V	Triac	II
968-227	Power supply 35W - 24V	DALI	II
968-206	Power supply 60W - 24V	DALI	II

Palosanto: Connection Box

Code	Description	Dimming	Class
A666-210	Connection box 50W - 24V - IP67 (230 x 126 x 56mm)	Triac	II
A666-211	Connection box 35W - 24V - IP67 (230 x 126 x 56mm)	DALI	II
A666-212	Connection box 120W - 24V - IP67 (280 x 165 x 82mm)	DALI	II
A666-611	Connection box 35W - 24V - IP67 (230 x 126 x 56mm)	Casambi	II
A666-612	Connection box 120W - 24V - IP67 (280 x 165 x 82mm)	Casambi	II



Palosanto: Connector Accessory

Code Description
 A963-001 2 way terminal block 4 poles IP68 H2O Stop.
 (ø5,5÷12mm cable).




A963-002 3/4 way terminal block 4 poles IP68 H2O Stop.
 (ø5,5÷12mm cable).



Plaff-on!, Joan Gaspar

A good design is one that lasts over time. This is the case with the Plaff-on!, a lamp that has been illuminating ceilings and walls for almost ten years. This very functional collection has been updated with versions in two sizes of 33 and 50 cm in diameter

including IP protection grade, a bollard model and an outdoor wall version with perpendicular orientation and a new finishing in rust brown.




Plaff-on! 16 IP65

Code Finish
A628-050 ● Black
A628-050-31-27K ● Rust Brown

Materials Dimmable: Yes
Structure: Aluminium Integrated dimmer: No
Shade: Opal blown glass Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
Luminaire: 230 VAC TRIAC 8,47W 225lm
Weight: Net 0,8 kg – Gross 1,2 kg
Package: 22 x 22 x 17 cm – 1,2 kg Vol – 0,008 m³
LED included



Dimmable



CE

IP65

ERC

UK
CA

Wire installation: Hardwired




Signage Lid

Code	Description
-	1 - 3 units
-	4 - 10 units
-	11 - 25 units
-	26 or more units

Product type: Accessory

Product Notes: Minimum order of 3pcs.

Available upon request.



Plaff-on! 33 LED IP54

Code	Finish	Dimming	CCT
A628-054	● Black	Triac	27K
A628-055	● Black	DALI	27K
A628-065	● Black	Triac	27K - 30K - 40K
A628-054-31-27K	● Rust Brown	Triac	27K
A628-055-31-27K	● Rust Brown	DALI	27K
A628-065-31-3CCT	● Rust Brown	Triac	27K - 30K - 40K

Materials

Structure: Aluminium

Shade: Opal blown glass

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI, Casambi

Product type: Wall / Ceiling

Light source: LED SMD 700mA 21,8W 2700K CRI90 2654lm

Luminaire: 220 - 240 VAC TRIAC 27W 1941lm

220 - 240 VAC DALI 26,1W 1941lm

Light source: LED SMD 700mA 21,8W 3000K CRI90 2929lm

Luminaire: 220 - 240 VAC TRIAC 26,95W


Light source: LED SMD 700mA 21,8W 4000K CRI90 3049lm

Luminaire: 220 - 240 VAC TRIAC 26,95W

Weight: Net 4 kg – Gross 4,5 kg

Package: 40 x 40 x 21 cm – 4,5 kg Vol – 0,03 m³

LED included



Dimmable



IP54

CE

ERC

UK
CA



Wire installation: Hardwired

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.


Product notes: Casambi available upon request

Plaff-on! 33 IP54

Code	Finish
A628-053	● Black
A628-053-31	● Rust brown

Materials
 Structure: Aluminium
 Shade: Opal blown glass

Product type: Wall / Ceiling
 Light source: 2x E27 LED Standard 8W
 Weight: Net 4,1 kg – Gross 4,5 kg
 Package: 40 x 40 x 21 cm – 4,5 kg Vol – 0,03 m³



CE

IP54

ERC

UK
CA



Wire installation: Hardwired




Plaff-on! 50 LED IP54

Code	Finish	Dimming	CCT	Class
A628-057	● Black	Triac	27K	II
A628-058	● Black	DALI	27K	I
A628-066	● Black	Triac	27-30-40K	II
A628-057-31-27K	● Rust brown	Triac	27K	II
A628-058-31-27K	● Rust brown	DALI	27K	I
A628-066-31-3CCT	● Rust brown	Triac	27-30-40K	II

Materials
 Structure: Aluminium
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI, Casambi

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 28,4W 2700K CRI90 3318lm
 Luminaire: 220 - 240 VAC TRIAC 34W 2172lm
 220 - 240 VAC DALI 33,25W 2172lm
 Light source: LED SMD 700mA 28,4W 3000K CRI90 3753lm
 Luminaire: 220 - 240 VAC TRIAC 34W
 Light source: LED SMD 700mA 28,4W 4000K CRI90 3798lm
 Luminaire: 220 - 240 VAC TRIAC 34W
 Weight: Net 7,2 kg – Gross 8,5 kg
 Package: 60 x 60 x 25 cm – 8,5 kg Vol – 0,09 m³
 LED included



Dimmable

IP54

CE

UK
CA

ERC

Wire installation: Hardwired

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.

Product notes: Casambi available upon request




Plaff-on! 50 IP54

Code Finish
A628-056 ● Black
A628-056-31 ● Rust brown

Materials
Structure: Aluminium
Shade: Opal blown glass

Product type: Wall / Ceiling
Light source: 4x E27 LED Standard 8W
Weight: Net 6,6 kg – Gross 8,5 kg
Package: 60 x 60 x 25 cm – 8,5 kg Vol – 0,09 m³



CE
EAC
UK
CA

☐
IP54



Wire installation: Hardwired


Plaff-on! A IP65

Code Finish
A628-061-39-27K ● Black
A628-061-31-27K ● Rust Brown NEW

Materials
Structure: Aluminium
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall
Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
Luminaire: 230 VAC TRIAC 8,47W 225lm
Weight: Net 0,8 kg – Gross 1,2 kg
Package: 22 x 22 x 16,5 cm – 1,2 kg Vol – 0,008 m³
LED included



Dimmable
CE
EAC
UK
CA

⊕
IP65



Wire installation: Hardwired




Plaff-on! S 16 IP65

Code A628-072-31-27K Finish ● Rust Brown
 A628-072-39-27K ● Black-White

Materials Structure: Aluminium Shade: Opal blown glass
 Dimmable: Yes Integrated dimmer: No Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
 Luminaire: 230 VAC TRIAC 8,47W 225lm
 Weight: Net 1,3 kg – Gross 1,9 kg
 Package: 22 x 22 x 25 cm – 1,9 kg Vol – 0,01 m³
 LED included




Wire installation: Hardwired

Garland accessory

Code A628-074 Finish ● Stainless steel

Product type: Accessory



Canopy IP65

Code A628-075-39 Finish ● Black

Product type: Accessory
 Weight: Net 0,2 kg – Gross 0,3 kg
 Package: 16 x 9 x 15 cm - 0,3 kg – VOL - 0,002 m³




Plaff-on! B IP65

Code Finish
 A628-064-39-27K ● Black
 A628-064-31-27K ● Rust Brown

Materials Dimmable: Yes
 Structure: Aluminium Integrated dimmer: No
 Shade: Opal blown glass Dimming protocols: Phase cut (Triac)

Product type: Bollard
 Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
 Luminaire: 230 VAC TRIAC 8,47W 225lm
 Weight: Net 1,8 kg – Gross 3,4 kg
 Package: 23,5 x 83 x 33,5 cm – 3,4 kg Vol – 0,07 m³
 LED included



Dimmable



CE

IP65

ERC

UK
CA





Wire installation: Hardwired

Ground fixation plate

Code Finish
 A628-071 ● Stainless steel

Materials
 Structure: Stainless steel 316L

Product type: Accessory
 Weight: Net 0,2 kg – Gross 0,84 kg
 Package: 26 x 26 x 20 cm – 0,84 kg – VOL - 0,13 m³



Spare parts

Code	Product	Finish	Spare part
R628-002	Plaff-on! 16 IP65	-	Glass
R628-010	Plaff-on! 33 IP54	-	Glass
R628-011	Plaff-on! 50 IP54	-	Glass

Pleat Box, Xavier Mañosa & Mashallah

The idea behind the Pleat Box is a sophisticated combination between a digitally designed crease in a piece of cloth and a silhouette that is applied to a ceramic base.

The Pleat Box collection is available with an integrated LED technology, which projects indirect light and prevents glare.




Pleat Box 13

Code	Finish
A636-400-3535	● White - White
A636-400-3549	● White - Gold
A636-400-3835	● Grey - White
A636-400-3849	● Grey - Gold *
A636-400-4135	● Terracotta - White
A636-400-4149	● Terracotta - Gold *
A636-400-3935	● Black - White *
A636-400-3949	● Black - Gold
A636-400-4235	● Ocher - White
A636-400-4535	● Dark Green - White
A636-400-4549	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant
 Light source: E27 LED Reflector 8W
 Weight: Net 1,4 kg – Gross 2 kg
 Package: 24 x 24 x 53 cm – 2 kg Vol – 0,03 m³



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Same color as chosen shade.




Pleat Box 13 LED

Code	Finish
A636-401-3535-27K	● White - White
A636-401-3549-27K	● White - Gold
A636-401-3835-27K	● Grey - White
A636-401-3849-27K	● Grey - Gold *
A636-401-4135-27K	● Terracotta - White
A636-401-4149-27K	● Terracotta - Gold *
A636-401-3935-27K	● Black - White *
A636-401-3949-27K	● Black - Gold
A636-401-4235-27K	● Ocher - White
A636-401-4535-27K	● Dark Green - White
A636-401-4549-27K	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 220 - 240 VAC TRIAC 5,72W 165lm
 Weight: Net 1,65 kg – Gross 2,3 kg
 Package: 24 x 24 x 53 cm – 2,3 kg Vol – 0,03 m³
 LED included



Dimmable



CE

UK
CA

ERC

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Same color as chosen shade.
 Product notes: DALI available upon request




Pleat Box 24

Code	Finish
A636-402-3535	● White - White
A636-402-3549	● White - Gold
A636-402-3835	● Grey - White
A636-402-3849	● Grey - Gold *
A636-402-4135	● Terracotta - White
A636-402-4149	● Terracotta - Gold *
A636-402-3935	● Black - White *
A636-402-3949	● Black - Gold
A636-402-4235	● Ocher - White
A636-402-4535	● Dark Green - White
A636-402-4549	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant
 Light source: E14 LED 5W
 Weight: Net 1,9 kg – Gross 2,5 kg
 Package: 36 x 36 x 30 cm – 2,5 kg Vol – 0,04 m³



CE

ERC

UK
CA



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Same color as chosen shade.




Pleat Box 24 LED

Code	Finish
A636-403-3535-27K	● White - White
A636-403-3549-27K	● White - Gold
A636-403-3835-27K	● Grey - White
A636-403-3849-27K	● Grey - Gold *
A636-403-4135-27K	● Terracotta - White
A636-403-4149-27K	● Terracotta - Gold *
A636-403-3935-27K	● Black - White *
A636-403-3949-27K	● Black - Gold
A636-403-4235-27K	● Ocher - White
A636-403-4535-27K	● Dark Green - White
A636-403-4549-27K	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9,89W 113lm
 Weight: Net 1,9 kg – Gross 2,5 kg
 Package: 36 x 36 x 30 cm – 2,5 kg Vol – 0,04 m³
 LED included



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Same color as chosen shade.
 Product notes: DALI available upon request





Pleat Box 36

Code	Finish
A636-404-3535	● White - White
A636-404-3549	● White - Gold
A636-404-3835	● Grey - White
A636-404-3849	● Grey - Gold *
A636-404-4135	● Terracotta - White
A636-404-4149	● Terracotta - Gold *
A636-404-3935	● Black - White *
A636-404-3949	● Black - Gold
A636-404-4735	● Brown - White *
A636-404-4749	● Brown - Gold *
A636-404-4235	● Ocher - White
A636-404-4535	● Dark Green - White
A636-404-4549	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant
 Light source: E14 LED 5W
 Weight: Net 2,6 kg – Gross 3,7 kg
 Package: 49 x 49 x 29 cm – 3,7 kg Vol – 0,07 m³



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Same color as chosen shade.




Pleat Box 36 LED

Code	Finish
A636-405-3535-27K	● White - White
A636-405-3549-27K	● White - Gold
A636-405-3835-27K	● Grey - White
A636-405-3849-27K	● Grey - Gold *
A636-405-4135-27K	● Terracotta - White
A636-405-4149-27K	● Terracotta - Gold *
A636-405-3935-27K	● Black - White *
A636-405-3949-27K	● Black - Gold
A636-405-4735-27K	● Brown - White *
A636-405-4749-27K	● Brown - Gold *
A636-405-4235-27K	● Ocher - White
A636-405-4535-27K	● Dark Green - White
A636-405-4549-27K	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9,89W 233lm
 Weight: Net 3,2 kg – Gross 4,3 kg
 Package: 49 x 50 x 30 cm – 4,3 kg Vol – 0,07 m³
 LED included



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Same color as chosen shade.
 Product notes: DALI available upon request




Pleat Box 47

Code	Finish
A636-406-3535	● White - White
A636-406-3549	● White - Gold
A636-406-3835	● Grey - White
A636-406-3849	● Grey - Gold *
A636-406-4135	● Terracotta - White
A636-406-4149	● Terracotta - Gold *
A636-406-3935	● Black - White *
A636-406-3949	● Black - Gold
A636-406-4735	● Brown - White *
A636-406-4749	● Brown - Gold *
A636-406-4235	● Ocher - White
A636-406-4535	● Dark Green - White
A636-406-4549	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant
 Light source: E27 LED Standard 8W
 Weight: Net 4,6 kg – Gross 6 kg
 Package: 57 x 57 x 36 cm – 6 kg Vol – 0,1 m³



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Same color as chosen shade.





Pleat Box 47 LED

Code	Finish
A636-407-3535-27K	● White - White
A636-407-3549-27K	● White - Gold
A636-407-3835-27K	● Grey - White
A636-407-3849-27K	● Grey - Gold *
A636-407-4135-27K	● Terracotta - White
A636-407-4149-27K	● Terracotta - Gold *
A636-407-3935-27K	● Black - White *
A636-407-3949-27K	● Black - Gold
A636-407-4735-27K	● Brown - White *
A636-407-4749-27K	● Brown - Gold *
A636-407-4235-27K	● Ocher - White
A636-407-4535-27K	● Dark Green - White
A636-407-4549-27K	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 180 - 295 VAC TRIAC 19,71W 625lm
 Weight: Net 4,6 kg – Gross 6 kg
 Package: 57 x 57 x 36 cm – 6 kg Vol – 0,1 m³
 LED included



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Same color as chosen shade
 Product notes: DALI available upon request




Spare parts

Code	Product	Finish	Spare part
R636-027	Pleat Box 13	White - White	Shade
R636-026	Pleat Box 13	White - Gold	Shade
R636-028	Pleat Box 13	Grey - White	Shade
R636-030	Pleat Box 13	Terracotta - White	Shade
R636-034	Pleat Box 13	Black - Gold	Shade
R636-123	Pleat Box 13	Ocher - White	Shade
R636-124	Pleat Box 13	Dark Green - White	Shade
R636-125	Pleat Box 13	Dark Green - Gold	Shade
R636-017	Pleat Box 24	White - White	Shade
R636-016	Pleat Box 24	White - Gold	Shade
R636-018	Pleat Box 24	Grey - White	Shade
R636-019	Pleat Box 24	Terracotta - White	Shade
R636-022	Pleat Box 24	Black - Gold	Shade
R636-126	Pleat Box 24	Ocher - White	Shade
R636-127	Pleat Box 24	Dark Green - White	Shade
R636-128	Pleat Box 24	Dark Green - Gold	Shade
R636-041	Pleat Box 36	White - White	Shade
R636-046	Pleat Box 36	White - Gold	Shade
R636-042	Pleat Box 36	Grey - White	Shade
R636-043	Pleat Box 36	Terracotta - White	Shade
R636-049	Pleat Box 36	Black - Gold	Shade
R636-129	Pleat Box 36	Ocher - White	Shade
R636-130	Pleat Box 36	Dark Green - White	Shade
R636-131	Pleat Box 36	Dark Green - Gold	Shade
R636-014	Pleat Box 47	White - White	Shade
R636-055	Pleat Box 47	White - Gold	Shade
R636-051	Pleat Box 47	Grey - White	Shade
R636-052	Pleat Box 47	Terracotta - White	Shade
R636-058	Pleat Box 47	Black - Gold	Shade
R636-132	Pleat Box 47	Ocher - White	Shade
R636-133	Pleat Box 47	Dark Green - White	Shade
R636-134	Pleat Box 47	Dark Green - Gold	Shade

Polo, Joan Gaspar

The fluidity of its movements and its integrated LED technology makes the Polo a light source with a great precision and versatility.

The Polo comes with a diffuser made from injected aluminium and a rotary switch located in the upper part.




Polo

Code A642-001
Finish ● Black (RAL 9005)

Materials Diffuser: Aluminium Body: Aluminium
Dimmable: No

Product type: Table
Light source: LED COB 350mA 6,3W 3000K CRI80 532,4lm
Luminaire: 100 - 240 VAC 8,34W 441lm
Weight: Net 0,7 kg – Gross 1,8 kg
Package: 53 x 36 x 11 cm – 1,8 kg Vol – 0,019 m³
Product notes: Reflector with 80° degree aperture
LED included



Cable length: 2,2 m
Wire installation: Plug-in
Color cord: Black
Switch location: Built-in the shade




Base

Code A642-003
Finish ● Black (RAL 9005)

Materials
Base: Metal with a polycarbonate cover

Product type: Accessory
Weight: Net 3,9 kg – Gross 4 kg
Package: 24 x 24 x 12 cm - 4 kg – VOL - 0,007 m³




Clamp

Code A642-005
Finish ● Black *(RAL 9005)

Materials
Structure: Metal

Product type: Accessory
Weight: Net 0,4 kg – Gross 0,5 kg
Package: 14 x 9 x 7 cm - 0,5 kg – VOL - 0,001 m³



Floor base

Code A642-020
Finish ● Black (RAL 9005)

Materials
Structure: Aluminium

Product type: Accessory
Weight: Net 5,4 kg – Gross 7 kg
Package: 34 x 34 x 3 cm - 6 kg – VOL - 0,003 m³
Ø4 x 66 cm - 1 kg – VOL - 0,0002 m³



Polo Spot


Code
A642-036
A642-037

Finish
● Black *(RAL 9005)
● White *(RAL 9001)

Materials
Diffuser: Aluminium
Body: Aluminium

Dimmable: No

Product type: Ceiling
Light source: LED COB 350mA 6,3W 3000K CRI80 532,4lm
Luminaire: 100 - 240 VAC 8,11W 436lm
Weight: Net 0,6 kg – Gross 0,8 kg
Package: 19 x 19 x 14 cm – 0,8 kg Vol – 0,005 m³
Product notes: Reflector with 36° degree aperture
LED included



Wire installation: Hardwired
Color cord: Black






Pu-erh 21

Code	Finish
A684-007	● Burgundy - White *
A684-008	● Burgundy - Gold *
A684-006	● Pink - Gold *
A684-002	● Black - White *
A684-026	● Black - Gold *

Materials: Diffuser: Ceramic with the inner part in white or gold enamel
Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
Luminaire: 220 - 240 VAC TRIAC 5,72W 174lm
Weight: Net 1 kg – Gross 1,2 kg
Package: 26 x 26 x 20 cm – 1,2 kg Vol – 0,01 m³
LED included



Dimmable

CE

ERC



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black


Pu-erh 32

Code	Finish
A684-027	White - Gold *
A684-016	Burgundy - Gold *
A684-014	Pink - Gold *
A684-012	Blue - Gold *
A684-028	Black - Gold *

Materials
Diffuser: Ceramic with the inner part in white or gold enamel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 220 - 240 VAC TRIAC 9,18W 286lm
Weight: Net 2,1 kg – Gross 2,7 kg
Package: 39 x 39 x 29 cm – 2,7 kg Vol – 0,04 m³
LED included



Dimmable

CE

ERC



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black


Pu-erh 42

Code	Finish
A684-024	Burgundy - Gold *
A684-022	Pink - Gold *
A684-020	Blue - Gold *
A684-018	Black - White *

Materials
Diffuser: Ceramic with the inner part in white or gold enamel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 220 - 240 VAC TRIAC 9,18W 269lm
Weight: Net 3,2 kg – Gross 3,7 kg
Package: 51 x 51 x 23 cm – 3,7 kg Vol – 0,07 m³
LED included



Dimmable

CE

ERC



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Compact indoor and outdoor wall lamp with a pressed glass diffuser. Its undulating shade covers the light, blurring it. It doesn't settle for just providing light, it also manages to create an ambiance.

Roc tempts the senses. It looks like a bright block of ice, and its irregular, almost organic texture beckons to be touched.



Roc IP65


Code	Finish	Tension
A701-050-39-27K	● Black	230 Vac
A701-055-39-27K	● Black	24 Vdc

Materials	Dimmable: Yes
Structure: Aluminium	Integrated dimmer: No
Shade: Pressed glass	Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
 Luminaire: 230 VAC TRIAC 8,47W 250lm

Light source: LED SMD 24 Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included)

Weight: Net 1,4 kg – Gross 1,7 kg
 Package: 21 x 34 x 8 cm – 1,7 kg Vol – 0,005 m³
 LED included



Dimmable

IP65

CE

ERC


UK
CA

⊕

Wire installation: Hardwired

Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II





Santorini, Sputnik Estudio

Inspired by the lanterns found on fishing boats, this collection of outdoor customizable lamps allows you to create multiple compositions. Users can choose how many shades to place on the diffuser, along with their order, position and

direction. This interplay of combinations yields a rich array of direct or reflected light. The Santorini collection can be hung from the ceiling, either individually or clustered together, or they can be strung up like a garland.




Santorini

Code	Finish
A654-001	● White (RAL 9003)
A654-002	● Grey (RAL 7039)
A654-003	● Mustard (RAL 1032)

Materials
Structure: Polycarbonate
Shade: Blown pressed glass

Product type: Pendant
Light source: E27 LED Standard 8W
Weight: Net 1,5 kg – Gross 2,2 kg
Package: 41 x 26 x 24 cm – 2,2 kg Vol – 0,03 m³



CE
EAC
□
IP65

Cable length: 4,5 m
Wire installation: Plug-in
Color cord: Black



Santorini A Fixed Stem

Code	Finish
A654-023	● White (RAL 9003)
A654-024	● Grey (RAL 7039)
A654-025	● Mustard (RAL 1032)

Materials


Structure: Polycarbonate
Shade: Blown pressed glass
Support: Stainless anti-oxidant
cataphoresis treatment

Product type: Wall

Light source: E27 LED Standard 8W

Weight: Net 1,5 kg – Gross 2,4 kg

Package: 53 x 33 x 24 cm – 2,4 kg Vol – 0,042 m³



CE

ERC

UK



IP65



Wire installation: Hardwired

Santorini C

Code	Finish
A654-026	● White (RAL 9003)
A654-027	● Grey (RAL 7039)
A654-028	● Mustard (RAL 1032)

Materials


Structure: Polycarbonate
Shade: Blown pressed glass
Support: Stainless anti-oxidant
cataphoresis treatment

Product type: Ceiling

Light source: E27 LED Standard 8W

Weight: Net 1,4 kg – Gross 2,3 kg

Package: 53 x 33 x 24 cm – 2,3 kg Vol – 0,042 m³



CE

ERC

UK



IP65



Wire installation: Hardwired

Garland accessory

Code A654-004 Finish ● Grey

Product type: Accessory
Weight: Net 0,03 kg – Gross 0,03 kg
Package: 16 x 25 x 1 cm - 0,03 kg – VOL - 0,0004 m³

CE
EAC
UK
CA




Wall bracket

Code A654-005 Finish ● Graphite grey (RAL 7024)

Materials
Structure: Metal with stainless anti-oxidant cataphoresis treatment

Product type: Accessory
Weight: Net 0,3 kg – Gross 0,5 kg
Package: 14 x 14 x 28 cm - 0,5 kg – VOL - 0,005 m³

CE
EAC
UK
CA





Hardwired wall bracket IP65

Code A654-006 Finish ● Graphite grey (RAL 7024)

Materials
Structure: Metal with stainless anti-oxidant cataphoresis treatment

Product type: Accessory
Weight: Net 0,5 kg – Gross 0,7 kg
Package: 14 x 14 x 28 cm - 0,7 kg – VOL - 0,005 m³

CE
EAC
UK
CA
IP65



Canopy IP65

Code A654-007 Finish ● Graphite grey (RAL 7024)

Product type: Accessory
Weight: Net 0,2 kg – Gross 0,3 kg
Package: 16 x 9 x 15 cm - 0,3 kg – VOL - 0,002 m³

CE
EAC
UK
CA
IP65



Canopy

Code A654-008
 Finish ● White

Product type: Accessory
 Weight: Net 0,2 kg – Gross 0,3 kg
 Package: 16 x 9 x 15 cm - 0,3 kg – VOL - 0,002 m³

CE

ERC

UK
CA



Floor accessory

Code A654-009
 Finish ● Grey (RAL 7039)


Materials
 Structure: Metallic structure with stainless anti-oxidant cataphoresis treatment

Product type: Accessory
 Weight: Net 6,7 kg – Gross 7,8 kg
 Package: 25 x 5 x 179 cm - 2,1 kg – VOL - 0,022 m³
 38 x 38 x 5 cm - 5,7 kg – VOL - 0,006 m³

CE

ERC

UK
CA




Santorini IP20

Code A654-050
 Finish ● Light green (PANTONE 5517U)
 A654-051
 Finish ● Sand (RAL 1001)
 A654-052
 Finish ● Off-white (RAL 1013)

Materials
 Structure: Polycarbonate
 Shade: Blown pressed glass

Product type: Pendant
 Light source: E27 LED Standard 8W
 Weight: Net 1,3 kg – Gross 2 kg
 Package: 41 x 25 x 24 cm – 2 kg Vol – 0,025 m³



CE

ERC

UK
CA



Cable length: 2 m
 Wire installation: Hardwired
 Color: Cord: Black fabric electrical cord
 Canopy color: Black



Spare parts

Code	Product	Finish	Spare part
R654-001	Santorini Outdoor	-	Glass
R654-005	Santorini Outdoor	White	Big Shade
R654-006	Santorini Outdoor	Grey	Big Shade
R654-007	Santorini Outdoor	Mustard	Big Shade
R654-010	Santorini Outdoor	White	Small Shade
R654-011	Santorini Outdoor	Grey	Small Shade
R654-012	Santorini Outdoor	Mustard	Small Shade
R654-009	Santorini Outdoor	White	Cylindrical Shade



Scantling, Mathias Hahn

Wood and metal combine in a design that utilizes the beauty and simplicity of basic geometric shapes. The Scantling is based on a highly functional and flexible system, in which all the movements of the fully rotational shade use ball joints and arms to

create a versatile, easy-to-move light. In addition, its technical precision requires no exposed springs or counterweights to stay in the specified position.




Scantling P73

Code
A626-001
A626-018

Finish
● White (RAL 9001)
● Black (RAL 9005)

Materials
Stem: Iron
Base: Iron
Arm: Oak
Shade: Aluminium

Product type: Floor
Light source: E27 LED Reflector 8W
Weight: Net 7,5 kg – Gross 10,7 kg
Package: 139 x 46 x 17 cm – 10,7 kg Vol – 0,11 m³



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black fabric electrical cord
Switch location: Shade




Scantling S

Code
A626-005
A626-020

Finish
● White (RAL 9001)
● Black (RAL 9005)

Materials
Stem: Iron
Base: Iron
Arm: Oak
Shade: Aluminium

Product type: Table
Light source: E27 LED Reflector 8W
Weight: Net 3,6 kg – Gross 5,3 kg
Package: 71 x 40 x 18 cm – 5,3 kg Vol – 0,05 m³



Cable length: 1,5 m
Wire installation: Plug-in
Color: Cord: Black fabric electrical cord
Switch location: Shade




Scantling A

Code
A626-007
A626-021

Finish
● White (RAL 9001)
● Black (RAL 9005)

Materials
Structure: Iron
Arm: Oak
Shade: Aluminium

Product type: Wall
Light source: E27 LED Reflector 8W
Weight: Net 0,8 kg – Gross 1,4 kg
Package: 35 x 30 x 18 cm – 1,4 kg Vol – 0,02 m³



Wire installation: Hardwired
Switch location: Canopy





Scotch Club 17



Code	Finish
A656-001	● White - White *
A656-002	● White - Gold *
A656-003	● Grey - White *
A656-004	● Grey - Gold *
A656-005	● Terracotta - White *
A656-006	● Terracotta - Gold *
A656-007	● Black - White *
A656-008	● Black - Gold *

Materials

Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant

Light source: G9 LED 2,2W
 Weight: Net 1,3 kg – Gross 2 kg
 Package: 45 x 25 x 27 cm – 2 kg Vol – 0,03 m³



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.
 Canopy color: Same color as chosen shade

Scotch Club 26

Code	Finish
A656-130	● White - White *
A656-131	● White - Gold *
A656-132	● Blue - White *
A656-133	● Blue - Gold *
A656-134	● Terracotta - White *
A656-135	● Terracotta - Gold *
A656-136	● Black - White *
A656-137	● Black - Gold *

Materials


Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant

Light source: E27 LED Standard 8W

Weight: Net 2,4 kg – Gross 3,3 kg

Package: 35 x 34 x 40 cm – 3,3 kg Vol – 0,05 m³



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.
 Canopy color: Same color as chosen shade



Scotch Club 41

Code	Finish
A656-138	● White - White *
A656-139	● White - Gold *
A656-142	● Terracotta - White *
A656-143	● Terracotta - Gold *
A656-144	● Black - White *
A656-145	● Black - Gold *

Materials


Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant


Light source: E27 LED Standard 8W

Weight: Net 6 kg – Gross 8,2 kg

Package: 59 x 60 x 59 cm – 8,2 kg Vol – 0,2 m³



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.
 Canopy color: Same color as chosen shade





Scotch Club A 30

Code	Finish
A656-025	● White - White *
A656-026	● White - Gold *
A656-027	● Blue - White *
A656-028	● Blue - Gold *
A656-029	● Terracotta - White *
A656-030	● Terracotta - Gold *
A656-031	● Black - White *
A656-032	● Black - Gold *

Materials


Shade: Ceramic with the inner part in brilliant white enamel or gold

Product type: Wall

Light source: 2x G9 LED 2,2W

Weight: Net 1,6 kg – Gross 2,4 kg

Package: 36 x 36 x 29 cm – 2,4 kg Vol – 0,037 m³



Wire installation: Hardwired



Scotch Club A 40

Code	Finish
A656-082	● White - Gold *
A656-083	● Blue - White *
A656-084	● Blue - Gold *
A656-085	● Terracotta - White *
A656-087	● Black - White *
A656-088	● Black - Gold *

Materials


Shade: Ceramic with the inner part in brilliant white enamel or gold

Product type: Wall

Light source: 2x E27 LED Standard 8W

Weight: Net 3,9 kg – Gross 5,3 kg

Package: 52 x 52 x 29 cm – 5,3 kg Vol – 0,078 m³



Wire installation: Hardwired



Scotch Club C

Code	Finish
A656-033	● White - White *
A656-034	● White - Gold *
A656-036	● Blue - Gold *
A656-037	● Terracotta - White *
A656-038	● Terracotta - Gold *
A656-039	● Black - White *
A656-040	● Black - Gold *

Materials


Shade: Ceramic with the inner part in brilliant white enamel or gold

Product type: Wall

Light source: G9 LED 2,2W

Weight: Net 0,8 kg – Gross 1,2 kg

Package: 22 x 25 x 23 cm – 1,2 kg Vol – 0,01 m³



CE

ERC

UK
CA




Wire installation: Hardwired

Spare parts

Code	Product	Finish	Spare part
R656-014	Scotch Club 17	White - White *	Shade
R656-015	Scotch Club 17	White - Gold *	Shade
R656-016	Scotch Club 17	Terracotta - White *	Shade
R656-017	Scotch Club 17	Terracotta - Gold *	Shade
R656-018	Scotch Club 17	Black - White *	Shade
R656-019	Scotch Club 17	Black - Gold *	Shade
R656-020	Scotch Club 26	White - White *	Shade
R656-021	Scotch Club 26	White - Gold *	Shade
R656-022	Scotch Club 26	Terracotta - White *	Shade
R656-023	Scotch Club 26	Terracotta - Gold *	Shade
R656-024	Scotch Club 26	Black - White *	Shade
R656-002	Scotch Club 26	Black - Gold *	Shade
R656-004	Scotch Club 41	White - White *	Shade
R656-005	Scotch Club 41	White - Gold *	Shade
R656-008	Scotch Club 41	Terracotta - White *	Shade
R656-009	Scotch Club 41	Terracotta - Gold *	Shade
R656-010	Scotch Club 41	Black - White *	Shade
R656-011	Scotch Club 41	Black - Gold *	Shade
R656-025	Scotch Club A 30	White - White *	Shade
R656-026	Scotch Club A 30	White - Gold *	Shade
R656-027	Scotch Club A 30	Terracotta - White *	Shade
R656-028	Scotch Club A 30	Terracotta - Gold *	Shade
R656-029	Scotch Club A 30	Black - White *	Shade
R656-030	Scotch Club A 30	Black - Gold *	Shade
R656-032	Scotch Club A 40	White - Gold *	Shade
R656-033	Scotch Club A 40	Terracotta - White *	Shade
R656-034	Scotch Club A 40	Black - White *	Shade
R656-035	Scotch Club A 40	Black - Gold *	Shade
R656-036	Scotch Club C	White - White *	Shade
R656-037	Scotch Club C	White - Gold *	Shade
R656-038	Scotch Club C	Terracotta - White *	Shade
R656-039	Scotch Club C	Terracotta - Gold *	Shade
R656-040	Scotch Club C	Black - White *	Shade
R656-041	Scotch Club C	Black - Gold *	Shade

Free of cables, lightweight, with a simple structure and neutral colours, this design becomes a discreet part of the table, without formal or chromatic excesses. An

object simplified to the max that allows easy placement and mobility and ensures good lighting in restaurants, bars, cocktail bars, terraces and patios.




Sips

- | | |
|-------------------|--|
| Code | Finish |
| A721-001-3534-27K | ● White - Silver (RAL 9001 - RAL 9006) |
| A721-001-4749-27K | ● Chocolate - Gold (RAL 8017 - RAL 1036) |
| A721-001-4549-27K | ● Green - Gold (RAL 6009 - RAL 1036) |

Materials	Dimmable: Yes
Diffuser: Polycarbonate	Integrated dimmer: Yes
Base: Polycarbonate	Dimmer type: 3 positions dimmer
Stem: Steel	

Product type: Table / Portable
 Light source: LED SMD 2,2W 1,5 A 2700K CRI90 327lm
 Luminaire: in 5 Vdc 1,5A
 Weight: Net 0,34 kg – Gross 0,59 kg
 Package: 38 x 13,5 x 12 cm – 0,59 kg Vol – 0,006 m3
 Product notes: Multiple order of 6 units
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer 

CE  IP43

ERC 

UK  CR

Switch location: Body
 Charging time 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power





Soho, Joan Gaspar

The Soho makes a statement in recognition of those lamps that were traditionally used to light up markets, taverns and cafeterias.

It is made from rotation-molded polyethylene, a technique that allows us to offer it in different sizes.




Soho 38 LED

Code	Finish	Dimming
A631-200	● White	Triac
A631-201	● Stone grey	Triac
A631-202	● Black	Triac
A631-204	● Sky blue *	Triac
A631-205	● White	DALI
A631-206	● Stone grey	DALI
A631-207	● Black	DALI

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI, Casambi

Product type: Pendant
 Light source: LED SMD 700mA 13,35W 2700K CRI80 1848lm
 Luminaire: 220 - 240 VAC TRIAC 15,94W 1051lm
 220 - 240 VAC DALI 16,23W 1051lm
 Weight: Net 2,5 kg – Gross 3,5 kg
 Package: 44 x 45 x 24 cm – 3,5 kg Vol – 0,05 m³
 LED included



Dimmable

CE

ERC



UKCA

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White (white version), Black (all the rest)
 Canopy color: White



Product notes: Casambi available upon request.


Soho 57 LED

Code	Finish
A631-100	● White
A631-101	● Stone grey
A631-102	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: DALI / DSI, Casambi

Product type: Pendant
Light source: LED SMD 700mA 28,7W 2700K CRI80 3446lm
Luminaire: 220 - 240 VAC DALI 33,5W 2086lm
Weight: Net 7 kg – Gross 8,5 kg
Package: 60 x 60 x 36 cm – 8,5 kg Vol – 0,13 m³
LED included



Dimmable



CE

ERC

UK
CA



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White

Product notes: 3000K available upon request
Casambi available upon request.


Soho 112 LED

Code	Finish
A631-103	● White
A631-104	● Stone grey
A631-105	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: DALI / DSI, Casambi

Product type: Pendant
Light source: LED SMD 400mA 106,8W 2700K CRI90 17100lm
Luminaire: 220 - 240 VAC DALI 2 118,3W 8836lm
Weight: Net 27,6 kg – Gross 32 kg
Package: 116 x 114 x 71 cm – 32 kg Vol – 0,95 m³
LED included



Dimmable



CE

ERC

UK
CA



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White

Product notes: 3000K available upon request
Casambi available upon request.
Tunable White DALI available upon request.
Tunable White Casambi available upon request.



Soho C 38 LED

Code	Finish	Dimming
A631-210	● White *	Triac
A631-211	● Stone grey *	Triac
A631-212	● Black *	Triac
A631-213	● Sand *	Triac
A631-214	● Sky blue *	Triac

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Ceiling
 Light source: LED SMD 700mA 13,35W 2700K CRI80 1848lm
 Luminaire: 220 - 240 VAC TRIAC 15,94W 1051lm
 220 - 240 VAC DALI 16,23W 1051lm
 Weight: Net 2,3 kg – Gross 3,1 kg
 Package: 44 x 44 x 15 cm – 3,1 kg Vol – 0,03 m³
 LED included



Wire installation: Hardwired




Soho C 57 LED

Code	Finish
A631-106	● White *
A631-107	● Stone grey *
A631-108	● Black *

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: DALI / DSI

Product type: Ceiling
 Light source: LED SMD 700mA 28,7W 2700K CRI80 3446lm
 Luminaire: 220 - 240 VAC DALI 33,5W 2086lm
 Weight: Net 6,3 kg – Gross 7,7 kg
 Package: 60 x 60 x 21 cm – 7,7 kg Vol – 0,08 m³
 Product notes: 3000K available upon request
 LED included



Wire installation: Hardwired




Soho 38 IP44 LED

Code	Finish
A631-220	● White
A631-221	● Stone grey
A631-222	● Black
A631-224	● Sky blue *

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
Casambi

Product type: Pendant
Light source: LED SMD 700mA 13,35W 2700K CRI80 1848lm
Luminaire: 220 - 240 VAC TRIAC 15,94W 1051lm
Weight: Net 2,7 kg – Gross 3,6 kg
Package: 44 x 45 x 25 cm – 3,6 kg Vol – 0,05 m³
LED included



Dimmable



CE

IP44

ERC

UK
CA



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White

Product notes: Casambi available upon request.


Soho 57 IP44 LED

Code	Finish
A631-166	● White
A631-167	● Stone grey
A631-168	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
Casambi

Product type: Pendant
Light source: LED SMD 700mA 28,7W 2700K CRI80 3446lm
Luminaire: 180 - 295 VAC TRIAC 32,89W 2086lm
Weight: Net 7 kg – Gross 8,6 kg
Package: 60 x 61 x 36 cm – 8,6 kg Vol – 0,13 m³
Product notes: 3000K available upon request
LED included



Dimmable



CE

IP44

ERC

UK
CA



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White

Product notes: Casambi available upon request.


Soho 112 IP44 LED

Code	Finish
A631-169	● White
A631-170	● Stone grey
A631-171	● Black

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Casambi

Product type: Pendant
 Light source: LED SMD 350mA 93,6W 2700K CRI90 15648lm
 Luminaire: 180 - 295 VAC TRIAC 109,8W 8085lm
 Weight: Net 27,6 kg – Gross 32 kg
 Package: 116 x 114 x 71 cm – 32 kg Vol – 0,95 m³
 Product notes: 3000K available upon request
 LED included



Dimmable



CE

IP44

ERC

UK
CA



Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: White

Product notes: Casambi available upon request.


Soho 38 A LED

Code	Finish
A631-225	● White *
A631-226	● Stone grey *
A631-227	● Black *
A631-228	● Sand *
A631-229	● Sky blue *

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal
 Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED SMD 700mA 13,35W 2700K CRI80 1848lm
 Luminaire: 220 - 240 VAC TRIAC 15,94W 1051lm
 Weight: Net 3,2 kg – Gross 4,2 kg
 Package: 45 x 45 x 25 cm – 4,2 kg Vol – 0,05 m³
 LED included



Dimmable



CE

IP44

ERC

UK
CA



Wire installation: Hardwired
 Canopy color: Black


Soho A LED

Code	Finish
A631-154	● White
A631-155	● Stone grey
A631-156	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall
Light source: LED SMD 700mA 28,7W 2700K CRI80 3446lm
Luminaire: 180 - 295 VAC TRIAC 32,89W 2086lm
Weight: Net 7,8 kg – Gross 9,7 kg
Package: 60 x 61 x 36 cm – 9,7 kg Vol – 0,13 m³
Product notes: 3000K available upon request
LED included



Dimmable



CE

IP44

ERC

UK
CA

Wire installation: Hardwired
Canopy color: Black




Soho C Fixed Stem LED

Code	Finish
A631-163	● White
A631-164	● Stone grey
A631-165	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Ceiling
Light source: LED SMD 700mA 28,7W 2700K CRI80 3446lm
Luminaire: 180 - 295 VAC TRIAC 32,89W 2086lm
Weight: Net 7,6 kg – Gross 9,2 kg
Package: 60 x 60 x 35 cm – 9,2 kg Vol – 0,13 m³
Product notes: 3000K available upon request
LED included



Dimmable



CE

IP44

ERC

UK
CA

Wire installation: Hardwired
Canopy color: Black




Soho 38 P LED

Code	Finish
A631-230	● White
A631-231	● Stone grey
A631-232	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Ceiling
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 220 - 240 VAC TRIAC 9,89W
Weight: Net 12 kg – Gross 14,5 kg
Package: 44 x 44 x 24 cm – 3 kg Vol – 0,05 m³
46 x 46 x 3 cm – 8,5 kg Vol – 0,006 m³
176 x 30 x 6,5 cm – 3 kg Vol – 0,03 m³
LED included



Dimmable

IP44

CE

ERC




Cable length: 2 m
Wire installation: Plug-in
Color cord: Black

Dimmer Casambi IP65

Code	Finish
A712-001	● Black

Materials
Case: ABS
Trim: Aluminium

Product type: Accessory
85 - 240 VAC max. 50W
Weight: Net 2 kg – Gross 3 kg
Package: 20 x 12 x 8 cm - 3 kg – VOL - 0,002 m³
Product notes: Bluetooth smart wireless trailing edge dimmer that adjusts light intensity or switches the lamp ON/OFF. Available in Android or iOS with the app Casambi.




CE

ERC

UKCA

IP65





Sun, Yonoh

The concept of Sun is inspired by the early hours dawn, when the light of the sun plays along the horizon as it begins to appear. The Yonoh Studio played with superimposing materials to achieve this effect, creating a light with a luminous glow

that is capable of transporting us to that precise moment. The light that emanates from Sun creates a very special atmosphere, capturing our eyes and soothing our souls.



Sun 40

Code
A671-006


Finish
● Graphite *

Dimming
Triac

Materials
Diffuser: Thermoformed opal methacrylate, with another diffuser in opal blown glass placed off-centre.
Structure: Iron

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Ceiling / Wall
Light source: LED SMD 700mA 21,3W 2700K CRI80 2765lm
Luminaire: 180 - 295 VAC TRIAC 25,5W 1830lm
220 - 240 VAC DALI 21,26W 1830lm
Weight: Net 3,5 kg – Gross 5,7 kg
Package: 49 x 49 x 23 cm – 5,7 kg Vol – 0,055 m³
LED included



Dimmable



CE

ERC

UK
CA



Wire installation: Hardwired

Sun 60

Code
A671-010

Finish
● Graphite *

Dimming
Triac

Materials

Diffuser: Thermoformed opal methacrylate, with another diffuser in opal blown glass placed off-centre.

Structure: Iron

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Product type: Ceiling / Wall


Light source: LED SMD 700mA 33,4W 2700K CRI80 4310lm

Luminaire: 180 - 295 VAC TRIAC 39,85W 3089lm

Weight: Net 6,4 kg – Gross 10,4 kg

Package: 70 x 70 x 23 cm – 10,4 kg Vol – 0,12 m³

LED included



Dimmable



CE

ERC

UK
CA



Wire installation: Hardwired

Imaginative and playful, Tam Tam is dynamic in its configuration and expressive in its colours. The extensive collection, which comes in pendant, wall and floor lamps, has harnessed colour since its inception to create volume and accentuate spaces.

A decade later, the collection is getting an update to offer new possibilities. The glossy finishes have become semi-matte and new, softer colours have been added to harmonise the whole.



Tam Tam 3

Code

Central shade

A633-136 39
A633-136 35
A633-136 48
A633-136 43

Finish

● Black semi-matt (RAL 9011)
● Off-White semi-matt (RAL 1013)
● Blue grey semi-matt (RAL 7031)
● Khaki semi-matt (RAL 7008)

Satellite shade

A633-135 39
A633-135 35
A633-135 37
A633-135 38
A633-135 42
A633-135 46
A633-135 47

● Black semi-matt (RAL 9011)
● Off-white semi-matt (RAL 1013)
● Sand semi-matt (RAL 7032)
● Silver grey semi-matt (RAL 7001)
● Olive yellow semi-matt (RAL 1020)
● Orange semi-matt (RAL 2000)
● Brown grey semi-matt (RAL 7013)

Materials

Shade: Aluminium

Diffuser: Opalescent methacrylate


Product type: Pendant

Light source: 9x E27 LED Standard 8W

Weight: Net 8 kg – Gross 12,6 kg

Package: 58 x 58 x 38 cm – 6 kg Vol – 0,13 m³

(3x) 42 x 42 x 28 cm – 2,2 kg Vol – 0,05 m³



CE

ERC

UK

□

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black




Tam Tam 5

Code	Finish
Central shade	
A633-137 39	● Black semi-matt (RAL 9011)
A633-137 35	● Off-White semi-matt (RAL 1013)
A633-137 48	● Blue grey semi-matt (RAL 7031)
A633-137 43	● Khaki semi-matt (RAL 7008)
Satellite shade	
A633-135 39	● Black semi-matt (RAL 9011)
A633-135 35	● Off-white semi-matt (RAL 1013)
A633-135 37	● Sand semi-matt (RAL 7032)
A633-135 38	● Silver grey semi-matt (RAL 7001)
A633-135 42	● Olive yellow semi-matt (RAL 1020)
A633-135 46	● Orange semi-matt (RAL 2000)
A633-135 47	● Brown grey semi-matt (RAL 7013)

Materials
Shade: Aluminium
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 13x E27 LED Standard 8W
Weight: Net 10,8 kg – Gross 17 kg
Package: 59 x 59 x 38 cm – 6 kg Vol – 0,13 m³
(5x) 42 x 42 x 27 cm – 2,2 kg Vol – 0,05 m³



CE



ERC

UK
CA

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black




Tam Tam Mini

Code	Finish
Central shade	
A633-131 39	● Black semi-matt (RAL 9011)
A633-131 35	● Off-White semi-matt (RAL 1013)
A633-131 48	● Blue grey semi-matt (RAL 7031)
A633-131 43	● Khaki semi-matt (RAL 7008)
Satellite shade	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver grey semi-matt (RAL 7001)
A633-130 42	● Olive yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown grey semi-matt (RAL 7013)

Materials
Shade: Aluminium
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 5x E27 LED Standard 8W
Weight: Net 2,9 kg – Gross 5,1 kg
Package: 44 x 44 x 28 cm – 2,5 kg Vol – 0,054 m³
(3x) 24 x 24 x 17 cm – 0,85 kg Vol – 0,009 m³



CE



ERC

UK
CA

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black





Tam Tam 4


Code
Structure
A633-172 39

Finish
● Black semi-matt (RAL 9011)

Shades
A633-130 39 ● Black semi-matt (RAL 9011)
A633-130 35 ● Off-white semi-matt (RAL 1013)
A633-130 37 ● Sand semi-matt (RAL 7032)
A633-130 38 ● Silver grey semi-matt (RAL 7001)
A633-130 42 ● Olive yellow semi-matt (RAL 1020)
A633-130 46 ● Orange semi-matt (RAL 2000)
A633-130 47 ● Brown grey semi-matt (RAL 7013)

Materials
Shade: Aluminium
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 4x E27 LED Standard 8W
Weight: Net 5 kg – Gross 7,8 kg
Package: 167 x 18 x 18 cm – 4,4 kg Vol – 0,054 m³
(4x) 24 x 24 x 17 cm – 0,85 kg Vol – 0,009 m³



CE

ERC

UK
CA



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black



Tam Tam 6


Code
Structure
A633-173 39

Finish
● Black semi-matt (RAL 9011)

Shades
A633-130 39 ● Black semi-matt (RAL 9011)
A633-130 35 ● Off-white semi-matt (RAL 1013)
A633-130 37 ● Sand semi-matt (RAL 7032)
A633-130 38 ● Silver grey semi-matt (RAL 7001)
A633-130 42 ● Olive yellow semi-matt (RAL 1020)
A633-130 46 ● Orange semi-matt (RAL 2000)
A633-130 47 ● Brown grey semi-matt (RAL 7013)

Materials
Shade: Aluminium
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 6x E27 LED Standard 8W
Weight: Net 8,1 kg – Gross 10,8 kg
Package: 225 x 18 x 18 cm – 5,7 kg Vol – 0,072 m³
(6x) 24 x 24 x 17 cm – 0,85 kg Vol – 0,009 m³



CE

ERC

UK
CA



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black




Tam Tam P

Code	Finish
A633-142 39	● Black semi-matt (RAL 9011)

Shades	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver grey semi-matt (RAL 7001)
A633-130 42	● Olive yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown grey semi-matt (RAL 7013)

Materials
 Shade: Aluminium
 Diffuser: Opalescent methacrylate
 Structure: Metal

Product type: Floor
 Light source: E27 LED Standard 8W
 Weight: Net 3 kg – Gross 5,4 kg
 Package: 128 x 8 x 8 cm – 1,5 kg Vol – 0,008 m³
 33 x 33 x 3 cm – 3 kg Vol – 0,003 m³
 24 x 24 x 16 cm – 0,85 kg Vol – 0,009 m³



CE

ERC



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line




Tam Tam P2

Code	Finish
A633-143 39	● Black semi-matt (RAL 9011)

Shades	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver grey semi-matt (RAL 7001)
A633-130 42	● Olive yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown grey semi-matt (RAL 7013)

Materials
 Shade: Aluminium
 Diffuser: Opalescent methacrylate
 Structure: Metal

Product type: Floor
 Light source: 2x E27 LED Standard 8W
 Weight: Net 7 kg – Gross 9 kg
 Package: 168 x 18 x 18 cm – 4 kg Vol – 0,008 m³
 33 x 33 x 3 cm – 3 kg Vol – 0,003 m³
 (2x) 24 x 24 x 16 cm – 1 kg Vol – 0,009 m³



CE

ERC



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line




Tam Tam P3

Code Finish
 Stem
 A633-144 39 ● Black semi-matt (RAL 9011)

Shades
 A633-130 39 ● Black semi-matt (RAL 9011)
 A633-130 35 ● Off-white semi-matt (RAL 1013)
 A633-130 37 ● Sand semi-matt (RAL 7032)
 A633-130 38 ● Silver grey semi-matt (RAL 7001)
 A633-130 42 ● Olive yellow semi-matt (RAL 1020)
 A633-130 46 ● Orange semi-matt (RAL 2000)
 A633-130 47 ● Brown grey semi-matt (RAL 7013)

Materials
 Shade: Aluminium
 Diffuser: Opalescent methacrylate
 Structure: Metal

Product type: Floor
 Light source: 3x E27 LED Standard 8W
 Weight: Net 7 kg – Gross 10 kg
 Package: 168 x 18 x 18 cm – 4 kg Vol – 0,008 m³
 33 x 33 x 3 cm – 3 kg Vol – 0,003 m³
 (3x) 24 x 24 x 16 cm – 1 kg Vol – 0,009 m³



CE

ERC



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line





Tam Tam A

Code Finish
 Base 1
 A633-140 35 ● Off-white semi-matt (RAL 1013)

Shade
 A633-130 39 ● Black semi-matt (RAL 9011)
 A633-130 35 ● Off-white semi-matt (RAL 1013)
 A633-130 37 ● Sand semi-matt (RAL 7032)
 A633-130 38 ● Silver grey semi-matt (RAL 7001)
 A633-130 42 ● Olive yellow semi-matt (RAL 1020)
 A633-130 46 ● Orange semi-matt (RAL 2000)
 A633-130 47 ● Brown grey semi-matt (RAL 7013)

Materials
 Shade: Aluminium
 Diffuser: Opalescent methacrylate
 Plate: Metal

Product type: Wall
 Light source: E27 LED Standard 8W
 Weight: Net 1,2 kg – Gross 2 kg
 Package: 31 x 31 x 13 cm – 1,3 kg Vol – 0,012 m³
 24 x 24 x 17 cm – 0,7 kg Vol – 0,009 m³



CE

ERC



Wire installation: Hardwired
 Switch location: Plate




Tam Tam A2

Code	Finish
Base	
A633-141 35	● Off-white semi-matt (RAL 1013)
Shade	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver grey semi-matt (RAL 7001)
A633-130 42	● Olive yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown grey semi-matt (RAL 7013)

Materials
Shade: Aluminium
Diffuser: Opalescent methacrylate
Plate: Metal

Product type: Wall
Light source: 2x E27 LED Standard 8W
Weight: Net 1,5 kg – Gross 2,7 kg
Package: 45 x 45 x 13 cm – 1,3 kg Vol – 0,03 m³
(2x) 24 x 24 x 16 cm – 0,7 kg Vol – 0,009 m³



Wire installation: Hardwired





The W, PerezOchando

Unfold the light or fold it. The design of Estudio Perez Ochando proposes a lamp of large format, flexible, thought to adapt to the different necessities of lighting big spaces.

A large black vertical structure is the main shaft from which a number of rods emerge; some can be moved upwards to expand the light and others downwards to focus it.



The W



Code	Finish	Dimming
A705-001-3949-27K	● Black - Gold	Triac
A705-001-3937-27K	● Black - Ivory (RAL 1015)	Triac
A705-001-3941-27K	● Black - Terracotta (RAL 8023)	Triac
A705-002-3949-27K	● Black - Gold	DALI
A705-002-3937-27K	● Black - Ivory (RAL 1015)	DALI
A705-002-3941-27K	● Black - Terracotta (RAL 8023)	DALI

Materials: Structure: Aluminium
 Diffusers: Aluminium, Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI
 Casambi

Product type: Pendant
 Light source: LED SMD 48V 102W 2700K CRI90 9660lm
 Luminaire: 220 - 240 VAC TRIAC 110W 6405lm
 100 - 240 VAC DALI 110W 6405lm
 Weight: Net 13,3 kg – Gross 15,4 kg
 Package: 21 x 21 x 112 cm – 4,3 kg Vol – 0,05 m³
 26 x 20 x 51 cm – 7,3 kg Vol – 0,03 m³
 42 x 42 x 8 cm – 3,8 kg Vol – 0,01 m³

LED included



Product notes: Casambi available upon request.


Anti-rotation accessory

Code
A705-010

Finish
● Black

Materials
Structure: Steel

Product type: Accessory



From light to shadow with a single gesture. Theia has two faces: to discover them, simply swivel the fixture around its central axis. It can be pointed towards you for use

as a reading lamp, or towards an object or a wall, creating a subtle, indirect light that immediately warms the atmosphere.



Theia M


Code A672-001
A672-002

Finish
● White (RAL 9010)
● Black (RAL 9005)

Materials Base: Iron
Stem: Iron
Dissipater: Aluminium
Diffuser: Spun metal
Shade: Thermoformed methacrylate

Dimmable: No
Integrated dimmer: Yes

Product type: Table
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 100 - 240 VAC 10,85W
Weight: Net 5,9 kg – Gross 7,2 kg
Package: 36 x 36 x 24 cm – 5,8 kg Vol – 0,03 m³
44 x 18 x 12 cm – 1,4 kg Vol – 0,01 m³
LED included



Cable length: 1,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: Built-in the dissipater



Theia P


Code
A672-003
A672-004

Finish
● White (RAL 9010)
● Black (RAL 9005)

Materials
Base: Iron
Stem: Iron
Dissipater: Aluminium
Diffuser: Spun metal
Shade: Thermoformed methacrylate

Dimmable: No
Integrated dimmer: Yes

Product type: Floor
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 100 - 240 VAC 10,85W
Weight: Net 6,8 kg – Gross 8,5 kg
Package: 37 x 37 x 23 cm – 5,8 kg Vol – 0,03 m³
120 x 17 x 12 cm – 2,7 kg Vol – 0,02 m³
LED included



Dimmer

CE

ERC



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: Built-in the dissipater






TXL 2019 205

Code A605-060
A605-061

Finish
● Beige
● Grey *

Materials
Base: Concrete
Stem: Stainless steel
Diffuser: White acid etched glass
Shade: Textile with the inner part always in white

Product type: Floor
Light source: 2x E27 LED Standard 8W
Weight: Net 28,8 kg – Gross 32 kg
Package: 41 x 33 x 33 cm – 2,5 kg Vol – 0,04 m³
70 x 70 x 50 cm – 4,4 kg Vol – 0,25 m³
220 x 10 x 10 cm – 3,6 kg Vol – 0,02 m³
66 x 66 x 15 cm – 21,5 kg Vol – 0,06 m³



CE
EAC
IP65



Cable length: 2,5 m
Wire installation: Plug-in
Color cord: Black

TXL 2019 170


Code	Finish
A605-062	● Beige
A605-063	● Grey *

Materials

Base: Concrete
 Stem: Stainless steel
 Diffuser: White acid etched glass
 Shade: Textilene with the inner part always in white

Product type: Floor

Light source: 3x E14 LED 5W
 Weight: Net 21,2 kg – Gross 23,2 kg
 Package: 27 x 28 x 38 cm – 2 kg Vol – 0,02 m³
 60 x 60 x 45 cm – 3,6 kg Vol – 0,16 m³
 180 x 10 x 10 cm – 3,10 kg Vol – 0,018 m³
 58 x 58 x 15 cm – 14,5 kg Vol – 0,05 m³



CE

ERC



IP65



Cable length: 2,5 m
 Wire installation: Plug-in
 Color cord: Black

Dimmer Casambi IP65


Code	Finish
A712-001	● Black

Materials

Case: ABS
 Trim: Aluminium

Product type: Accessory

85 - 240 VAC max. 50W
 Weight: Net 2 kg – Gross 3 kg
 Package: 20 x 12 x 8 cm - 3 kg – VOL - 0,002 m³
 Product notes: Bluetooth smart wireless trailing edge dimmer that adjusts light intensity or switches the lamp ON/OFF. Available in Android or iOS with the app Casambi.




CE

ERC



IP65



Spare parts

Code	Product	Finish	Spare part
A605-102	Txl 205	-	Glass
A605-112	Txl 170	-	Glass
R605-004	Txl 2019 205	Beige	Shade
R605-005	Txl 2019 205	Grey	Shade
R605-006	Txl 2019 170	Beige	Shade
R605-007	Txl 2019 170	Grey	Shade



Vetra 43


Code
A689-004
A689-033

Finish
● White
● Amber

Materials
Shade: Blown glass
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
Luminaire: 180 - 295 VAC TRIAC 19,71W 881lm
Weight: Net 5,7 kg – Gross 7,6 kg
Package: 57 x 57 x 37 cm – 7,6 kg Vol – 0,051 m³
LED included



Dimmable



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black




Vetra P

Code	Finish
A689-008	● White *
A689-009	● Black *

Materials
Base: Iron
Stem: Iron
Shade: Blown glass
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: Yes
3 positions sensor dimmer.

Product type: Floor
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 100 - 240 VAC 10,85W 348lm
Weight: Net 7,9 kg – Gross 10 kg
Package: 43 x 43 x 28 cm – 3 kg Vol – 0,051 m³
140 x 25 x 25 cm – 4 kg Vol – 0,09 m³
36 x 36 x 5 cm – 3 kg Vol – 0,01 m³
LED included



Dimmer



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Switch location: In-line

Spare parts

Code	Product	Finish	Spare part
R689-004	Vetra 32 *	White	Glass
R689-005	Vetra 32 *	Amber	Glass
R689-001	Vetra 43	White	Glass
R689-006	Vetra 43	Amber	Glass





Zenc

Code	Finish
A715-001-35	● White (RAL 1013)
A715-001-38	● Grey (RAL 7022)
A715-001-40	● Red (RAL 3011)
A715-001-48	● Sky Blue (PANTONE 7542C)
A715-001-44	● Pale pink *(RAL 010 85 10)
A715-001-42	● Pale yellow (RAL 085 80 30)

Materials


Shade: Bi-injected rotary moulded polyethylene

Product type: Pendant

Light source: E27 Globe (Ø95) 12W

Weight: Net 3 kg – Gross 3,9 kg








Package: 52 x 52 x 37 cm – 3,9 kg Vol – 0,1 m³



Cable length: 2,5 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black



Led bulbs

	Code	Description
	BOM-261	E14 LED 5,5W 2700K 470lm
	BOM-223	E27 LED Globe (ø95) 12W 2800K 810lm
	BOM-227	E27 LED Reflector 8W 3000K 720lm
	BOM-222	E27 LED Globe (ø120) 11W 2800K 1055lm
	BOM-246	G9 LED 3,5W 3000K 300lm
	BOM-270	E27 LED PAR30 10W 40° 3000K 850/1200lm
	BOM-272	E27 LED 9,5W 2800K 810lm DIM

Technical note

The watts shown on the pricelist are the actual watts of the luminaire (including both LED and driver); otherwise, the watts are expressly shown as being for the Light source. Similarly, the lumens may be for the luminaire or light source, as shown on the pricelist.

For more information, you can find lighting data on our website.

Symbols & Certificates

IP65

Electric fittings are preset in order to prevent the intrusion and contact with solids and liquids with live parts. Resistance against the penetration of solids and liquids is expressed by the initials IP, followed by two digits that stand for the degree of protection: the first referring to solids, the second to liquids.



Very low safety supply voltage; not to be used at over 12V (at 50Hz). Earthing: excluded.

Dimmer

Dimmer on the unit.



All products are manufactured according to the set safety and electromagnetism standards of Europe: EN 60598-1, EN 60598-2-1 and marked CE.

Dimmable

Product which can be dimmed.



Product complying with TR TC 004/2011 and TP TC 020/2011. Custom Union Regulation.



Product with an additional protection cable (grounds).



Product complying with UK Conformity Assessment.



Basic insulation plus second insulation or both replaced by reinforced insulation. Earthing: excluded.

*

Available until depletion of stocks.
Check with us before placing an order.

Plan your projects in our Professional Area

Photometric Data

Press Releases

Banners

2D Models

3D Models

HR Images

Videos



We want to offer you an exclusive service that's designed to make your work easier. By signing up at the new professional area at [marset.com](https://www.marset.com), you'll be able to download technical information, images, and videos of our products, receive our newsletter, and save your preferred products. We offer direct access and personal attention.



Factory & Headquarters

Carretera de Rubí 284
08228 Terrassa (Spain)
T +34 934 600 107
info@marset.com

Milan Showroom

Via dell'Annunciata 29
20121 Milan (Italy)
C +39 366 6059083
milano-showroom@mdaitalia.it

Barcelona Showroom

Santaló 56 interior
08021 Barcelona (Spain)
T +34 934 142 844
press@marset.com

Cologne Showroom

Design Post
Deutz-Mülheimer-Str. 22a
50679 Cologne (Germany)
T +49 221 69 06 50
info@marset.com

Marset USA Inc.

202 N 10th Street
Brooklyn, NY 11211
T +1 646 727 4250
marsetusa@marset.com

Mexico Showroom

Alejandro Dumas 212
11550 Mexico City
T +52 5568170926
marset@g-tec.com.mx





www.welighting.com



WELIGHTING



+852 2359 9866



mail@welighting.com



Unit 01-07, 22/F, CEO Tower,
77 Wing Hong Street, Lai Chi Kok, Hong Kong

WELIGHTING

www.welighting.com

© 2024 We Lighting Ltd. All rights reserved.